1.12

Length of Stay by Operation, Canada, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Canada, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	22	9.1	3,434	391	11.4
25-49	194	72	37.1	6,680	2,463	36.9
50-99	174	47	27.0	12,300	3,187	25.9
100-199	120	31	25.8	16,507	4,291	26.0
200-299	74	15	20.3	17,869	3,540	19.8
300-399	58	7	12.1	20,119	2,424	12.0
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	7,809	30.6
Total	919	206	22.4	111,371	25,072	22.5
Province or Territory						
Alberta	125	113	90.4	11,653	10,639	91.3
British Columbia	111	36	32.4	12,355	5,687	46.0
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	6	17.1	2,588	1,202	46.4
Nova Scotia	48	11	22.9	4,833	2,567	53.1
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	5	3.8	6,260	758	12.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	206	22.4	111,371	25,072	22.5

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] Canadian Hospital Directory, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1983* or *Length of Stay by Operation, Canada, 1983.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP ≥ 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever ≥ 102°, chills*			
2. *Abscess formation*			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	19	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	19	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53803	3.8	17	1	1	3	5	7	10	19
20-34	90565	4.2	14	<1	1	4	5	7	9	17
35-49	32094	5.2	26	<1	1	4	7	10	14	25
50-64	26161	6.5	40	1	1	5	8	13	17	32
65+	25086	8.3	72	1	2	6	10	17	24	47
2. MULTIPLE DX										
0-19 YRS	37697	6.2	64	1	1	4	7	12	19	48
20-34	68076	6.3	48	1	2	5	7	11	16	41
35-49	36872	8.1	74	1	2	6	9	16	23	50
50-64	44643	10.5	114	1	2	8	13	22	31	64
65+	69728	13.7	183	2	3	10	17	30	45	99+
TOT. SINGLE DX	227709	4.9	28	1	1	4	6	9	13	26
" MULTIPLE DX	257016	9.3	112	1	2	6	11	20	30	68
TOTAL 0-19 YRS	91500	4.8	38	1	1	3	5	9	13	32
20-34	158641	5.1	30	1	1	4	6	9	12	29
35-49	68966	6.8	54	1	1	5	8	13	19	40
50-64	70804	9.0	91	1	2	6	11	19	27	54
65+	94814	12.2	159	2	2	9	15	27	40	94
GRAND TOTAL	**484725**	**7.2**	**77**	**1**	**1**	**5**	**8**	**15**	**23**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	12.0	130	1	1	9	17	33	36	36
20-34	46	15.4	67	5	6	15	21	27	31	37
35-49	50	20.0	177	6	8	15	29	39	48	53
50-64	51	17.3	131	6	8	15	20	28	43	69
65+	29	18.3	101	6	7	16	27	37	42	99+
2. MULTIPLE DX										
0-19 YRS	33	21.5	366	2	2	17	27	60	87	99+
20-34	61	27.1	229	11	14	23	35	50	71	99+
35-49	68	21.6	209	8	9	17	28	43	85	99+
50-64	105	26.8	313	8	10	24	33	63	88	99+
65+	86	32.9	472	10	11	27	55	72	99+	99+
TOT. SINGLE DX	194	17.2	127	4	6	15	22	35	40	62
" MULTIPLE DX	353	26.8	336	8	10	23	36	63	95	99+
TOTAL 0-19 YRS	51	18.2	300	1	2	14	25	36	62	99+
20-34	107	22.1	192	6	8	19	29	43	53	99+
35-49	118	20.9	195	6	8	16	28	42	53	99+
50-64	156	23.7	273	8	9	19	28	50	68	99+
65+	115	29.2	417	8	10	24	44	67	99	99+
GRAND TOTAL	**547**	**23.4**	**283**	**6**	**8**	**19**	**31**	**53**	**70**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	8.1	8	2	4	8	10	12	12	12
20-34	9	12.7	33	5	5	13	15	21	23	23
35-49	12	14.2	180	2	3	9	17	37	46	48
50-64	12	15.1	68	3	6	13	22	26	29	29
65+	10	16.1	209	7	7	10	15	42	50	50
2. MULTIPLE DX										
0-19 YRS	17	15.1	231	2	3	9	24	52	83	99+
20-34	17	22.6	585	5	7	14	34	95	99+	99+
35-49	21	28.1	653	5	7	24	52	99+	99+	99+
50-64	24	35.8	656	8	9	28	62	80	93	99+
65+	17	34.5	786	9	10	27	45	86	90	91
TOT. SINGLE DX	60	12.7	95	3	5	10	14	24	33	50
" MULTIPLE DX	96	27.9	624	4	7	22	44	91	99+	99+
TOTAL 0-19 YRS	34	11.6	129	2	4	8	12	30	53	99+
20-34	26	19.2	409	5	6	14	24	85	99+	99+
35-49	33	23.1	517	4	6	19	33	95	99+	99+
50-64	36	28.9	551	8	8	22	43	73	87	99+
65+	27	27.7	638	7	7	18	33	75	88	91
GRAND TOTAL	**156**	**22.1**	**474**	**4**	**6**	**14**	**28**	**74**	**94**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.5	10	2	3	7	8	9	12	19
20-34	22	8.5	21	2	3	8	11	14	18	20
35-49	5	7.6	12	2	2	8	10	11	11	11
50-64	11	10.6	26	3	4	9	14	18	21	21
65+	4	10.0	14	5	5	10	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	25	11.4	103	5	6	9	10	28	63	99+
20-34	30	11.8	99	4	5	10	12	19	20	60
35-49	14	13.8	129	4	6	11	15	51	88	99+
50-64	9	12.9	92	4	4	9	21	28	29	29
65+	3	10.7		10	10	11	11	11	11	11
TOT. SINGLE DX	75	8.0	18	2	3	8	10	13	17	21
" MULTIPLE DX	81	12.1	98	4	5	10	13	21	52	99+
TOTAL 0-19 YRS	58	8.6	55	3	4	8	9	14	24	96
20-34	52	10.4	68	3	4	9	11	17	20	59
35-49	19	12.2	104	3	5	10	14	34	75	99+
50-64	20	11.7	54	3	4	9	15	23	27	29
65+	7	10.3	7	5	6	11	11	13	14	14
GRAND TOTAL	**156**	**10.1**	**63**	**3**	**4**	**9**	**11**	**18**	**24**	**97**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	11.6	35	4	5	11	16	18	23	25
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	14.3	14	9	9	15	17	18	18	18
65+	6	16.2	91	5	5	17	22	29	30	30
2. MULTIPLE DX										
0-19 YRS	32	24.1	211	6	9	25	40	95	99+	99+
20-34	17	25.5	290	7	10	18	40	51	56	58
35-49	12	24.8	343	5	6	23	34	55	62	63
50-64	21	24.6	456	6	7	18	40	94	99+	99+
65+	23	33.8	446	8	13	31	43	97	99+	99+
TOT. SINGLE DX	28	12.9	42	5	5	13	17	21	25	30
" MULTIPLE DX	105	26.6	341	6	9	24	41	66	99+	99+
TOTAL 0-19 YRS	48	19.9	186	5	5	16	34	52	99+	99+
20-34	18	24.8	282	7	10	16	39	51	56	58
35-49	13	23.6	334	5	7	23	31	53	61	63
50-64	25	22.9	397	6	7	16	32	86	99+	99+
65+	29	30.2	420	5	8	29	41	84	99+	99+
GRAND TOTAL	**133**	**23.7**	**309**	**5**	**7**	**18**	**37**	**59**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	9.1	33	3	3	8	11	17	22	26
20-34	20	18.6	575	1	2	10	18	64	82	83
35-49	5	14.2	414	2	2	6	21	50	50	50
50-64	5	22.6	139	6	6	24	30	38	38	38
65+	2	11.0	8	9	9	11	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	102	15.1	365	2	3	9	14	32	69	95
20-34	34	23.5	579	3	4	14	28	61	72	99
35-49	14	21.1	190	4	7	18	30	35	51	56
50-64	10	10.4	35	3	3	11	15	18	20	20
65+	12	28.3	454	6	7	21	43	57	71	73
TOT. SINGLE DX	57	14.1	275	2	3	9	15	27	49	83
" MULTIPLE DX	172	17.9	396	3	4	10	20	45	69	96
TOTAL 0-19 YRS	127	13.9	305	3	3	9	14	29	49	94
20-34	54	21.7	573	2	4	12	25	61	79	98
35-49	19	19.3	239	2	3	17	30	43	53	56
50-64	15	14.5	98	3	4	13	19	27	35	38
65+	14	25.9	424	5	7	16	41	52	68	73
GRAND TOTAL	**229**	**16.9**	**367**	**3**	**3**	**10**	**18**	**42**	**69**	**94**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	59	10.9	23	6	6	10	12	18	23	25
35-49	122	10.4	37	5	5	9	12	15	19	45
50-64	114	12.1	61	6	6	10	13	19	24	47
65+	27	14.0	30	7	7	13	17	23	24	25
2. MULTIPLE DX										
0-19 YRS	5	21.2	367	7	7	10	34	52	52	52
20-34	43	17.1	138	8	8	12	20	37	55	99+
35-49	95	13.7	65	5	6	12	16	21	34	45
50-64	170	17.2	139	6	8	14	20	31	47	98
65+	102	21.9	183	8	9	19	27	41	52	93
TOT. SINGLE DX	323	11.4	43	5	6	10	13	18	23	36
" MULTIPLE DX	415	17.6	142	6	8	14	21	34	45	94
TOTAL 0-19 YRS	6	19.7	308	7	7	11	28	50	52	52
20-34	102	13.5	80	6	7	11	16	24	35	80
35-49	217	11.9	52	5	6	10	14	18	24	45
50-64	284	15.2	114	6	7	12	18	26	35	84
65+	129	20.2	162	8	9	17	25	38	46	89
GRAND TOTAL	**738**	**14.9**	**108**	**6**	**7**	**12**	**17**	**26**	**37**	**69**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.6	62	3	3	11	20	21	21	21
20-34	52	8.4	46	2	3	5	11	19	24	28
35-49	81	8.1	46	2	2	6	11	17	23	31
50-64	35	10.1	49	1	2	9	14	23	26	26
65+	6	23.7	280	4	5	21	42	43	43	43
2. MULTIPLE DX										
0-19 YRS	26	17.2	159	4	5	15	20	42	44	45
20-34	34	16.6	416	1	1	10	19	61	83	99+
35-49	56	17.0	234	2	2	15	23	33	51	99
50-64	53	18.8	231	2	4	15	24	41	48	66
65+	22	20.0	197	1	2	18	28	40	47	52
TOT. SINGLE DX	181	9.2	61	2	2	7	12	21	26	39
" MULTIPLE DX	191	17.8	248	2	3	15	23	41	52	94
TOTAL 0-19 YRS	33	16.0	142	3	4	15	20	36	44	45
20-34	86	11.7	206	2	2	8	13	24	38	94
35-49	137	11.8	141	2	2	8	17	27	32	88
50-64	88	15.4	176	2	3	11	18	36	42	64
65+	28	20.8	208	2	3	18	30	43	44	52
GRAND TOTAL	**372**	**13.6**	**175**	**2**	**2**	**10**	**18**	**32**	**42**	**83**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	10.3	230	1	2	4	12	25	50	59
20-34	49	3.7	7	<1	1	3	5	8	10	13
35-49	44	4.3	11	<1	1	3	6	10	12	15
50-64	84	4.5	19	1	2	3	5	8	11	27
65+	32	7.3	115	1	1	4	7	13	35	53
2. MULTIPLE DX										
0-19 YRS	8	10.1	72	1	2	6	19	22	22	22
20-34	33	5.2	44	<1	<1	3	6	17	28	99+
35-49	45	10.9	173	2	2	5	13	21	32	67
50-64	50	7.8	65	1	2	5	10	22	26	33
65+	42	10.6	71	2	2	8	14	24	28	38
TOT. SINGLE DX	224	5.0	45	1	1	3	6	10	14	41
" MULTIPLE DX	178	8.9	93	1	2	5	12	21	26	65
TOTAL 0-19 YRS	23	10.3	170	1	2	5	16	23	37	59
20-34	82	4.3	22	<1	<1	3	5	9	16	77
35-49	89	7.6	104	1	2	4	10	17	21	64
50-64	134	5.7	39	1	2	3	6	12	21	32
65+	74	9.1	92	2	2	6	11	19	31	49
GRAND TOTAL	**402**	**6.7**	**70**	**1**	**2**	**4**	**8**	**16**	**22**	**56**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.4	9	<1	1	2	3	7	11	15
20-34	233	2.5	3	<1	<1	2	3	4	6	10
35-49	265	3.1	11	<1	<1	2	3	5	10	17
50-64	271	3.0	9	<1	<1	2	3	5	9	18
65+	141	3.1	9	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
0-19 YRS	46	4.8	59	1	1	3	5	9	12	52
20-34	146	4.8	57	1	1	2	4	10	22	99+
35-49	131	4.9	24	1	1	3	6	11	16	24
50-64	157	6.2	55	1	1	3	6	16	25	33
65+	172	6.4	71	1	2	4	7	15	18	38
TOT. SINGLE DX	940	2.9	9	<1	<1	2	3	5	8	16
" MULTIPLE DX	652	5.6	55	1	1	3	6	13	21	40
TOTAL 0-19 YRS	76	4.2	40	1	1	2	5	9	11	42
20-34	379	3.4	25	<1	<1	2	3	6	10	39
35-49	396	3.7	16	<1	<1	2	4	8	11	22
50-64	428	4.1	29	<1	<1	2	4	9	15	31
65+	313	4.9	46	<1	1	3	5	11	16	29
GRAND TOTAL	1592	4.0	29	<1	1	2	4	9	13	29

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.7	24	6	6	14	15	15	15	15
20-34	23	8.3	15	3	5	7	10	14	16	19
35-49	15	11.2	43	3	5	8	15	18	26	29
50-64	17	14.2	130	6	6	11	16	25	44	53
65+	19	11.4	35	5	5	9	16	19	24	26
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	17	9.9	28	2	3	9	14	16	19	21
35-49	20	20.1	451	4	6	10	22	64	70	73
50-64	45	14.3	62	5	6	12	20	28	35	99+
65+	70	17.6	95	7	8	15	22	30	34	56
TOT. SINGLE DX	77	11.1	54	5	5	9	14	18	24	46
" MULTIPLE DX	153	16.0	130	5	6	13	20	29	36	73
TOTAL 0-19 YRS	4	10.8	20	6	6	11	14	15	15	15
20-34	40	9.0	21	2	4	8	13	15	18	21
35-49	35	16.3	290	4	6	9	17	29	65	73
50-64	62	14.3	79	5	6	12	18	27	35	94
65+	89	16.2	89	5	7	14	20	29	33	53
GRAND TOTAL	230	14.4	109	5	6	12	17	26	33	68

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	57	2	2	11	15	17	17	17
20-34	11	5.7	21	<1	1	4	8	14	15	15
35-49	7	5.6	9	1	1	6	8	10	10	10
50-64	6	15.7	196	3	4	12	15	40	43	43
65+	5	16.6	284	4	4	6	29	43	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34	12	21.3	373	3	4	12	31	57	58	58
35-49	29	15.4	322	1	3	10	19	33	47	91
50-64	13	12.6	36	2	4	13	14	19	25	27
65+	11	17.6	316	1	3	12	23	41	64	66
TOT. SINGLE DX	32	9.7	105	1	2	6	12	19	41	43
" MULTIPLE DX	65	16.3	269	2	3	12	19	37	56	87
TOTAL 0-19 YRS	3	10.0	57	2	2	11	15	17	17	17
20-34	23	13.9	260	1	2	9	15	41	57	58
35-49	36	13.5	275	1	3	8	17	26	43	91
50-64	19	13.6	81	2	4	13	15	23	36	43
65+	16	17.3	287	2	4	11	24	41	59	66
GRAND TOTAL	97	14.1	223	1	3	10	17	27	44	79

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.2	4	3	3	5	6	8	8	13
20-34	176	5.1	4	3	4	5	6	7	8	13
35-49	212	5.1	3	3	3	5	6	7	9	12
50-64	177	5.4	3	3	4	5	6	8	8	12
65+	60	6.9	40	3	4	6	8	10	11	48
2. MULTIPLE DX										
0-19 YRS	8	7.5	11	4	4	7	9	13	14	14
20-34	87	7.4	65	3	4	5	7	12	15	56
35-49	115	6.8	19	4	4	5	8	12	15	29
50-64	152	7.0	20	4	4	6	7	12	15	23
65+	83	11.3	139	4	4	8	14	24	28	98
TOT. SINGLE DX	656	5.3	7	3	4	5	6	8	9	12
" MULTIPLE DX	445	7.8	53	4	4	6	8	14	20	45
TOTAL 0-19 YRS	39	5.7	6	3	4	5	7	8	12	14
20-34	263	5.8	25	3	4	5	6	8	11	22
35-49	327	5.7	10	3	4	5	6	9	10	18
50-64	329	6.1	12	3	4	5	7	8	12	22
65+	143	9.4	102	3	4	7	10	17	26	94
GRAND TOTAL	**1101**	**6.3**	**27**	**3**	**4**	**5**	**7**	**9**	**13**	**27**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.9	2	1	2	3	3	4	6	11
20-34	34	3.6	2	1	2	3	4	6	8	8
35-49	20	4.1	5	<1	1	4	5	8	9	9
50-64	28	4.8	2	3	3	5	6	7	7	8
65+	16	4.9	5	1	2	5	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	7	7.9	34	2	2	7	11	17	18	18
20-34	26	8.9	54	2	2	7	10	21	28	29
35-49	25	8.2	9	4	4	8	10	12	13	15
50-64	42	8.9	28	2	3	8	12	17	21	22
65+	40	13.8	199	4	5	9	20	51	99+	99+
TOT. SINGLE DX	157	3.7	4	1	2	3	5	7	8	9
" MULTIPLE DX	140	10.1	83	2	4	8	12	20	27	99+
TOTAL 0-19 YRS	66	3.4	8	1	2	3	4	6	11	17
20-34	60	5.9	32	1	2	4	7	10	19	29
35-49	45	6.3	12	1	2	6	9	11	12	15
50-64	70	7.3	22	2	3	6	9	13	17	22
65+	56	11.3	160	3	3	8	15	25	94	99+
GRAND TOTAL	**297**	**6.7**	**51**	**2**	**2**	**5**	**8**	**14**	**20**	**93**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	13.2	55	6	6	11	16	26	29	29
35-49	9	11.8	25	7	7	10	14	20	21	21
50-64	6	14.8	25	11	11	13	17	23	24	24
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	8	16.5	73	7	8	13	25	28	29	29
20-34	25	18.7	205	7	9	16	22	28	42	79
35-49	17	20.6	257	8	9	17	24	40	61	72
50-64	24	22.3	157	8	10	18	29	43	47	51
65+	16	26.2	246	8	11	21	34	48	62	68
TOT. SINGLE DX	25	13.1	33	7	7	12	15	21	25	29
" MULTIPLE DX	90	21.2	198	8	9	17	26	38	49	76
TOTAL 0-19 YRS	8	16.5	73	7	8	13	25	28	29	29
20-34	34	17.3	169	6	8	14	21	28	30	79
35-49	26	17.6	191	8	8	12	19	30	48	72
50-64	30	20.8	139	8	10	17	24	41	46	51
65+	17	25.4	241	8	11	18	34	47	61	68
GRAND TOTAL	**115**	**19.4**	**173**	**7**	**8**	**17**	**24**	**34**	**45**	**74**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	1.5	2	<1	<1	1	1	2	2	11
20-34	20	1.7	1	<1	<1	1	2	3	4	5
35-49	20	1.6	1	<1	<1	<1	2	3	4	4
50-64	29	3.2	9	<1	<1	2	3	7	10	15
65+	28	3.4	7	<1	<1	3	4	8	9	11
2. MULTIPLE DX										
0-19 YRS	16	2.4	5	<1	<1	2	3	7	8	9
20-34	6	5.2	37	<1	<1	3	6	16	17	17
35-49	10	4.7	37	<1	<1	1	7	15	18	18
50-64	26	5.6	24	<1	<1	4	9	13	15	19
65+	49	10.9	203	<1	1	6	17	28	48	99+
TOT. SINGLE DX	162	2.2	5	<1	<1	1	2	4	7	12
" MULTIPLE DX	107	7.4	115	<1	<1	4	9	19	27	90
TOTAL 0-19 YRS	81	1.7	3	<1	<1	1	2	2	5	11
20-34	26	2.5	10	<1	<1	2	2	5	8	17
35-49	30	2.6	14	<1	<1	<1	2	6	13	18
50-64	55	4.3	18	<1	<1	3	6	10	14	19
65+	77	8.2	144	<1	<1	4	9	23	29	95
GRAND TOTAL	269	4.3	55	<1	<1	2	4	10	18	44

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.4	4	<1	<1	2	3	4	6	14
20-34	48	2.4	2	<1	<1	2	3	5	6	6
35-49	63	2.5	2	<1	<1	2	3	4	5	10
50-64	102	2.7	3	<1	<1	2	3	5	7	9
65+	153	2.7	4	<1	<1	2	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	84	3.6	38	<1	<1	2	3	7	10	38
20-34	109	3.6	10	<1	<1	2	5	7	10	16
35-49	77	3.5	15	<1	<1	2	4	7	9	25
50-64	101	3.8	14	<1	<1	3	4	9	11	21
65+	155	7.5	140	<1	1	3	7	18	35	70
TOT. SINGLE DX	443	2.6	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	526	4.8	58	<1	<1	3	5	10	16	44
TOTAL 0-19 YRS	161	3.0	23	<1	<1	2	3	5	8	35
20-34	157	[illegible]	8	<1	<1	2	4	6	9	14
35-49	140	[illegible].0	10	<1	<1	2	4	6	7	17
50-64	203	[illegible].2	9	<1	<1	2	4	6	9	17
65+	308	5.1	78	<1	1	3	4	11	19	66
GRAND TOTAL	969	3.8	34	<1	<1	2	4	7	11	35

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.4	1	<1	<1	2	4	4	5	5
20-34	34	3.1	6	1	1	2	4	6	9	13
35-49	23	3.2	2	2	2	2	4	6	7	7
50-64	48	3.3	3	<1	2	3	4	6	7	12
65+	33	3.3	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	9	3.8	2	2	2	4	5	6	6	6
20-34	11	5.5	16	2	2	4	8	12	15	15
35-49	15	4.8	13	<1	1	3	8	10	12	12
50-64	21	7.3	177	1	2	3	6	12	35	64
65+	40	5.1	12	2	3	4	6	8	11	22
TOT. SINGLE DX	156	3.2	4	1	2	3	4	6	7	12
" MULTIPLE DX	96	5.5	48	2	2	4	6	10	12	45
TOTAL 0-19 YRS	27	2.9	2	<1	1	2	4	5	6	6
20-34	45	3.7	10	1	2	2	4	8	11	15
35-49	38	3.8	8	1	2	3	5	8	10	12
50-64	69	4.5	58	1	2	3	5	7	12	54
65+	73	4.3	9	2	2	3	6	7	8	20
GRAND TOTAL	252	4.0	22	1	2	3	5	7	10	15

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	54	<1	<1	1	9	16	16	16
20-34	8	4.1	38	<1	<1	1	4	15	19	19
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	2.0		1	1	2	3	3	3	3
65+	8	3.3	13	<1	<1	2	3	9	12	12
2. MULTIPLE DX										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	12	10.1	332	<1	<1	5	7	29	62	67
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	12.0	111	2	2	11	20	23	23	23
65+	9	3.8	9	<1	<1	4	5	8	10	10
TOT. SINGLE DX	27	3.4	21	<1	<1	2	3	11	16	19
" MULTIPLE DX	27	7.7	165	<1	<1	4	7	13	30	67
TOTAL 0-19 YRS	6	5.7	43	<1	<1	2	12	16	16	16
20-34	20	7.7	215	<1	<1	4	6	16	43	67
35-49	4	1.8		1	1	2	2	2	2	2
50-64	7	6.3	66	1	1	2	9	21	23	23
65+	17	3.5	10	<1	<1	2	4	9	11	12
GRAND TOTAL	54	5.5	96	<1	<1	2	5	12	18	65

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.2	1	2	2	5	5	5	5	5
20-34	34	5.0	2	2	3	5	6	7	8	8
35-49	31	5.5	5	2	3	5	6	8	12	12
50-64	15	5.5	5	3	3	5	6	8	11	12
65+	42	6.5	5	3	4	6	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	4	12.3	72	8	8	8	17	25	25	25
20-34	16	5.3	7	3	3	4	6	10	12	13
35-49	13	5.5	9	2	2	5	8	10	11	11
50-64	28	9.6	74	4	4	6	9	21	34	37
65+	59	7.4	56	2	3	5	7	13	23	49
TOT. SINGLE DX	127	5.6	5	2	3	5	7	8	10	13
" MULTIPLE DX	120	7.6	51	2	3	5	8	13	23	41
TOTAL 0-19 YRS	9	7.8	46	2	3	5	8	18	25	25
20-34	50	5.1	4	2	3	5	6	7	8	13
35-49	44	5.5	6	2	3	5	7	10	11	12
50-64	43	8.2	54	3	4	5	8	17	26	37
65+	101	7.0	36	2	3	6	7	11	16	38
GRAND TOTAL	**247**	**6.6**	**28**	**2**	**3**	**5**	**7**	**10**	**14**	**34**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.6	16	<1	1	6	7	11	12	20
20-34	47	3.8	11	<1	<1	3	5	8	10	17
35-49	42	2.7	8	<1	<1	2	3	6	9	16
50-64	42	2.9	5	<1	<1	2	3	6	7	12
65+	43	3.3	8	<1	<1	3	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	9	8.1	40	1	1	6	14	16	17	17
20-34	24	5.6	14	<1	<1	5	7	12	14	15
35-49	18	4.3	11	<1	1	3	6	10	12	13
50-64	16	6.7	73	<1	1	4	7	30	76	99+
65+	36	10.1	160	<1	1	4	15	31	42	48
TOT. SINGLE DX	205	3.5	10	<1	<1	3	5	7	10	16
" MULTIPLE DX	103	7.3	80	<1	1	5	8	17	32	72
TOTAL 0-19 YRS	40	6.2	22	<1	1	6	8	13	16	20
20-34	71	4.4	13	<1	<1	4	6	9	13	17
35-49	60	3.2	10	<1	<1	2	4	7	10	16
50-64	58	3.9	26	<1	<1	3	4	7	18	94
65+	79	6.4	88	<1	<1	3	5	16	26	46
GRAND TOTAL	**308**	**4.8**	**36**	**<1**	**<1**	**3**	**6**	**12**	**15**	**42**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.8	22	<1	1	4	9	13	14	14
20-34	9	3.8	7	<1	<1	3	5	8	9	9
35-49	15	7.5	18	1	3	6	10	13	15	16
50-64	34	6.6	21	2	2	5	9	14	17	20
65+	65	4.9	8	2	2	4	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	4	3.8	5	<1	<1	4	5	6	6	6
20-34	11	13.5	88	4	4	11	18	30	30	30
35-49	17	7.5	41	1	1	5	10	20	22	22
50-64	40	8.5	45	3	3	6	9	15	20	40
65+	112	9.0	51	2	3	6	11	21	24	36
TOT. SINGLE DX	131	5.6	14	2	2	5	7	11	14	18
" MULTIPLE DX	184	8.9	52	2	3	6	11	20	23	37
TOTAL 0-19 YRS	12	5.1	17	<1	<1	4	7	12	14	14
20-34	20	9.1	74	<1	1	6	11	25	30	30
35-49	32	7.5	30	1	2	6	10	14	21	22
50-64	74	7.6	35	2	3	6	9	15	19	36
65+	177	7.5	39	2	2	6	9	15	22	33
GRAND TOTAL	**315**	**7.5**	**39**	**2**	**2**	**6**	**9**	**15**	**21**	**32**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.0	3	2	2	5	6	7	7	7
20-34	26	3.8	5	1	1	3	5	7	9	11
35-49	18	5.6	11	<1	1	5	8	10	11	12
50-64	46	5.2	17	1	2	4	6	10	13	23
65+	68	4.5	8	1	2	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	13	5.4	26	<1	1	4	6	15	16	16
20-34	22	7.3	37	1	1	4	12	17	20	20
35-49	9	8.6	59	1	1	7	11	22	24	24
50-64	27	7.2	42	1	1	4	10	20	21	23
65+	73	7.5	46	2	2	6	9	15	22	34
TOT. SINGLE DX	167	4.7	11	1	2	4	6	9	11	17
" MULTIPLE DX	144	7.3	43	1	2	5	10	17	21	32
TOTAL 0-19 YRS	22	5.2	16	<1	1	5	6	11	15	16
20-34	48	5.4	23	1	1	4	6	13	16	20
35-49	27	6.6	28	1	1	5	9	12	19	24
50-64	73	5.9	28	1	1	4	8	12	20	23
65+	141	6.1	30	2	2	5	7	11	16	32
GRAND TOTAL	**311**	**5.9**	**27**	**1**	**2**	**4**	**7**	**12**	**17**	**26**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	10	5.5	7	2	2	6	7	9	10	10
35-49	84	4.2	4	2	2	4	5	7	8	13
50-64	525	4.4	5	2	2	4	5	7	8	13
65+	1986	4.6	6	2	2	4	6	7	10	13
2. MULTIPLE DX										
0-19 YRS	6	3.7	7	2	2	3	4	8	9	9
20-34	13	6.3	11	3	3	5	7	11	14	15
35-49	69	5.5	11	2	3	4	6	10	13	19
50-64	371	5.8	24	2	2	5	7	10	14	32
65+	1777	6.3	36	2	2	5	7	11	16	31
TOT. SINGLE DX	2609	4.5	6	2	2	4	5	7	9	13
" MULTIPLE DX	2236	6.1	34	2	2	5	7	11	15	30
TOTAL 0-19 YRS	10	3.4	5	2	2	3	4	7	9	9
20-34	23	6.0	9	2	3	5	7	10	12	15
35-49	153	4.8	8	2	2	4	5	8	11	17
50-64	896	5.0	14	2	2	4	6	8	11	21
65+	3763	5.4	21	2	2	4	6	9	11	22
GRAND TOTAL	**4845**	**5.3**	**20**	**2**	**2**	**4**	**6**	**9**	**11**	**21**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	7	<1	1	3	5	5	6	16
20-34	35	3.4	3	1	2	3	4	6	8	9
35-49	67	3.5	2	2	2	3	4	5	7	8
50-64	250	3.3	3	2	2	3	4	5	7	10
65+	746	3.2	4	2	2	2	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	27	7.2	224	<1	2	4	6	9	28	80
20-34	26	4.2	11	<1	2	3	4	9	12	13
35-49	53	4.2	7	2	2	3	5	8	11	14
50-64	247	3.9	9	2	2	3	4	7	10	22
65+	1044	4.4	18	2	2	3	5	8	11	24
TOT. SINGLE DX	1129	3.2	4	2	2	3	4	5	7	11
" MULTIPLE DX	1397	4.4	20	2	2	3	5	8	11	23
TOTAL 0-19 YRS	58	5.2	110	<1	2	3	5	7	13	75
20-34	61	3.7	7	1	2	3	4	8	9	13
35-49	120	3.8	5	2	2	3	4	6	8	13
50-64	497	3.6	6	2	2	3	4	6	8	16
65+	1790	3.9	13	2	2	3	4	7	10	19
GRAND TOTAL	**2526**	**3.9**	**13**	**2**	**2**	**3**	**4**	**6**	**10**	**19**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	11	3.1	2	2	2	2	4	6	6	6
50-64	64	3.3	4	1	1	3	4	6	7	12
65+	254	4.0	8	1	2	4	5	7	8	15
2. MULTIPLE DX										
0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	4	3.0	4	2	2	2	4	6	6	6
35-49	8	4.4	5	2	2	4	7	7	7	7
50-64	65	3.5	1	2	2	4	4	5	6	8
65+	284	5.2	17	2	2	4	6	9	12	26
TOT. SINGLE DX	331	3.8	8	1	2	3	5	6	7	13
" MULTIPLE DX	363	4.9	15	2	2	4	6	8	11	22
TOTAL 0-19 YRS	3	5.0	28	<1	<1	3	9	11	11	11
20-34	5	2.6	4	<1	<1	2	3	6	6	6
35-49	19	3.6	4	2	2	3	5	7	7	7
50-64	129	3.4	3	1	2	3	4	5	6	10
65+	538	4.6	14	1	2	4	5	7	10	22
GRAND TOTAL	**694**	**4.4**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**20**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.8	6	2	3	5	8	9	10	10
20-34	56	5.8	12	2	2	5	8	10	13	16
35-49	64	6.5	18	2	2	5	10	13	15	18
50-64	135	6.5	12	2	2	6	9	11	12	16
65+	148	7.9	25	2	3	7	11	14	16	28
2. MULTIPLE DX										
0-19 YRS	20	5.8	10	1	2	5	8	10	12	13
20-34	40	7.5	20	2	3	6	10	13	16	24
35-49	50	7.2	14	2	3	7	9	12	15	20
50-64	105	6.2	12	2	3	5	7	10	15	18
65+	125	8.1	41	2	3	7	9	13	17	35
TOT. SINGLE DX	423	6.9	18	2	2	6	10	12	14	19
" MULTIPLE DX	340	7.2	25	2	3	6	9	12	15	24
TOTAL 0-19 YRS	40	5.8	8	2	3	5	8	10	10	13
20-34	96	6.5	17	2	2	6	8	12	15	21
35-49	114	6.8	17	2	2	6	9	13	15	19
50-64	240	6.3	13	2	2	6	8	11	13	18
65+	273	8.0	33	2	3	7	10	13	17	28
GRAND TOTAL	**763**	**7.0**	**21**	**2**	**2**	**6**	**9**	**12**	**15**	**22**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.6	5	<1	<1	<1	4	7	7	7
20-34	14	5.9	22	<1	<1	6	8	11	16	18
35-49	16	5.6	23	1	2	5	6	8	18	22
50-64	29	4.8	5	2	2	4	7	8	8	10
65+	35	6.0	20	2	2	5	8	11	13	24
2. MULTIPLE DX										
0-19 YRS	14	3.9	10	<1	<1	3	5	8	11	12
20-34	51	6.6	20	2	2	5	8	13	15	25
35-49	60	7.3	35	2	2	6	8	19	22	92
50-64	73	6.8	29	2	2	5	8	13	15	32
65+	96	6.6	37	2	2	5	8	12	16	36
TOT. SINGLE DX	107	5.2	16	<1	1	4	7	10	11	23
" MULTIPLE DX	294	6.7	31	2	2	5	8	13	18	32
TOTAL 0-19 YRS	27	3.3	8	<1	<1	2	5	7	9	12
20-34	65	6.4	20	<1	2	5	8	13	15	24
35-49	76	6.9	33	2	2	6	7	18	22	81
50-64	102	6.2	23	2	2	5	8	11	14	29
65+	131	6.4	33	2	2	5	8	12	15	29
GRAND TOTAL	**401**	**6.3**	**27**	**1**	**2**	**5**	**7**	**12**	**16**	**27**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	580	1.8		<1	<1	2	2	2	3	3
20-34	224	2.0		<1	1	2	2	3	3	4
35-49	98	2.2	1	<1	1	2	2	3	3	9
50-64	26	2.0		1	2	2	2	3	3	3
65+	11	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	129	2.2	4	<1	1	2	2	3	5	12
20-34	53	2.5	3	1	1	2	2	3	5	13
35-49	32	2.5	3	<1	1	2	3	4	10	99+
50-64	22	3.5	12	1	1	2	3	6	11	18
65+	17	3.1	3	2	2	2	3	7	8	8
TOT. SINGLE DX	939	1.9	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	253	2.5	5	1	1	2	3	4	6	18
TOTAL 0-19 YRS	709	1.8	1	<1	<1	2	2	2	3	6
20-34	277	2.1	1	<1	1	2	2	3	3	5
35-49	130	2.3	2	<1	1	2	2	3	5	28
50-64	48	2.7	6	1	2	2	3	3	6	18
65+	28	2.8	3	1	2	2	3	5	8	8
GRAND TOTAL	**1192**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34										
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	3	1.7		<1	<1	2	2	2	2	2
" MULTIPLE DX	5	6.2	38	2	2	4	8	17	17	17
TOTAL 0-19 YRS	3	6.7	80	<1	<1	2	13	17	17	17
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**8**	**4.5**	**27**	**<1**	**<1**	**3**	**4**	**13**	**17**	**17**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.4	3	<1	1	3	4	6	8	9
20-34	31	4.5	15	2	2	3	5	8	13	21
35-49	19	7.9	72	<1	1	5	11	22	28	32
50-64	24	7.3	38	2	2	5	8	18	22	25
65+	28	6.4	21	2	3	5	7	16	17	18
2. MULTIPLE DX										
0-19 YRS	10	4.9	7	1	1	4	7	9	10	10
20-34	28	7.0	26	2	2	6	10	16	17	18
35-49	14	7.5	38	2	3	6	7	19	21	21
50-64	33	8.7	131	2	2	6	7	22	26	62
65+	39	8.4	63	2	2	6	10	26	30	99+
TOT. SINGLE DX	133	5.6	28	2	2	4	6	13	18	26
" MULTIPLE DX	124	7.8	66	2	2	6	8	18	25	71
TOTAL 0-19 YRS	41	3.7	5	1	1	3	5	7	9	10
20-34	59	5.6	22	2	2	4	7	14	17	21
35-49	33	7.8	56	1	2	5	10	19	24	32
50-64	57	8.1	91	2	2	6	8	21	24	59
65+	67	7.6	46	2	2	5	8	18	28	88
GRAND TOTAL	**257**	**6.7**	**47**	**2**	**2**	**5**	**7**	**16**	**21**	**32**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	1.9	1	<1	<1	2	2	3	3	9
20-34	79	2.1	2	<1	<1	2	2	4	6	9
35-49	30	2.5	14	<1	<1	2	2	4	4	22
50-64	22	2.4	2	<1	1	2	3	4	5	7
65+	23	3.1	5	<1	1	2	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	89	3.9	8	<1	1	3	5	7	11	15
20-34	53	7.1	97	<1	<1	3	7	21	30	48
35-49	19	10.2	503	<1	1	2	6	27	68	97
50-64	28	10.5	254	1	1	4	9	32	43	73
65+	49	7.9	76	1	2	6	10	16	21	50
TOT. SINGLE DX	362	2.1	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	238	6.7	113	<1	1	3	6	16	24	53
TOTAL 0-19 YRS	297	2.5	4	<1	<1	2	3	4	7	12
20-34	132	4.1	46	<1	<1	2	4	8	21	35
35-49	49	5.5	212	<1	<1	2	3	10	23	97
50-64	50	6.9	158	<1	1	3	6	18	34	73
65+	72	6.4	59	1	1	4	8	15	17	46
GRAND TOTAL	600	3.9	52	<1	<1	2	3	8	12	34

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.6		1	2	3	3	4	5	5
20-34	92	2.9		2	2	3	3	4	4	6
35-49	122	3.1	1	2	2	3	4	5	5	7
50-64	80	3.3	2	2	2	3	4	6	7	10
65+	17	2.5		1	1	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	2.9	2	2	2	2	3	6	7	7
20-34	34	2.9		2	2	3	3	4	4	5
35-49	45	2.9	1	1	2	3	3	4	5	8
50-64	37	2.8	1	1	1	3	3	4	5	5
65+	9	6.3	111	1	1	3	5	23	34	34
TOT. SINGLE DX	327	3.0	2	2	2	3	4	4	5	8
" MULTIPLE DX	134	3.1	8	1	2	3	3	4	5	12
TOTAL 0-19 YRS	25	2.7	1	1	2	2	3	4	5	7
20-34	126	2.9	1	2	2	3	3	4	4	6
35-49	167	3.0	1	2	2	3	4	4	5	8
50-64	117	3.1	2	2	2	3	4	5	6	9
65+	26	3.8	39	1	1	3	3	4	12	34
GRAND TOTAL	461	3.0	4	2	2	3	3	4	5	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	2.5	1	1	2	2	3	4	5	6
20-34	221	2.6	1	1	2	2	3	4	5	6
35-49	143	2.6	1	1	2	2	3	4	5	7
50-64	87	2.5		1	2	2	3	4	4	5
65+	27	3.4	18	1	1	2	3	5	10	24
2. MULTIPLE DX										
0-19 YRS	113	2.9	2	2	2	2	3	4	6	11
20-34	183	2.6	1	<1	1	2	3	4	5	8
35-49	129	3.9	71	<1	1	2	3	5	6	65
50-64	97	3.1	8	1	2	3	3	5	6	19
65+	32	5.3	43	2	2	3	4	14	24	27
TOT. SINGLE DX	630	2.6	2	1	2	2	3	4	5	6
" MULTIPLE DX	554	3.2	22	1	2	2	3	5	6	22
TOTAL 0-19 YRS	265	2.6	2	1	2	2	3	4	5	10
20-34	404	2.6	1	1	2	2	3	4	5	7
35-49	272	3.2	35	1	2	2	3	4	5	10
50-64	184	2.8	5	1	2	2	3	4	5	8
65+	59	4.4	32	1	2	3	3	8	23	27
GRAND TOTAL	1184	2.9	11	1	2	2	3	4	5	10

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	608	1.4	2	<1	<1	1	1	2	3	9
20-34	44	2.0	1	<1	<1	1	2	3	4	7
35-49	20	1.8	1	<1	<1	1	2	4	4	5
50-64	12	2.0	1	<1	<1	1	2	3	4	4
65+	11	3.9	22	<1	<1	2	3	12	16	16
2. MULTIPLE DX										
0-19 YRS	615	2.9	12	<1	<1	2	2	6	10	18
20-34	30	4.1	49	<1	<1	2	3	9	16	37
35-49	18	2.3	3	<1	<1	2	2	4	7	8
50-64	31	4.5	24	<1	1	2	5	11	16	21
65+	15	4.9	61	<1	<1	2	3	12	25	26
TOT. SINGLE DX	705	1.5	3	<1	<1	1	1	2	4	10
" MULTIPLE DX	709	3.0	16	<1	<1	2	2	7	11	21
TOTAL 0-19 YRS	1223	2.2	8	<1	<1	1	2	6	7	15
20-34	74	2.9	22	<1	<1	1	2	4	8	32
35-49	38	2.1	2	<1	<1	1	2	4	5	8
50-64	53	3.5	16	<1	<1	2	3	8	14	21
65+	26	4.5	44	<1	<1	2	3	15	23	26
GRAND TOTAL	1414	2.3	10	<1	<1	1	2	4	8	16

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	3.8	3	2	2	3	5	7	7	9
20-34	53	3.9	2	2	2	4	5	6	6	8
35-49	35	4.3	6	2	2	3	5	8	10	13
50-64	23	5.7	24	2	2	4	6	10	17	25
65+	8	5.9	40	2	2	4	6	17	21	21
2. MULTIPLE DX										
0-19 YRS	61	4.6	15	2	2	3	5	8	14	22
20-34	89	4.1	2	2	2	4	5	6	7	11
35-49	51	4.4	10	2	2	3	5	7	8	24
50-64	49	4.4	7	2	2	4	5	7	8	19
65+	25	6.5	46	2	3	4	6	13	27	29
TOT. SINGLE DX	174	4.3	8	2	2	3	5	7	8	19
" MULTIPLE DX	275	4.5	12	2	2	4	5	7	9	24
TOTAL 0-19 YRS	116	4.2	10	2	2	3	5	7	9	20
20-34	142	4.0	6	2	2	4	5	6	7	9
35-49	86	4.3	9	2	2	3	5	8	9	20
50-64	72	4.8	13	2	2	4	6	7	9	24
65+	33	6.4	44	2	3	4	6	15	25	29
GRAND TOTAL	449	4.4	11	2	2	3	5	7	9	23

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.2	8	<1	<1	1	2	5	6	19
20-34	34	3.3	3	<1	<1	2	4	5	8	8
35-49	17	4.1	16	1	2	3	4	6	11	24
50-64	14	5.4	10	1	2	4	7	12	17	20
65+	7	5.6	31	1	2	3	9	15	16	16
2. MULTIPLE DX										
0-19 YRS	45	4.6	40	<1	<1	2	4	13	19	31
20-34	31	3.7	6	<1	<1	2	4	8	11	13
35-49	23	4.9	16	1	2	3	4	9	11	15
50-64	11	4.4	9	1	2	4	7	12	14	15
65+	8	2.8	1	1	2	2	3	5	5	5
TOT. SINGLE DX	141	3.5	13	<1	<1	2	4	7	10	20
" MULTIPLE DX	118	4.3	21	<1	<1	3	5	9	14	27
TOTAL 0-19 YRS	97	3.2	24	<1	<1	2	3	7	14	28
20-34	65	3.5	6	1	2	3	4	7	8	13
35-49	40	4.5	17	1	2	3	4	9	14	24
50-64	25	5.0	15	1	2	4	7	9	14	20
65+	15	4.1	16	1	2	2	4	11	15	16
GRAND TOTAL	259	3.8	17	<1	<1	3	4	8	12	24

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.7		1	2	3	3	4	4	5
20-34	385	2.7	1	<1	2	3	3	4	4	6
35-49	157	2.7		1	2	3	3	3	4	5
50-64	81	2.5		<1	1	3	3	3	4	4
65+	16	2.6		2	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	180	2.6		<1	2	3	3	3	4	6
20-34	641	2.8	6	<1	<1	3	3	4	4	9
35-49	297	3.3	18	<1	2	3	3	4	4	25
50-64	145	2.9	1	<1	2	3	3	4	5	10
65+	46	3.6	17	<1	1	3	3	5	9	28
TOT. SINGLE DX	772	2.7	1	<1	2	3	3	4	4	5
" MULTIPLE DX	1309	3.0	9	<1	1	3	3	4	4	10
TOTAL 0-19 YRS	313	2.6	1	<1	2	3	3	3	4	5
20-34	1026	2.8	5	<1	1	3	3	4	4	8
35-49	454	3.1	12	<1	2	3	3	4	4	13
50-64	226	2.8	1	<1	2	3	3	4	4	8
65+	62	3.4	13	1	1	3	3	5	8	26
GRAND TOTAL	**2081**	**2.8**	**6**	**<1**	**2**	**3**	**3**	**4**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	2.8	5	<1	1	2	3	4	5	9
20-34	623	2.6	1	<1	1	3	3	4	5	6
35-49	195	2.6	1	<1	1	3	3	4	4	7
50-64	82	2.6		<1	1	3	3	4	4	5
65+	23	4.1	7	1	1	3	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	247	2.9	3	<1	<1	3	3	5	5	8
20-34	650	2.9	4	<1	<1	3	3	4	5	8
35-49	269	3.1	2	<1	1	3	3	5	6	10
50-64	116	3.7	11	<1	1	3	4	7	11	20
65+	40	4.4	17	1	2	3	4	7	16	20
TOT. SINGLE DX	1144	2.7	2	<1	1	3	3	4	5	7
" MULTIPLE DX	1322	3.0	5	<1	1	3	3	5	6	11
TOTAL 0-19 YRS	468	2.8	4	<1	1	3	3	4	5	8
20-34	1273	2.8	3	<1	1	3	3	4	5	7
35-49	464	2.9	2	<1	1	3	3	4	5	10
50-64	198	3.2	7	<1	1	3	3	5	8	17
65+	63	4.3	14	1	2	3	5	7	13	20
GRAND TOTAL	**2466**	**2.9**	**4**	**<1**	**1**	**3**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.8	1	<1	1	3	3	5	6	6
20-34	53	2.5	1	1	1	2	3	4	5	6
35-49	65	2.7	3	<1	<1	2	3	4	6	13
50-64	76	3.2	4	<1	2	3	4	6	8	11
65+	75	3.8	12	<1	1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	36	3.0	3	1	1	3	4	5	6	12
20-34	88	3.3	10	1	2	3	3	5	6	23
35-49	98	3.7	20	1	2	2	3	5	11	28
50-64	153	4.7	53	1	2	3	4	9	16	46
65+	110	6.5	113	2	2	3	7	12	20	61
TOT. SINGLE DX	291	3.1	6	<1	1	2	3	6	8	13
" MULTIPLE DX	485	4.5	50	1	2	3	4	9	14	35
TOTAL 0-19 YRS	58	2.9	3	<1	1	3	3	5	6	12
20-34	141	3.0	7	1	2	3	3	4	6	13
35-49	163	3.3	14	<1	1	2	3	5	8	21
50-64	229	4.2	38	1	2	3	4	8	12	34
65+	185	5.4	74	1	2	3	6	11	18	37
GRAND TOTAL	**776**	**4.0**	**34**	**1**	**2**	**3**	**4**	**7**	**11**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	1.6	1	<1	<1	1	2	3	4	6
20-34	171	1.9	2	<1	<1	2	2	3	5	9
35-49	39	2.9	3	<1	<1	2	4	6	7	7
50-64	33	2.9	3	1	1	2	4	6	7	8
65+	32	3.6	11	<1	1	2	5	9	12	13
2. MULTIPLE DX										
0-19 YRS	67	3.2	8	<1	<1	2	5	8	9	12
20-34	74	4.3	32	<1	1	3	5	8	11	38
35-49	41	3.6	6	<1	1	3	4	7	9	13
50-64	53	7.0	187	1	1	4	7	12	22	95
65+	101	6.9	98	1	1	5	8	13	19	64
TOT. SINGLE DX	475	2.1	3	<1	<1	2	2	4	6	9
" MULTIPLE DX	336	5.2	71	<1	1	3	6	10	13	44
TOTAL 0-19 YRS	267	2.0	3	<1	<1	1	2	4	6	10
20-34	245	2.6	13	<1	<1	2	3	5	7	12
35-49	80	3.3	5	<1	1	3	4	6	8	12
50-64	86	5.5	120	1	1	3	5	9	13	73
65+	133	6.1	79	1	1	4	7	12	16	52
GRAND TOTAL	**811**	**3.4**	**33**	**<1**	**<1**	**2**	**4**	**7**	**9**	**22**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.6	17	1	1	2	3	11	13	13
20-34	61	3.5	8	1	2	3	4	4	10	18
35-49	36	3.1		2	2	3	4	4	5	6
50-64	33	4.0	12	2	2	3	4	6	9	21
65+	16	4.1	21	1	1	3	4	9	17	20
2. MULTIPLE DX										
0-19 YRS	5	3.2	4	2	2	2	4	7	7	7
20-34	40	3.6	2	2	2	3	4	5	7	9
35-49	42	4.3	22	2	2	3	4	8	13	28
50-64	39	4.1	7	2	2	3	4	8	12	14
65+	19	5.6	41	1	2	4	5	9	22	31
TOT. SINGLE DX	153	3.6	9	1	2	3	4	5	9	20
" MULTIPLE DX	145	4.2	15	2	2	3	4	7	10	28
TOTAL 0-19 YRS	12	3.4	11	1	1	2	3	9	12	13
20-34	101	3.5	6	2	2	3	4	5	7	16
35-49	78	3.7	13	2	2	3	4	5	9	25
50-64	72	4.0	10	2	2	3	4	7	11	19
65+	35	4.9	32	1	2	3	5	9	17	31
GRAND TOTAL	298	3.9	12	2	2	3	4	6	10	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.2	1	<1	<1	2	3	4	5	6
20-34	73	2.4	3	<1	1	2	3	4	5	12
35-49	46	2.4	2	<1	1	2	3	4	5	10
50-64	30	4.8	28	<1	1	3	4	12	21	21
65+	27	11.0	279	2	2	4	10	33	46	78
2. MULTIPLE DX										
0-19 YRS	42	2.8	9	<1	<1	2	2	6	10	17
20-34	83	4.6	28	<1	1	3	5	10	16	31
35-49	81	3.9	28	<1	1	2	3	8	12	34
50-64	71	4.5	15	1	2	3	5	9	11	23
65+	30	5.6	22	2	2	3	9	13	16	19
TOT. SINGLE DX	215	3.8	48	<1	1	2	3	6	11	26
" MULTIPLE DX	307	4.2	22	<1	1	3	4	9	13	23
TOTAL 0-19 YRS	81	2.5	6	<1	<1	2	2	5	6	15
20-34	156	3.6	18	<1	1	2	4	6	13	20
35-49	127	3.3	19	<1	1	2	3	5	11	26
50-64	101	4.6	19	1	2	3	5	9	15	23
65+	57	8.2	149	2	2	4	9	16	32	75
GRAND TOTAL	522	4.1	33	<1	1	2	4	8	13	30

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	515	1.2		<1	<1	1	1	2	2	3
20-34	746	1.5		<1	<1	1	2	2	2	5
35-49	322	1.7	2	<1	<1	1	2	2	3	6
50-64	158	1.8	5	<1	<1	1	2	2	3	6
65+	62	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	213	2.8	12	<1	<1	2	3	6	9	21
20-34	283	4.7	87	<1	<1	2	4	12	22	99+
35-49	192	3.2	23	<1	1	2	3	7	9	26
50-64	219	5.3	117	<1	<1	2	4	14	22	60
65+	164	9.0	214	1	1	3	9	29	55	99+
TOT. SINGLE DX	1803	1.5	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	1071	4.8	90	<1	1	2	4	11	22	72
TOTAL 0-19 YRS	728	1.7	4	<1	<1	1	2	3	4	10
20-34	1029	2.4	27	<1	<1	1	2	3	7	24
35-49	514	2.2	11	<1	<1	2	2	3	6	20
50-64	377	3.8	73	<1	<1	2	2	5	17	51
65+	226	7.0	166	<1	1	2	5	23	36	99+
GRAND TOTAL	2874	2.7	37	<1	<1	1	2	4	8	34

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	1.2		<1	<1	1	1	2	2	2
20-34	52	1.7	2	<1	<1	1	2	3	5	12
35-49	11	1.5		<1	<1	<1	2	3	4	4
50-64	5	2.4	1	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	52	3.3	27	<1	<1	2	2	8	14	29
20-34	20	4.8	109	<1	<1	2	2	10	31	47
35-49	10	5.6	49	1	1	2	9	17	23	23
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	243	1.3	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	86	3.9	47	<1	<1	2	2	10	17	41
TOTAL 0-19 YRS	227	1.7	7	<1	<1	1	2	2	2	16
20-34	72	2.6	33	<1	<1	1	2	3	5	40
35-49	21	3.5	27	<1	<1	2	3	10	16	23
50-64	7	2.1	1	1	1	2	3	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	329	2.0	14	<1	<1	1	2	2	5	23

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.0	2	<1	<1	1	3	5	6	6
20-34	20	3.1	2	1	1	3	4	5	6	6
35-49	35	4.1	4	<1	1	4	5	6	7	11
50-64	35	3.3	3	<1	1	3	5	5	6	6
65+	16	3.8	6	1	1	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	22	2.1	2	<1	<1	2	3	4	6	7
20-34	17	3.4	5	<1	<1	3	4	7	9	9
35-49	20	5.0	31	1	1	3	5	11	19	25
50-64	31	4.7	29	1	1	3	5	13	16	24
65+	16	7.3	90	1	1	3	7	21	32	36
TOT. SINGLE DX	127	3.3	4	<1	1	3	5	6	6	9
" MULTIPLE DX	106	4.4	31	<1	1	3	4	9	16	30
TOTAL 0-19 YRS	43	2.1	2	<1	<1	1	3	4	6	7
20-34	37	3.2	4	<1	1	3	4	6	7	9
35-49	55	4.4	14	1	1	4	5	7	10	24
50-64	66	3.9	16	<1	1	3	5	6	13	23
65+	32	5.5	50	1	1	3	6	11	21	36
GRAND TOTAL	**233**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**6**	**9**	**24**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.0	9	<1	1	3	5	7	10	17
20-34	99	3.9	3	1	2	4	5	7	8	10
35-49	96	4.0	5	1	2	3	5	6	8	15
50-64	87	4.4	6	2	2	4	5	7	9	15
65+	62	5.4	26	2	2	4	6	8	18	31
2. MULTIPLE DX										
0-19 YRS	10	6.5	17	2	3	5	8	13	16	16
20-34	59	5.2	18	1	2	4	6	8	10	29
35-49	59	5.6	22	1	2	4	6	12	15	29
50-64	66	6.5	30	2	3	5	7	10	17	31
65+	68	8.1	40	3	3	6	9	16	22	33
TOT. SINGLE DX	378	4.3	9	1	2	4	5	7	9	18
" MULTIPLE DX	262	6.4	29	2	2	5	7	11	17	30
TOTAL 0-19 YRS	44	4.6	12	1	2	4	6	8	12	17
20-34	158	4.4	10	1	2	4	5	8	8	17
35-49	155	4.6	13	1	2	4	5	8	11	19
50-64	153	5.3	18	2	2	4	6	9	12	30
65+	130	6.8	35	2	2	5	7	13	21	33
GRAND TOTAL	**640**	**5.2**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**27**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	4.9	3	1	2	5	6	7	8	9
20-34	3	7.3	17	4	4	6	10	12	12	12
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	78	6.6	13	3	3	6	8	11	14	21
20-34	7	6.0	20	3	3	4	8	14	15	15
35-49	3	22.0	511	3	3	16	39	47	47	47
50-64	3	6.0	39	1	1	4	11	13	13	13
65+										
TOT. SINGLE DX	59	5.0	5	1	2	5	6	8	9	12
" MULTIPLE DX	91	7.0	33	3	3	6	8	13	15	37
TOTAL 0-19 YRS	133	5.9	10	2	3	6	7	9	12	19
20-34	10	6.4	18	3	3	5	9	13	15	15
35-49	3	22.0	511	3	3	16	39	47	47	47
50-64	3	6.0	39	1	1	4	11	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**150**	**6.2**	**23**	**2**	**3**	**5**	**7**	**10**	**14**	**22**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	3.9	8	<1	<1	3	6	8	8	12
20-34	57	3.5	6	<1	<1	3	5	7	9	12
35-49	47	3.5	8	<1	1	2	4	8	10	14
50-64	67	7.0	121	<1	1	3	7	15	33	52
65+	88	5.5	26	1	2	3	8	12	17	26
2. MULTIPLE DX										
0-19 YRS	139	6.1	64	1	1	4	7	11	28	58
20-34	81	5.1	58	1	1	3	6	11	15	49
35-49	58	6.2	44	1	1	4	8	19	24	25
50-64	114	10.3	170	1	2	6	13	26	42	99+
65+	141	12.0	217	1	2	7	16	30	47	88
TOT. SINGLE DX	414	4.7	32	<1	1	3	6	9	12	30
" MULTIPLE DX	533	8.4	132	1	1	5	10	20	32	87
TOTAL 0-19 YRS	294	4.9	36	<1	1	4	6	8	11	40
20-34	138	4.5	37	<1	1	3	5	9	12	24
35-49	105	5.0	30	1	1	3	6	10	21	25
50-64	181	9.1	154	<1	1	5	11	23	42	96
65+	229	9.5	154	1	2	5	12	20	35	78
GRAND TOTAL	**947**	**6.8**	**91**	**<1**	**1**	**4**	**8**	**15**	**24**	**62**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2393	2.3		1	2	2	3	3	4	5
20-34	1377	2.8	1	1	2	3	3	4	4	6
35-49	144	3.1	2	2	2	3	3	4	5	12
50-64	22	3.2	2	1	2	3	4	6	7	7
65+	4	6.8	68	1	1	3	11	19	19	19
2. MULTIPLE DX										
0-19 YRS	482	2.9	15	1	1	2	3	4	6	14
20-34	246	3.4	5	2	2	3	4	5	6	11
35-49	49	3.2	2	2	2	3	4	5	6	10
50-64	18	3.9	23	1	2	3	3	5	16	23
65+	3	8.0	61	3	3	4	14	17	17	17
TOT. SINGLE DX	3940	2.5	1	1	2	2	3	4	4	6
" MULTIPLE DX	798	3.1	12	1	2	2	3	5	6	14
TOTAL 0-19 YRS	2875	2.4	3	1	2	2	3	3	4	6
20-34	1623	2.9	2	2	2	3	3	4	5	7
35-49	193	3.1	3	2	2	3	3	5	5	11
50-64	40	3.6	12	1	2	3	4	5	7	23
65+	7	7.3	55	1	1	4	14	19	19	19
GRAND TOTAL	**4738**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4613	2.1		1	2	2	2	3	3	4
20-34	46	2.9	3	1	2	3	3	4	6	13
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2096	2.2	1	1	2	2	2	3	3	8
20-34	15	3.3	1	2	2	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	4665	2.1	1	1	2	2	2	3	3	4
" MULTIPLE DX	2112	2.2	2	1	2	2	2	3	3	8
TOTAL 0-19 YRS	6709	2.1	1	1	2	2	2	3	3	5
20-34	61	3.0	3	1	2	3	3	5	6	12
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3		2	2	2	3	3	3	3
GRAND TOTAL	**6777**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	390	1.8		<1	<1	2	2	2	2	4
20-34	4	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	492	2.0	2	<1	<1	2	2	2	3	10
20-34	3	12.0	81	3	3	12	19	21	21	21
35-49										
50-64										
65+										
TOT. SINGLE DX	394	1.8	1	<1	<1	2	2	2	2	4
" MULTIPLE DX	495	2.0	3	<1	<1	2	2	2	3	12
TOTAL 0-19 YRS	882	1.9	2	<1	<1	2	2	2	2	7
20-34	7	6.4	54	2	2	3	10	19	21	21
35-49										
50-64										
65+										
GRAND TOTAL	**889**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**2**	**2**	**10**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.0	5	<1	1	2	4	6	7	14
20-34	118	3.1	3	1	1	3	4	5	7	10
35-49	45	3.3	9	1	2	3	3	5	6	22
50-64	38	5.1	41	1	1	3	5	9	17	36
65+	24	8.9	234	1	2	4	9	15	34	78
2. MULTIPLE DX										
0-19 YRS	30	4.2	6	1	1	4	7	8	8	8
20-34	28	3.3	2	1	1	3	5	6	6	7
35-49	21	6.0	18	1	2	5	8	9	15	21
50-64	44	12.4	219	1	2	9	14	26	52	64
65+	43	10.2	128	1	2	6	15	21	34	53
TOT. SINGLE DX	353	3.7	26	1	1	3	4	6	9	19
" MULTIPLE DX	166	8.0	107	1	2	4	9	17	24	53
TOTAL 0-19 YRS	158	3.2	6	<1	1	2	4	7	8	14
20-34	146	3.2	4	1	1	3	4	5	7	10
35-49	66	4.2	14	1	2	3	5	8	9	22
50-64	82	9.0	149	1	2	4	11	19	41	60
65+	67	9.8	164	1	2	5	13	18	29	74
GRAND TOTAL	**519**	**5.1**	**56**	**1**	**1**	**3**	**5**	**10**	**15**	**50**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	1.6	1	<1	<1	1	2	3	4	5
20-34	11	1.9	1	1	1	2	3	4	4	4
35-49	21	2.6	5	<1	1	2	3	6	9	11
50-64	28	2.9	2	<1	1	3	4	5	5	5
65+	42	3.7	9	<1	1	3	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	97	4.8	13	1	2	4	6	8	10	23
20-34	20	3.4	5	<1	<1	3	4	7	8	9
35-49	20	4.7	14	1	1	4	7	8	13	17
50-64	40	4.3	9	<1	1	3	6	8	9	16
65+	85	6.3	86	1	2	4	7	12	17	61
TOT. SINGLE DX	154	2.6	5	<1	<1	2	3	5	6	12
" MULTIPLE DX	262	5.1	36	1	1	4	6	9	13	27
TOTAL 0-19 YRS	149	3.7	11	<1	<1	3	5	7	8	18
20-34	31	2.9	4	<1	1	3	4	6	7	9
35-49	41	3.6	11	1	1	2	5	8	9	17
50-64	68	3.7	7	<1	1	3	5	7	8	15
65+	127	5.4	62	1	1	3	6	11	16	41
GRAND TOTAL	**416**	**4.2**	**26**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.2		1	1	2	2	3	5	5
20-34	29	2.0	1	<1	<1	2	2	3	4	7
35-49	48	2.2	3	1	1	2	2	3	4	11
50-64	86	3.7	48	1	2	2	3	6	11	47
65+	78	3.2	10	1	1	2	3	7	10	21
2. MULTIPLE DX										
0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	15	2.0		<1	<1	2	2	3	3	3
35-49	25	5.2	80	<1	<1	2	3	19	31	36
50-64	101	3.5	11	<1	1	2	4	7	12	57
65+	62	7.7	112	1	2	2	8	23	38	44
TOT. SINGLE DX	266	3.0	20	1	1	2	3	5	8	22
" MULTIPLE DX	210	4.8	52	<1	1	2	4	12	19	43
TOTAL 0-19 YRS	32	2.2	1	1	1	2	2	3	5	5
20-34	44	2.0	1	<1	<1	2	2	3	3	7
35-49	73	3.3	31	<1	1	2	3	4	11	34
50-64	187	3.6	28	<1	1	2	3	7	11	46
65+	140	5.2	60	1	1	2	4	12	23	42
GRAND TOTAL	**476**	**3.8**	**35**	**<1**	**1**	**2**	**3**	**7**	**13**	**40**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	11.4	125	3	3	7	20	29	31	31
50-64	5	16.2	146	3	3	20	24	32	32	32
65+	6	21.0	21	15	15	20	24	28	28	28
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	4	11.0	90	2	2	9	18	23	23	23
50-64	16	22.0	228	2	2	26	32	37	50	55
65+	13	20.9	247	2	2	21	39	99+	99+	99+
TOT. SINGLE DX	22	14.6	107	2	3	16	23	29	31	32
" MULTIPLE DX	34	19.9	219	2	2	19	32	52	86	99+
TOTAL 0-19 YRS	3	12.7	96	7	7	7	20	24	24	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	11	11.3	102	2	2	7	21	26	31	31
50-64	21	20.6	207	2	3	21	29	36	45	55
65+	19	20.9	171	2	3	21	32	72	99+	99+
GRAND TOTAL	**56**	**17.8**	**179**	**2**	**2**	**17**	**28**	**38**	**54**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	13.0		13	13	13	13	13	13	13
50-64	10	21.5	99	13	13	19	21	38	46	46
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	5	32.0	361	17	17	24	43	63	63	63
50-64	20	31.4	487	13	14	24	34	66	82	97
65+	15	35.1	274	18	19	27	44	50	75	83
TOT. SINGLE DX	13	19.5	89	13	13	18	20	34	44	46
" MULTIPLE DX	40	32.9	376	14	16	26	39	63	75	97
TOTAL 0-19 YRS										
20-34										
35-49	7	26.6	327	13	13	19	34	58	63	63
50-64	30	28.1	373	13	13	21	31	57	68	97
65+	16	33.8	287	14	18	27	43	50	73	83
GRAND TOTAL	**53**	**29.6**	**336**	**13**	**13**	**25**	**35**	**53**	**67**	**97**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	38.0		38	38	38	38	38	38	38
65+	1	38.0		38	38	38	38	38	38	38
2. MULTIPLE DX										
0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	13.3	34	7	7	18	99+	99+	99+	99+
65+	9	34.2	846	4	5	22	54	80	86	86
TOT. SINGLE DX	2	38.0		38	38	38	38	38	38	38
" MULTIPLE DX	15	27.5	606	5	6	20	54	97	99+	99+
TOTAL 0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	18.2	148	7	8	20	84	99+	99+	99+
65+	10	34.6	754	4	5	30	48	78	86	86
GRAND TOTAL	**17**	**28.8**	**543**	**5**	**6**	**22**	**46**	**94**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	7.7	14	3	4	6	10	14	14	14
20-34	9	8.0	138	1	1	3	8	28	38	38
35-49	5	3.8	16	2	2	2	11	91	99+	99+
50-64	10	13.8	396	2	2	4	15	46	65	65
65+	6	20.5	865	2	2	10	20	73	79	79
2. MULTIPLE DX										
0-19 YRS	23	21.4	345	2	4	18	29	50	63	72
20-34	6	26.5	622	2	2	57	99+	99+	99+	99+
35-49	13	27.7	845	2	3	17	65	86	97	99+
50-64	26	22.1	595	2	2	19	50	90	99+	99+
65+	26	28.6	639	2	3	25	54	93	99+	99+
TOT. SINGLE DX	39	10.8	270	2	2	5	12	33	72	99+
" MULTIPLE DX	94	24.8	567	2	2	21	52	99+	99+	99+
TOTAL 0-19 YRS	32	17.5	288	2	4	10	24	43	57	72
20-34	15	15.4	389	1	2	10	78	99+	99+	99+
35-49	18	21.1	722	2	2	10	58	92	99+	99+
50-64	36	19.8	542	2	2	10	40	74	99+	99+
65+	32	27.1	665	2	2	21	51	84	99+	99+
GRAND TOTAL	**133**	**20.7**	**517**	**2**	**2**	**12**	**42**	**83**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	12.7	517	2	2	3	6	54	59	59
20-34	17	7.1	23	1	2	7	9	12	18	21
35-49	41	10.2	95	1	2	7	15	20	28	50
50-64	102	10.1	61	1	2	8	15	20	22	42
65+	89	12.4	114	2	3	9	15	23	33	60
2. MULTIPLE DX										
0-19 YRS	8	15.1	91	2	4	20	25	72	99+	99+
20-34	26	11.5	63	<1	2	10	16	21	27	33
35-49	76	10.8	80	2	3	8	14	22	32	45
50-64	215	16.2	154	3	4	13	21	33	40	61
65+	298	15.9	146	3	4	13	21	31	42	71
TOT. SINGLE DX	255	10.8	93	1	2	8	15	21	25	51
" MULTIPLE DX	623	15.2	140	3	4	13	20	31	39	63
TOTAL 0-19 YRS	14	14.1	250	2	2	9	23	59	90	99+
20-34	43	9.8	51	1	2	8	13	21	23	33
35-49	117	10.6	85	2	2	8	15	21	32	49
50-64	317	14.2	132	2	3	11	19	28	37	53
65+	387	15.1	141	3	4	12	20	30	40	64
GRAND TOTAL	**878**	**13.9**	**130**	**2**	**3**	**11**	**18**	**28**	**37**	**58**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	17.0		17	17	17	17	17	17	17
TOTAL 0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	10	10.2	26	2	3	10	14	17	19	19
20-34	31	10.6	25	4	4	10	14	18	21	21
35-49	32	13.3	119	3	5	10	15	24	27	62
50-64	58	15.1	105	2	4	13	18	27	32	58
65+	56	12.8	90	1	3	10	18	27	32	42
2. MULTIPLE DX										
0-19 YRS	17	12.8	89	3	7	9	15	25	36	42
20-34	47	15.1	73	5	7	13	20	27	34	42
35-49	58	16.6	156	4	6	13	18	32	39	71
50-64	168	18.3	128	5	7	16	22	32	45	56
65+	197	19.7	202	3	5	16	26	40	49	95
TOT. SINGLE DX	187	13.1	87	2	4	11	16	25	31	54
" MULTIPLE DX	487	18.1	157	4	6	15	23	34	45	71
TOTAL 0-19 YRS	27	11.8	66	2	5	9	15	20	28	42
20-34	78	13.3	59	4	6	12	16	23	28	40
35-49	90	15.4	145	3	6	12	18	28	34	69
50-64	226	17.4	124	4	6	15	21	31	45	57
65+	253	18.2	185	3	5	15	25	37	45	89
GRAND TOTAL	674	16.7	143	3	5	14	21	32	43	62

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	3	23.3	170	11	11	22	33	37	37	37
35-49	6	21.3	143	10	10	18	31	39	40	40
50-64	24	18.8	87	10	11	16	22	31	39	50
65+	32	20.8	72	10	11	18	28	34	34	40
2. MULTIPLE DX										
0-19 YRS	3	20.0	117	8	8	23	27	29	29	29
20-34	11	15.7	41	9	9	14	20	25	27	27
35-49	27	21.9	217	9	11	17	25	43	55	76
50-64	122	21.6	134	10	11	19	24	35	50	83
65+	86	25.7	188	12	13	24	32	48	64	99+
TOT. SINGLE DX	65	20.2	85	10	11	18	26	34	38	49
" MULTIPLE DX	249	22.8	162	10	11	19	27	42	51	99+
TOTAL 0-19 YRS	3	20.0	117	8	8	23	27	29	29	29
20-34	14	17.4	68	9	9	16	22	28	35	37
35-49	33	21.8	199	9	10	17	25	41	50	76
50-64	146	21.1	128	10	11	18	24	35	50	78
65+	118	24.4	161	11	12	22	30	44	53	99+
GRAND TOTAL	314	22.2	147	10	11	19	27	39	50	99+

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	58	4.7	30	1	1	2	6	12	16	27
20-34	51	6.4	30	1	1	5	8	14	20	28
35-49	70	8.6	117	<1	1	5	11	21	43	90
50-64	140	6.7	34	1	2	5	9	13	16	33
65+	105	10.2	86	2	2	8	14	22	29	47
2. MULTIPLE DX										
0-19 YRS	79	9.5	80	1	1	7	13	25	33	99+
20-34	79	11.2	99	1	2	8	14	23	31	53
35-49	95	12.0	115	1	2	9	16	28	34	82
50-64	297	12.5	102	2	3	10	17	28	35	47
65+	378	16.5	209	2	3	13	22	34	50	99+
TOT. SINGLE DX	424	7.6	63	1	1	5	10	17	22	45
" MULTIPLE DX	928	13.7	151	2	2	11	18	30	40	98
TOTAL 0-19 YRS	137	7.5	65	1	1	4	11	22	27	99+
20-34	130	9.3	78	1	1	7	12	20	29	40
35-49	165	10.5	116	1	1	7	14	25	36	93
50-64	437	10.6	68	2	2	8	14	23	31	45
65+	483	15.2	189	2	3	12	20	32	44	99
GRAND TOTAL	1352	11.8	131	1	2	9	16	28	35	73

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	7.2	54	2	2	4	10	20	21	21
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	28.0	1058	5	5	28	51	51	51	51
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	8	15.4	320	1	2	7	23	46	50	50
20-34	3	16.0	67	9	9	14	22	25	25	25
35-49	7	14.6	162	4	5	8	21	36	39	39
50-64	6	14.5	119	2	2	13	19	32	33	33
65+	5	36.0	1299	5	5	20	65	89	89	89
TOT. SINGLE DX	12	10.5	196	2	2	4	12	30	48	51
" MULTIPLE DX	29	18.6	392	2	4	10	25	46	59	89
TOTAL 0-19 YRS	10	13.2	270	1	2	6	10	43	50	50
20-34	9	10.1	70	2	2	9	16	23	25	25
35-49	8	13.1	156	3	3	8	18	35	39	39
50-64	8	17.9	276	2	3	13	26	46	51	51
65+	6	32.5	1113	5	5	17	57	86	89	89
GRAND TOTAL	41	16.2	342	2	3	9	20	43	54	89

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.7	4	1	2	5	6	7	8	11
20-34	140	6.1	10	2	2	5	8	11	13	15
35-49	33	7.9	40	2	3	6	10	12	17	37
50-64	24	8.0	33	3	4	6	8	17	21	28
65+	17	11.8	84	2	3	9	19	33	74	99+
2. MULTIPLE DX										
0-19 YRS	65	19.4	447	4	4	11	24	60	72	97
20-34	93	12.0	196	3	3	8	14	23	44	97
35-49	70	13.1	113	3	4	9	16	28	42	48
50-64	124	14.6	178	3	3	11	18	27	45	87
65+	130	17.9	258	3	5	13	24	40	63	99+
TOT. SINGLE DX	243	6.7	24	2	3	6	8	12	15	36
" MULTIPLE DX	482	15.4	236	3	4	10	19	36	57	98
TOTAL 0-19 YRS	94	14.9	356	2	3	7	14	45	69	93
20-34	233	8.4	93	2	3	6	9	15	21	76
35-49	103	11.4	95	3	3	8	14	23	36	47
50-64	148	13.5	161	3	3	10	17	26	40	83
65+	147	17.2	242	3	4	12	24	39	64	99+
GRAND TOTAL	**725**	**12.5**	**181**	**2**	**3**	**8**	**15**	**27**	**43**	**94**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	9.0	28	<1	1	9	11	16	20	23
20-34	55	9.7	56	1	2	9	13	19	23	34
35-49	35	10.3	64	1	2	8	14	25	27	32
50-64	36	10.8	44	1	2	10	13	20	21	33
65+	24	9.3	55	1	2	7	14	20	25	28
2. MULTIPLE DX										
0-19 YRS	28	10.0	42	1	2	9	12	21	24	27
20-34	44	12.9	92	2	2	10	19	26	34	41
35-49	61	15.9	145	3	4	13	19	33	39	59
50-64	114	18.2	225	2	3	14	26	43	59	99+
65+	154	18.5	207	3	3	16	25	37	47	63
TOT. SINGLE DX	190	9.8	49	1	2	9	13	20	23	33
" MULTIPLE DX	401	16.8	185	2	3	13	22	35	46	81
TOTAL 0-19 YRS	68	9.4	34	1	1	9	12	19	22	26
20-34	99	11.1	75	2	2	9	14	23	32	38
35-49	96	13.9	122	2	3	12	18	30	35	56
50-64	150	16.5	192	2	3	12	22	36	55	99+
65+	178	17.3	197	2	3	15	23	36	44	62
GRAND TOTAL	**591**	**14.6**	**152**	**2**	**3**	**11**	**19**	**31**	**39**	**65**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	10.6	7	8	9	9	11	15	17	19
20-34	17	10.4	2	8	9	10	11	13	13	13
35-49	26	10.7	5	6	7	11	12	13	15	15
50-64	30	12.7	20	8	9	12	14	17	25	26
65+	14	13.6	11	9	10	13	15	19	21	21
2. MULTIPLE DX										
0-19 YRS	44	15.8	149	8	9	12	15	38	56	99+
20-34	30	13.1	66	8	9	12	13	16	19	54
35-49	48	13.5	36	9	9	12	14	22	31	99+
50-64	127	17.4	106	10	10	14	19	31	40	62
65+	95	20.8	156	10	11	16	25	39	51	66
TOT. SINGLE DX	126	11.4	11	8	9	11	13	15	18	25
" MULTIPLE DX	344	17.2	118	9	10	13	19	31	43	66
TOTAL 0-19 YRS	83	13.4	89	8	9	10	14	19	39	88
20-34	47	12.1	44	8	9	11	13	15	17	54
35-49	74	12.5	27	7	9	11	13	17	26	85
50-64	157	16.5	93	9	10	13	17	28	37	61
65+	109	19.9	143	10	11	16	24	37	50	65
GRAND TOTAL	**470**	**15.7**	**96**	**9**	**9**	**12**	**16**	**27**	**39**	**64**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	11.5	9	8	8	11	14	15	15	15
35-49	36	12.9	22	9	9	12	14	18	26	28
50-64	111	11.9	14	8	9	11	13	16	22	28
65+	48	16.0	99	9	9	13	16	29	38	59
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	8	13.6	16	9	9	13	17	19	20	20
35-49	149	13.2	51	8	9	11	14	19	24	49
50-64	571	14.6	55	9	9	12	16	23	30	44
65+	285	17.4	85	9	10	14	22	30	36	62
TOT. SINGLE DX	200	13.1	39	9	9	11	14	18	24	42
" MULTIPLE DX	1014	15.2	65	9	9	12	17	25	33	47
TOTAL 0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	12	12.9	14	8	9	12	15	19	20	20
35-49	185	13.2	46	8	9	11	14	19	25	48
50-64	682	14.1	50	9	9	12	15	22	28	43
65+	333	17.2	88	9	10	14	20	30	36	60
GRAND TOTAL	**1214**	**14.8**	**61**	**9**	**9**	**12**	**16**	**24**	**31**	**46**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	2.5	5	1	2	2	2	3	5	13
20-34	77	2.7	10	<1	<1	2	3	5	7	21
35-49	315	2.7	5	<1	<1	2	3	6	8	12
50-64	687	2.6	11	<1	<1	1	3	6	9	17
65+	233	3.0	21	<1	<1	1	3	7	15	22
2. MULTIPLE DX										
0-19 YRS	207	3.3	22	1	2	2	2	5	9	29
20-34	136	4.4	13	<1	1	3	6	10	12	18
35-49	813	4.7	27	<1	<1	3	5	11	16	26
50-64	1963	4.9	37	<1	<1	3	5	13	16	28
65+	843	6.9	70	<1	1	3	10	18	23	38
TOT. SINGLE DX	1460	2.7	11	<1	<1	2	3	6	9	18
" MULTIPLE DX	3962	5.2	42	<1	<1	3	6	13	18	32
TOTAL 0-19 YRS	355	3.0	16	1	2	2	2	4	8	23
20-34	213	3.8	13	<1	<1	3	4	8	12	19
35-49	1128	4.1	22	<1	<1	3	4	10	14	23
50-64	2650	4.3	31	<1	<1	2	4	11	15	27
65+	1076	6.1	63	<1	1	3	8	17	23	36
GRAND TOTAL	5422	4.5	35	<1	<1	2	4	11	16	29

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.6	35	4	4	5	10	18	18	18
20-34	13	5.4	26	1	1	3	7	11	18	20
35-49	15	8.5	31	3	3	7	10	17	21	23
50-64	64	7.6	52	2	3	5	10	16	19	42
65+	220	6.1	16	1	2	5	8	11	15	19
2. MULTIPLE DX										
0-19 YRS	13	9.0	36	2	3	6	12	18	21	22
20-34	19	7.5	21	3	3	7	9	11	18	23
35-49	48	13.0	57	3	5	13	16	21	22	49
50-64	252	13.2	92	3	4	12	16	24	37	51
65+	860	13.4	133	3	4	11	17	25	36	71
TOT. SINGLE DX	317	6.5	26	2	2	5	8	13	17	24
" MULTIPLE DX	1192	13.2	120	3	4	11	16	24	34	64
TOTAL 0-19 YRS	18	8.6	35	2	3	6	12	18	20	22
20-34	32	6.6	23	2	2	6	8	11	19	23
35-49	63	11.9	54	3	4	11	16	20	22	46
50-64	316	12.1	89	3	3	10	16	23	34	50
65+	1080	11.9	118	3	3	9	15	23	32	64
GRAND TOTAL	1509	11.8	107	3	3	9	15	22	31	59

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	8.3	17	2	2	9	10	14	16	16
20-34	6	9.8	15	3	3	11	12	14	14	14
35-49	20	4.0	6	2	2	3	4	9	10	10
50-64	55	6.1	37	2	2	4	9	13	18	35
65+	14	9.4	50	2	3	8	12	18	25	27
2. MULTIPLE DX										
0-19 YRS	7	14.3	134	2	3	10	24	32	33	33
20-34	10	10.9	64	3	4	9	11	23	32	32
35-49	34	13.1	43	3	6	12	17	21	23	35
50-64	97	9.6	79	2	2	8	12	20	28	49
65+	42	12.3	82	2	3	10	17	27	31	35
TOT. SINGLE DX	104	6.5	33	2	2	4	10	13	17	31
" MULTIPLE DX	190	11.1	76	2	2	10	14	22	29	35
TOTAL 0-19 YRS	16	10.9	72	2	2	9	11	27	31	33
20-34	16	10.5	44	3	4	9	12	15	27	32
35-49	54	9.7	49	2	2	9	14	18	22	35
50-64	152	8.4	67	2	2	5	11	18	22	36
65+	56	11.6	75	2	3	10	16	26	29	35
GRAND TOTAL	294	9.5	65	2	2	8	12	19	27	35

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.6	15	<1	1	2	4	8	12	22
20-34	40	3.9	17	<1	<1	2	4	10	14	19
35-49	32	3.3	14	<1	<1	2	3	9	12	17
50-64	42	3.9	24	<1	<1	2	4	8	14	27
65+	50	5.9	43	<1	1	3	7	14	22	28
2. MULTIPLE DX										
0-19 YRS	54	5.9	23	<1	1	4	7	14	17	20
20-34	39	9.0	156	<1	1	4	11	18	37	63
35-49	55	8.4	73	1	1	5	11	20	28	40
50-64	152	10.9	164	1	1	7	13	24	41	69
65+	246	15.2	183	2	2	12	21	32	45	62
TOT. SINGLE DX	213	4.2	24	<1	<1	2	5	10	15	27
" MULTIPLE DX	546	12.0	159	1	2	8	17	26	40	61
TOTAL 0-19 YRS	103	4.8	21	<1	1	3	6	12	15	21
20-34	79	6.4	92	<1	1	3	8	14	19	59
35-49	87	6.6	57	<1	1	3	9	17	23	37
50-64	194	9.4	142	<1	1	6	11	22	30	61
65+	296	13.6	172	1	2	10	19	30	41	58
GRAND TOTAL	759	9.8	133	1	1	6	13	23	32	54

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.4	6	1	1	4	6	8	9	10
20-34	374	4.2	13	2	2	4	5	6	8	13
35-49	625	4.3	4	2	2	4	5	7	9	12
50-64	484	5.1	10	2	2	4	6	9	11	18
65+	110	5.1	10	1	2	4	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	79	6.2	51	2	2	4	6	8	14	46
35-49	189	6.3	25	2	3	5	7	11	17	30
50-64	243	7.0	30	2	3	5	8	14	19	29
65+	92	11.0	138	2	2	7	13	23	34	65
TOT. SINGLE DX	1608	4.6	9	2	2	4	5	8	9	14
" MULTIPLE DX	604	7.3	50	2	3	5	8	14	20	36
TOTAL 0-19 YRS	16	4.6	6	1	1	4	6	8	9	10
20-34	453	4.5	21	2	2	4	5	7	8	24
35-49	814	4.8	10	2	2	4	5	8	10	18
50-64	727	5.7	18	2	2	5	7	10	14	23
65+	202	7.8	77	1	2	5	9	15	22	57
GRAND TOTAL	**2212**	**5.3**	**22**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	28.5	41	24	24	28	33	33	33	33
20-34	5	12.0	94	6	6	8	15	29	29	29
35-49	40	12.0	21	4	8	12	14	18	21	26
50-64	147	13.8	44	6	8	12	16	23	25	37
65+	139	13.8	48	7	8	12	16	20	24	42
2. MULTIPLE DX										
0-19 YRS	13	19.2	63	5	8	19	25	29	29	29
20-34	39	15.0	105	3	4	12	19	35	37	41
35-49	117	19.4	201	7	8	15	24	39	50	96
50-64	471	16.9	111	6	8	14	20	29	38	63
65+	510	20.4	162	8	10	17	26	37	48	99+
TOT. SINGLE DX	333	13.6	45	6	8	12	15	21	25	40
" MULTIPLE DX	1150	18.7	145	7	9	15	22	35	43	90
TOTAL 0-19 YRS	15	20.4	68	5	9	22	27	29	32	33
20-34	44	14.7	103	3	5	12	19	34	36	41
35-49	157	17.5	165	6	8	13	20	34	45	92
50-64	618	16.1	97	6	8	13	19	27	36	57
65+	649	19.0	146	8	9	15	23	35	44	99+
GRAND TOTAL	**1483**	**17.5**	**127**	**7**	**8**	**14**	**21**	**33**	**40**	**76**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	12.0		12	12	12	12	12	12	12
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	10	5.1	27	<1	<1	3	7	13	17	17
20-34	53	10.8	260	1	1	7	11	18	35	87
35-49	52	6.1	22	1	1	5	8	12	15	23
50-64	97	9.9	107	1	2	7	12	22	26	56
65+	52	7.5	95	1	2	5	8	14	23	61
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	264	8.6	118	1	1	6	10	18	23	62
TOTAL 0-19 YRS	10	5.1	27	<1	<1	3	7	13	17	17
20-34	54	10.6	257	1	1	7	11	18	35	87
35-49	52	6.1	23	1	1	5	8	12	15	23
50-64	97	9.9	107	1	2	7	12	22	26	56
65+	52	7.5	96	1	2	5	8	14	23	61
GRAND TOTAL	**265**	**8.6**	**118**	**1**	**1**	**6**	**10**	**18**	**23**	**62**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	7.5	21	1	2	8	9	14	15	22
20-34	58	8.6	117	1	1	5	10	19	33	61
35-49	89	8.7	71	1	2	6	11	19	24	44
50-64	197	10.4	58	1	2	9	14	19	25	37
65+	226	12.7	106	1	2	11	16	25	34	51
2. MULTIPLE DX										
0-19 YRS	261	22.7	529	3	5	13	40	83	99+	99+
20-34	166	11.4	177	1	2	6	13	23	46	66
35-49	225	15.0	246	1	2	10	19	37	52	97
50-64	794	15.1	163	3	4	12	18	28	44	98
65+	1038	17.9	198	4	6	15	22	36	49	95
TOT. SINGLE DX	628	10.6	83	1	2	9	14	21	29	45
" MULTIPLE DX	2484	16.8	232	2	4	13	21	37	56	99+
TOTAL 0-19 YRS	319	19.9	471	2	3	11	31	68	97	99+
20-34	224	10.7	163	1	2	6	13	22	39	64
35-49	314	13.2	204	1	2	9	17	31	44	85
50-64	991	14.2	146	2	3	11	17	27	38	88
65+	1264	17.0	186	3	5	14	21	34	44	89
GRAND TOTAL	**3112**	**15.6**	**208**	**2**	**3**	**12**	**19**	**33**	**51**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	4.4	32	<1	1	2	4	10	17	30
20-34	123	5.6	39	1	1	3	7	14	17	33
35-49	96	7.5	78	1	2	4	9	17	27	48
50-64	83	8.2	68	<1	1	6	11	19	25	43
65+	70	10.0	87	2	2	6	15	24	31	40
2. MULTIPLE DX										
0-19 YRS	51	9.6	172	1	2	6	11	18	31	81
20-34	86	10.3	94	1	2	7	16	25	34	40
35-49	97	11.2	110	1	2	8	14	27	36	46
50-64	180	12.4	134	2	2	9	17	27	34	63
65+	209	17.3	222	3	4	13	22	42	53	97
TOT. SINGLE DX	478	6.8	61	<1	1	4	8	16	24	36
" MULTIPLE DX	623	13.4	166	2	2	9	18	30	41	65
TOTAL 0-19 YRS	157	6.1	83	<1	1	3	7	15	22	40
20-34	209	7.6	67	1	2	4	10	18	28	37
35-49	193	9.4	98	1	2	6	11	24	29	46
50-64	263	11.1	117	1	2	8	16	24	31	57
65+	279	15.5	198	2	3	11	21	35	48	86
GRAND TOTAL	**1101**	**10.5**	**131**	**1**	**2**	**6**	**14**	**25**	**34**	**58**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	7.1	78	1	1	3	11	23	25	25
35-49	5	6.8	21	1	1	8	11	11	11	11
50-64	15	13.5	114	1	3	10	23	29	32	33
65+	10	8.8	27	4	4	7	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	4	8.8	39	4	4	6	12	18	18	18
20-34	22	13.5	88	3	4	12	14	29	35	40
35-49	32	11.7	90	2	3	8	14	27	29	43
50-64	48	11.8	87	3	4	10	13	25	39	41
65+	66	15.9	130	4	5	13	21	29	33	62
TOT. SINGLE DX	38	10.1	73	1	2	8	13	25	29	33
" MULTIPLE DX	172	13.5	106	3	4	11	17	28	32	55
TOTAL 0-19 YRS	5	9.0	30	4	4	7	12	18	18	18
20-34	29	11.9	91	2	2	11	14	27	32	40
35-49	37	11.0	83	2	3	8	13	25	29	43
50-64	63	12.2	93	2	4	10	15	26	35	41
65+	76	15.0	122	4	4	12	19	29	32	61
GRAND TOTAL	**210**	**12.9**	**101**	**3**	**3**	**10**	**16**	**28**	**32**	**49**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64	1	49.0		49	49	49	49	49	49	49
65+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	3	11.3	4	9	9	12	13	13	13	13
" MULTIPLE DX	3	27.7	366	12	12	22	42	49	49	49
TOTAL 0-19 YRS										
20-34	2	17.0	50	12	12	17	22	22	22	22
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	29.0	800	9	9	29	49	49	49	49
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**6**	**19.5**	**228**	**9**	**9**	**13**	**22**	**46**	**49**	**49**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	28.0		28	28	28	28	28	28	28
TOTAL 0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	9.3	100	2	2	7	10	14	21	66
20-34	75	11.2	148	2	2	8	12	20	38	70
35-49	62	13.4	172	2	4	9	14	29	40	72
50-64	88	10.7	71	1	4	9	14	18	19	54
65+	119	14.9	153	2	4	12	18	27	43	85
2. MULTIPLE DX										
0-19 YRS	108	15.1	170	2	3	12	21	31	43	68
20-34	154	13.6	102	3	5	10	17	30	37	52
35-49	155	15.3	148	4	5	12	20	31	39	71
50-64	352	16.4	166	4	5	13	22	34	46	85
65+	787	18.8	195	4	6	15	24	39	49	99+
TOT. SINGLE DX	424	12.1	132	2	3	9	14	23	34	75
" MULTIPLE DX	1556	17.1	176	4	5	14	22	36	47	99+
TOTAL 0-19 YRS	188	12.7	148	2	3	9	15	24	38	70
20-34	229	12.8	118	2	4	9	15	28	37	57
35-49	217	14.7	155	3	5	11	18	30	39	72
50-64	440	15.3	152	4	5	12	19	31	43	78
65+	906	18.3	191	4	5	15	23	38	48	99+
GRAND TOTAL	**1980**	**16.0**	**171**	**3**	**5**	**13**	**21**	**34**	**45**	**89**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	15.7	488	2	2	6	11	54	72	72
20-34	8	19.1	520	1	1	7	34	56	64	64
35-49	5	16.6	129	5	5	16	27	30	30	30
50-64	4	12.3	421	1	1	2	23	43	43	43
65+	4	7.3	18	2	2	7	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	39	20.4	466	1	2	8	36	52	60	82
20-34	40	24.3	289	4	6	21	33	48	56	75
35-49	34	22.9	368	4	5	20	34	59	77	99+
50-64	33	17.4	233	3	3	12	25	42	62	99+
65+	32	22.0	189	4	7	22	35	95	99+	99+
TOT. SINGLE DX	31	15.2	343	1	2	6	23	39	63	72
" MULTIPLE DX	178	21.5	313	3	4	19	33	52	70	99+
TOTAL 0-19 YRS	49	19.5	465	2	2	8	33	52	65	82
20-34	48	23.4	321	2	4	20	34	48	59	75
35-49	39	22.1	338	4	5	19	31	56	73	99+
50-64	37	16.9	245	2	3	10	25	43	57	99+
65+	36	20.4	191	3	5	21	32	77	99+	99+
GRAND TOTAL	**209**	**20.6**	**321**	**2**	**3**	**16**	**32**	**52**	**67**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	20	<1	<1	2	9	11	12	12
20-34	26	7.8	50	1	2	7	10	17	23	32
35-49	16	7.8	51	1	1	6	9	19	25	27
50-64	56	7.1	65	1	2	4	8	17	19	49
65+	71	7.4	40	1	2	5	10	17	22	26
2. MULTIPLE DX										
0-19 YRS	18	6.3	33	<1	<1	4	11	16	19	19
20-34	28	12.3	286	1	2	6	10	42	54	68
35-49	69	14.1	214	1	2	9	19	33	54	95
50-64	140	13.3	149	2	2	9	18	30	48	99+
65+	275	14.0	237	2	2	9	17	32	49	87
TOT. SINGLE DX	177	7.3	49	1	2	5	10	17	21	31
" MULTIPLE DX	530	13.5	208	1	2	9	17	31	49	99+
TOTAL 0-19 YRS	26	5.8	29	<1	<1	4	10	12	18	19
20-34	54	10.2	174	1	2	6	10	24	45	67
35-49	85	12.9	189	1	2	9	17	30	47	91
50-64	196	11.5	133	2	2	8	17	28	44	99+
65+	346	12.6	204	2	2	8	16	28	41	81
GRAND TOTAL	**707**	**11.9**	**175**	**1**	**2**	**8**	**15**	**28**	**41**	**84**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	6.5	18	3	3	5	8	10	15	28
20-34										
35-49										
50-64										
65+	2	15.0	18	12	12	15	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	38	10.1	48	4	4	8	12	18	25	35
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	3	20.7	160	7	7	23	30	32	32	32
50-64	7	17.6	42	11	11	16	19	29	31	31
65+	6	20.0	110	9	9	19	29	33	33	33
TOT. SINGLE DX	112	6.7	19	3	3	6	8	11	15	28
" MULTIPLE DX	56	12.7	70	4	4	10	17	26	32	35
TOTAL 0-19 YRS	148	7.4	28	3	4	6	9	14	17	32
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	3	20.7	160	7	7	23	30	32	32	32
50-64	7	17.6	43	11	11	16	19	29	31	31
65+	8	18.8	87	9	10	15	27	32	33	33
GRAND TOTAL	168	8.7	44	3	4	6	10	17	25	33

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	12.0	54	6	6	10	17	22	22	22
35-49										
50-64	2	12.5	25	9	9	12	16	16	16	16
65+	6	17.7	58	8	8	18	23	27	27	27
2. MULTIPLE DX										
0-19 YRS	10	44.6	980	11	14	34	85	98	99+	99+
20-34	4	15.8	166	8	8	11	51	99+	99+	99+
35-49	6	11.7	20	6	6	13	15	16	16	16
50-64	11	23.5	451	8	9	18	46	99+	99+	99+
65+	13	29.4	458	7	9	39	56	99+	99+	99+
TOT. SINGLE DX	13	14.3	52	6	7	13	22	24	26	27
" MULTIPLE DX	44	27.7	573	7	8	19	55	99+	99+	99+
TOTAL 0-19 YRS	11	41.2	1011	7	10	31	80	97	99+	99+
20-34	8	13.9	98	6	6	11	25	74	99+	99+
35-49	6	11.7	20	6	6	13	15	16	16	16
50-64	13	21.8	395	8	9	17	33	99+	99+	99+
65+	19	25.7	353	8	9	23	44	82	99+	99+
GRAND TOTAL	57	24.7	483	7	8	17	40	97	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.3	56	2	2	8	15	19	19	19
20-34	17	7.1	15	2	3	5	9	14	16	16
35-49	31	9.3	54	3	3	7	11	17	28	35
50-64	60	7.6	28	<1	2	7	10	15	18	25
65+	86	10.0	58	1	3	8	13	20	23	41
2. MULTIPLE DX										
0-19 YRS	8	8.4	40	2	2	7	11	18	21	21
20-34	60	10.1	65	2	3	8	13	18	25	47
35-49	129	9.3	46	2	3	8	12	18	22	53
50-64	244	12.8	118	3	4	10	15	26	33	72
65+	563	14.9	146	4	5	12	19	30	38	99
TOT. SINGLE DX	198	8.9	46	1	3	7	12	18	22	35
" MULTIPLE DX	1004	13.3	125	3	4	10	17	27	35	83
TOTAL 0-19 YRS	12	8.7	41	2	2	7	12	20	21	21
20-34	77	9.4	56	2	3	7	12	17	21	44
35-49	160	9.3	48	2	3	8	12	18	22	40
50-64	304	11.8	105	2	4	9	14	24	30	62
65+	649	14.3	137	3	4	11	19	28	37	94
GRAND TOTAL	1202	12.6	115	3	4	10	16	25	34	78

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	30	11.4	9	7	8	11	13	16	18	19
35-49	43	12.7	14	8	8	12	15	17	20	24
50-64	48	13.7	19	9	9	13	16	21	23	25
65+	37	18.6	64	9	10	17	22	28	36	45
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	30	15.0	46	8	9	14	18	23	26	40
35-49	84	18.2	156	8	9	14	22	32	44	75
50-64	165	20.2	109	9	9	17	22	34	51	97
65+	156	24.8	202	10	12	21	32	48	77	99+
TOT. SINGLE DX	161	14.0	33	8	9	13	16	21	25	37
" MULTIPLE DX	436	21.1	190	9	10	17	26	40	50	99+
TOTAL 0-19 YRS	4	12.3	23	8	8	11	15	19	19	19
20-34	60	13.2	31	8	8	12	16	19	23	39
35-49	127	16.3	115	8	9	13	17	28	35	58
50-64	213	18.7	168	9	9	16	20	31	44	96
65+	193	23.6	182	10	11	20	29	46	66	99+
GRAND TOTAL	597	19.2	157	9	9	16	23	36	47	99+

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	3	13.0	19	10	10	11	16	18	18	18
65+	7	21.1	59	11	12	20	25	33	35	35
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	21.8	149	11	11	17	32	39	39	39
35-49	9	30.8	336	13	15	24	40	62	63	63
50-64	20	26.2	131	12	14	22	37	44	47	48
65+	27	33.1	312	11	15	28	50	74	99+	99+
TOT. SINGLE DX	11	18.3	55	10	10	17	21	30	35	35
" MULTIPLE DX	67	28.9	244	11	13	25	39	56	64	99+
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	21.8	150	11	11	17	32	39	39	39
35-49	10	29.1	327	13	13	22	33	61	63	63
50-64	28	24.8	136	11	11	20	33	44	47	48
65+	34	30.6	281	11	15	26	44	61	95	99+
GRAND TOTAL	78	27.4	231	11	12	24	37	53	62	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	54	9.1	8	6	6	9	10	13	15	18
35-49	50	10.5	18	6	6	9	13	15	17	27
50-64	33	12.5	40	7	8	10	13	21	24	37
65+	15	11.9	12	7	7	13	15	18	75	99+
2. MULTIPLE DX										
0-19 YRS	4	11.8	37	6	6	11	17	18	18	18
20-34	41	12.0	26	7	7	10	15	18	24	28
35-49	76	14.1	91	7	7	12	17	22	30	62
50-64	79	14.6	52	8	8	13	17	25	28	44
65+	55	20.4	108	10	10	10	24	36	50	97
TOT. SINGLE DX	154	10.6	20	6	7	9	13	16	20	36
" MULTIPLE DX	255	15.3	79	7	8	13	18	25	33	56
TOTAL 0-19 YRS	6	12.0	28	6	6	12	16	18	18	18
20-34	95	10.4	18	6	7	9	12	15	18	28
35-49	126	12.7	65	6	7	11	15	19	23	53
50-64	112	14.0	49	8	8	12	16	24	27	42
65+	70	18.6	100	8	10	16	23	35	52	99+
GRAND TOTAL	409	13.5	62	6	7	11	16	23	28	54

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	9.6	18	3	5	9	13	16	17	17
20-34	156	8.6	5	6	6	8	9	12	13	16
35-49	127	9.4	13	6	6	8	10	13	16	26
50-64	82	10.6	44	6	7	9	11	18	21	32
65+	46	14.3	64	6	7	12	19	28	32	35
2. MULTIPLE DX										
0-19 YRS	18	14.3	82	3	4	12	20	27	31	33
20-34	126	10.6	33	6	7	9	11	17	21	37
35-49	235	12.6	78	6	7	10	13	21	28	57
50-64	209	16.3	115	7	7	13	19	31	37	60
65+	196	22.5	305	8	9	16	28	49	64	99
TOT. SINGLE DX	425	9.9	21	6	6	9	11	14	19	30
" MULTIPLE DX	784	15.8	156	6	7	11	18	31	43	67
TOTAL 0-19 YRS	32	12.2	59	3	4	10	16	25	28	33
20-34	282	9.5	19	6	6	9	10	13	16	31
35-49	362	11.5	58	6	7	9	12	17	24	55
50-64	291	14.7	96	7	7	11	18	27	35	55
65+	242	21.0	270	7	8	16	28	46	60	98
GRAND TOTAL	1209	13.7	117	6	7	10	15	25	35	65

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	7.7	22	1	2	7	9	16	17	22
20-34	113	7.9	43	2	2	7	9	15	19	37
35-49	73	10.3	107	1	2	8	12	21	34	62
50-64	88	8.0	39	1	2	7	11	16	20	31
65+	66	7.8	42	1	1	6	11	15	21	31
2. MULTIPLE DX										
0-19 YRS	59	14.4	201	3	4	9	19	27	52	75
20-34	157	11.5	110	3	4	9	13	22	29	54
35-49	143	11.5	83	2	3	9	15	22	29	49
50-64	199	13.8	118	2	3	11	18	29	36	59
65+	336	15.0	155	3	4	12	20	31	38	80
TOT. SINGLE DX	391	8.3	52	1	2	7	11	16	21	37
" MULTIPLE DX	894	13.5	133	2	3	10	17	28	36	63
TOTAL 0-19 YRS	110	11.3	129	3	3	8	13	22	28	64
20-34	270	10.0	85	2	3	8	12	18	27	48
35-49	216	11.1	91	2	3	9	13	21	30	50
50-64	287	12.0	101	1	2	10	16	26	35	57
65+	402	13.8	144	2	3	11	17	30	35	75
GRAND TOTAL	**1285**	**11.9**	**114**	**2**	**3**	**9**	**15**	**25**	**33**	**58**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.3	42	5	5	11	16	18	18	18
20-34	8	11.9	74	5	5	8	15	26	31	31
35-49	7	9.9	3	8	8	10	11	13	13	13
50-64	23	15.7	91	7	8	13	18	28	39	47
65+	20	16.5	46	6	8	15	23	26	28	29
2. MULTIPLE DX										
0-19 YRS	15	29.1	888	6	7	16	29	82	89	91
20-34	58	21.1	167	8	10	17	30	38	45	69
35-49	57	22.9	294	8	9	16	35	48	80	99+
50-64	81	22.6	251	8	9	18	27	43	56	91
65+	112	25.2	299	9	11	20	33	54	78	99+
TOT. SINGLE DX	61	14.6	64	6	7	13	18	26	30	46
" MULTIPLE DX	323	23.6	289	8	9	18	30	47	71	99+
TOTAL 0-19 YRS	18	26.2	783	5	6	15	27	82	87	91
20-34	66	20.0	164	7	8	16	27	38	42	68
35-49	64	21.5	279	8	8	15	31	47	75	99+
50-64	104	21.0	223	8	9	17	25	40	50	85
65+	132	23.8	270	9	10	19	29	50	75	99+
GRAND TOTAL	**384**	**22.1**	**264**	**8**	**9**	**17**	**27**	**44**	**67**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	16.9	48	7	8	17	19	27	32	32
20-34	44	16.8	60	9	10	14	21	25	37	41
35-49	55	14.2	29	8	10	13	17	20	26	34
50-64	139	14.3	30	8	9	13	16	22	26	34
65+	166	15.4	29	10	10	14	17	23	26	30
2. MULTIPLE DX										
0-19 YRS	32	26.0	417	9	9	23	30	65	95	99+
20-34	129	20.7	213	8	9	16	26	36	50	88
35-49	152	18.2	100	8	9	16	22	28	42	63
50-64	396	19.8	149	10	10	16	23	34	48	69
65+	675	24.2	203	10	12	20	30	48	63	99+
TOT. SINGLE DX	413	15.0	34	9	10	14	17	23	27	37
" MULTIPLE DX	1384	22.0	188	9	10	18	27	42	57	99+
TOTAL 0-19 YRS	41	24.0	347	8	9	19	29	50	87	99+
20-34	173	19.7	177	8	9	16	23	35	44	81
35-49	207	17.1	84	8	9	15	20	27	39	61
50-64	535	18.4	124	9	10	15	21	31	42	63
65+	841	22.5	182	10	11	18	27	44	60	99+
GRAND TOTAL	**1797**	**20.4**	**161**	**9**	**10**	**16**	**24**	**37**	**50**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	21.3	120	9	9	25	29	30	30	30
35-49	5	8.6	5	6	6	8	10	12	12	12
50-64	4	14.8	11	11	11	15	17	18	18	18
65+	18	23.3	179	8	10	21	26	45	56	60
2. MULTIPLE DX										
0-19 YRS	6	19.2	359	4	4	9	37	48	49	49
20-34	7	11.3	44	5	5	7	18	20	20	20
35-49	19	22.8	363	11	11	18	27	35	69	95
50-64	32	23.5	119	11	11	23	27	41	46	47
65+	56	29.6	400	7	9	23	43	64	76	98
TOT. SINGLE DX	30	19.5	148	8	8	17	25	31	50	60
" MULTIPLE DX	120	25.3	313	6	8	21	32	51	68	96
TOTAL 0-19 YRS	6	19.2	359	4	4	9	37	48	49	49
20-34	10	14.3	80	5	5	13	20	27	30	30
35-49	24	19.9	320	7	8	15	20	32	54	95
50-64	36	22.6	115	11	11	21	26	40	45	47
65+	74	28.1	351	8	9	23	36	60	74	94
GRAND TOTAL	**150**	**24.2**	**284**	**6**	**8**	**20**	**30**	**48**	**62**	**95**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	8.3	21	3	3	7	12	14	17	19
20-34	28	8.1	13	3	4	8	10	13	14	19
35-49	30	9.7	17	4	5	9	12	15	19	21
50-64	30	9.0	7	5	5	10	11	12	13	13
65+	37	11.6	40	4	6	11	13	20	33	99+
2. MULTIPLE DX										
0-19 YRS	32	13.1	91	4	5	10	17	24	39	42
20-34	67	14.0	102	3	5	11	18	28	44	91
35-49	73	15.4	124	5	7	12	16	25	40	65
50-64	123	15.9	155	4	6	13	20	30	49	99+
65+	173	20.7	266	6	8	15	23	39	63	81
TOT. SINGLE DX	149	9.5	22	3	4	9	12	14	19	39
" MULTIPLE DX	468	17.1	187	5	6	13	20	33	47	86
TOTAL 0-19 YRS	56	11.1	66	3	4	9	14	21	26	42
20-34	95	12.3	83	3	5	10	14	22	39	77
35-49	103	13.7	100	5	6	11	15	21	30	62
50-64	153	14.6	134	4	6	11	17	26	41	99
65+	210	19.1	238	7	8	14	21	36	62	89
GRAND TOTAL	617	15.3	157	4	6	12	18	29	43	85

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	[illegible]	1	9	9	9	10	10	10	10
20-34	3	19.3	92	9	9	21	26	28	28	28
35-49	3	20.0	133	8	8	21	28	31	31	31
50-64	11	12.6	19	9	9	11	15	19	23	23
65+	8	24.3	109	11	13	25	36	75	99+	99+
2. MULTIPLE DX										
0-19 YRS	9	21.4	261	6	8	17	23	50	58	58
20-34	14	20.9	350	6	8	16	22	39	71	80
35-49	13	22.0	121	4	9	24	31	34	41	43
50-64	48	27.8	219	12	14	25	33	45	52	97
65+	86	27.5	235	10	13	25	36	60	99	99+
TOT. SINGLE DX	27	17.4	84	9	9	15	24	36	43	99+
" MULTIPLE DX	170	26.3	234	9	12	24	33	52	74	99+
TOTAL 0-19 YRS	11	19.3	232	6	8	15	18	45	57	58
20-34	17	20.6	297	7	8	17	23	33	64	80
35-49	16	21.6	115	4	8	22	31	31	40	43
50-64	59	25.0	217	9	11	22	30	43	50	93
65+	94	27.2	224	10	13	25	36	60	99+	99+
GRAND TOTAL	197	25.1	222	9	10	22	32	48	72	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2547	4.5	8	2	3	4	5	7	8	14
20-34	1724	4.5	4	2	3	4	5	7	9	12
35-49	467	5.3	7	3	3	4	6	9	10	15
50-64	195	6.3	13	3	3	6	8	9	14	18
65+	65	8.8	26	3	4	8	10	15	21	26
2. MULTIPLE DX										
0-19 YRS	640	6.8	23	3	3	5	8	12	16	25
20-34	538	6.5	17	3	3	5	8	11	14	25
35-49	186	8.7	36	3	4	7	10	16	19	30
50-64	133	10.9	93	4	4	9	13	17	21	54
65+	98	15.3	159	4	6	11	20	30	33	77
TOT. SINGLE DX	4998	4.7	8	2	3	4	5	7	9	15
" MULTIPLE DX	1595	7.8	42	3	3	6	9	14	18	31
TOTAL 0-19 YRS	3187	5.0	12	2	3	4	5	8	10	18
20-34	2262	5.0	8	2	3	4	6	8	10	15
35-49	653	6.2	18	3	3	5	7	11	14	23
50-64	328	8.2	51	3	3	7	9	14	16	32
65+	163	12.7	116	4	5	10	14	24	31	53
GRAND TOTAL	6593	5.5	18	2	[illegible]	4	6	9	12	22

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	4.5	3	2	2	4	5	7	7	11
20-34	28	4.1	2	2	3	4	5	6	7	9
35-49	5	6.6	6	4	4	6	8	10	10	10
50-64	3	6.7	1	6	6	6	8	8	8	8
65+	2	11.0	98	4	4	11	18	18	18	18
2. MUL IPLE DX										
0-19 YRS	14	7.9	57	2	3	6	8	12	28	33
20-34	13	6.4	6	3	4	5	8	10	12	12
35-49	3	9.7	24	4	4	12	13	13	13	13
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	14.5	41	9	9	13	19	23	23	23
TOT. SINGLE DX	71	4.8	6	2	3	4	6	7	9	17
" MULTIPLE DX	35	8.2	36	3	4	8	9	13	21	33
TOTAL 0-19 YRS	47	5.5	21	2	2	5	6	8	10	33
20-34	41	4.9	5	2	3	4	6	8	9	12
35-49	8	7.8	13	4	4	7	11	13	13	13
50-64	4	7.0	1	6	6	7	8	8	8	8
65+	6	13.3	48	4	4	13	18	22	23	23
GRAND TOTAL	106	5.9	18	2	3	5	7	10	12	27

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.3	47	3	3	7	15	20	23	23
20-34	8	9.4	32	3	4	8	12	18	21	21
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	1	10.0		10	10	10	10	10	10	10
65+	4	14.5	22	8	8	16	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	4	11.8	32	6	6	11	16	18	18	18
20-34										
35-49	3	10.0	4	8	8	10	11	12	12	12
50-64	3	17.7	24	12	12	20	21	21	21	21
65+	3	22.7	200	14	14	15	33	39	39	39
TOT. SINGLE DX	24	10.6	33	3	4	9	15	19	22	23
" MULTIPLE DX	13	15.2	72	6	7	14	18	25	36	39
TOTAL 0-19 YRS	13	10.8	40	3	4	8	15	19	22	23
20-34	8	9.4	33	3	4	8	12	18	21	21
35-49	5	9.8	2	8	8	10	11	12	12	12
50-64	4	15.8	31	10	10	16	20	21	21	21
65+	7	18.0	97	8	9	15	18	35	39	39
GRAND TOTAL	**37**	**12.2**	**50**	**4**	**5**	**12**	**15**	**21**	**22**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	5.5	22	<1	1	4	7	11	15	25
20-34	68	5.6	24	1	1	4	8	11	14	28
35-49	46	5.0	12	1	1	4	7	10	11	18
50-64	70	6.1	31	<1	1	4	8	12	21	25
65+	103	6.3	37	1	2	4	8	14	16	35
2. MULTIPLE DX										
0-19 YRS	27	11.0	199	2	2	7	10	47	59	99+
20-34	61	8.6	60	2	3	7	11	16	22	47
35-49	64	11.8	139	2	3	8	15	28	33	63
50-64	94	11.1	147	2	2	8	12	27	34	67
65+	239	13.8	151	2	3	11	16	27	40	77
TOT. SINGLE DX	339	5.8	28	1	1	4	8	12	15	26
" MULTIPLE DX	485	12.2	143	2	3	9	15	27	37	73
TOTAL 0-19 YRS	79	7.4	88	<1	1	5	8	13	34	86
20-34	129	7.0	43	1	2	5	9	14	19	34
35-49	110	9.0	97	1	2	6	11	18	30	55
50-64	164	8.9	104	1	2	6	10	21	30	52
65+	342	11.5	129	2	2	8	14	25	33	66
GRAND TOTAL	**824**	**9.6**	**105**	**1**	**2**	**7**	**12**	**21**	**29**	**59**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	18	3.8	14	1	1	3	4	7	13	17
35-49	14	5.0	7	2	2	4	6	9	11	12
50-64	8	4.8	12	2	2	4	5	11	13	13
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	9	4.3	11	1	1	3	6	10	10	10
35-49	6	6.0	31	3	3	3	7	16	17	17
50-64	5	13.4	362	2	2	4	19	47	47	47
65+	4	11.5	43	4	4	11	16	20	20	20
TOT. SINGLE DX	47	4.3	11	1	1	3	5	9	12	17
" MULTIPLE DX	26	7.6	88	1	2	4	10	16	25	47
TOTAL 0-19 YRS	8	2.9	7	1	1	2	3	7	9	9
20-34	27	4.0	13	1	1	3	4	9	11	17
35-49	20	5.3	14	2	2	4	6	10	14	17
50-64	13	8.1	147	2	2	4	7	20	42	47
65+	5	11.2	33	4	4	11	13	20	20	20
GRAND TOTAL	**73**	**5.5**	**40**	**1**	**1**	**4**	**6**	**11**	**16**	**41**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	15.4	216	5	5	10	21	41	41	41
20-34	12	17.7	27	10	11	17	22	25	26	26
35-49	21	15.2	27	6	10	14	18	22	26	27
50-64	64	15.8	33	10	11	14	18	22	27	40
65+	71	20.3	103	10	10	19	25	32	37	66
2. MULTIPLE DX										
0-19 YRS	19	22.5	186	5	7	21	26	47	54	54
20-34	33	25.0	302	9	10	20	30	52	60	82
35-49	55	18.9	55	11	11	17	24	32	35	96
50-64	185	22.6	150	11	11	19	29	38	48	94
65+	298	25.5	205	11	13	22	32	45	59	99+
TOT. SINGLE DX	173	17.7	69	10	10	15	21	27	33	45
" MULTIPLE DX	590	23.9	182	11	12	20	30	44	54	99+
TOTAL 0-19 YRS	24	21.0	192	5	6	18	26	42	53	54
20-34	45	23.0	238	10	11	19	26	44	56	82
35-49	76	17.9	50	10	11	16	22	29	34	84
50-64	249	20.9	129	11	11	17	25	37	45	83
65+	369	24.5	190	10	12	21	30	45	55	99
GRAND TOTAL	**763**	**22.5**	**163**	**10**	**11**	**19**	**27**	**39**	**51**	**95**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.9	8	2	2	7	8	9	10	10
20-34	91	6.1	48	1	2	4	7	11	17	44
35-49	95	5.3	16	1	2	4	7	10	15	22
50-64	95	6.7	37	<1	1	5	9	13	16	37
65+	113	7.2	31	<1	2	6	10	14	17	28
2. MULTIPLE DX										
0-19 YRS	24	9.4	41	2	3	8	12	18	23	29
20-34	163	8.5	78	2	2	6	10	16	29	55
35-49	208	8.6	45	2	3	7	11	17	23	40
50-64	311	10.0	68	1	2	8	13	21	27	43
65+	448	12.5	140	3	3	9	15	25	33	67
TOT. SINGLE DX	410	6.3	33	<1	2	5	8	13	16	28
" MULTIPLE DX	1154	10.5	96	2	3	8	13	21	29	59
TOTAL 0-19 YRS	40	8.0	30	2	2	7	10	14	19	29
20-34	254	7.6	69	1	2	5	9	15	26	55
35-49	303	7.6	39	1	2	6	10	14	21	35
50-64	406	9.3	63	1	2	7	12	19	25	43
65+	561	11.4	123	2	3	9	14	23	29	61
GRAND TOTAL	**1564**	**9.4**	**83**	**1**	**2**	**7**	**11**	**19**	**26**	**53**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.4	1	1	1	2	3	4	5	5
20-34	142	4.2	7	1	2	3	5	8	11	14
35-49	141	4.2	7	1	1	3	5	7	9	17
50-64	75	4.3	10	1	2	4	5	7	9	22
65+	15	5.8	18	<1	1	5	7	14	14	14
2. MULTIPLE DX										
0-19 YRS	12	5.8	15	1	2	5	7	10	15	16
20-34	69	5.1	16	2	2	4	6	8	12	23
35-49	89	5.1	13	2	2	4	6	8	12	21
50-64	56	6.6	34	2	2	5	7	14	20	33
65+	35	8.1	36	2	2	6	10	20	22	22
TOT. SINGLE DX	395	4.2	9	1	1	3	5	7	10	14
" MULTIPLE DX	261	5.8	23	2	2	4	7	10	18	22
TOTAL 0-19 YRS	34	3.6	8	1	1	3	4	7	8	16
20-34	211	4.5	11	1	2	4	5	8	11	19
35-49	230	4.5	10	1	2	4	5	8	10	19
50-64	131	5.3	22	1	2	4	6	10	14	28
65+	50	7.4	31	1	2	6	10	16	21	22
GRAND TOTAL	**656**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.7	2	<1	<1	3	4	4	6	6
20-34	142	2.9	3	<1	<1	2	4	6	7	10
35-49	79	4.1	9	1	1	3	5	7	9	20
50-64	30	3.3	4	<1	1	3	4	6	8	10
65+	24	4.4	5	1	2	5	5	7	9	10
2. MULTIPLE DX										
0-19 YRS	10	3.4	3	<1	<1	3	4	6	7	7
20-34	74	4.1	11	<1	1	4	5	7	8	22
35-49	62	3.6	4	1	1	4	4	6	7	13
50-64	54	7.3	75	1	2	5	7	14	26	52
65+	35	8.1	41	2	3	6	10	19	21	32
TOT. SINGLE DX	308	3.3	6	<1	<1	3	4	6	7	11
" MULTIPLE DX	235	5.3	31	<1	2	4	6	9	16	32
TOTAL 0-19 YRS	43	2.8	2	<1	<1	3	4	5	6	7
20-34	216	3.3	6	<1	<1	3	4	6	7	14
35-49	141	3.9	7	1	1	3	5	6	8	16
50-64	84	5.9	53	1	2	4	6	10	17	46
65+	59	6.6	30	2	2	5	7	12	19	31
GRAND TOTAL	**543**	**4.2**	**18**	**<1**	**1**	**3**	**5**	**7**	**10**	**22**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.2	2	2	3	5	6	7	7	7
20-34	406	5.0	3	2	3	5	6	7	8	10
35-49	509	5.2	4	3	3	5	6	8	9	12
50-64	298	5.4	7	3	3	5	6	8	9	12
65+	91	5.7	5	3	3	5	7	8	9	15
2. MULTIPLE DX										
0-19 YRS	8	3.8	1	2	2	4	5	5	5	5
20-34	377	5.4	12	3	3	5	6	8	10	17
35-49	509	6.1	16	3	3	5	7	9	11	20
50-64	458	7.1	41	3	3	6	8	10	15	42
65+	192	8.8	43	3	4	6	10	17	23	34
TOT. SINGLE DX	1313	5.2	5	3	3	5	6	8	9	12
" MULTIPLE DX	1544	6.6	27	3	3	5	7	10	14	29
TOTAL 0-19 YRS	17	4.5	2	2	2	5	5	6	7	7
20-34	783	5.2	8	2	3	5	6	8	9	14
35-49	1018	5.7	11	3	3	5	7	8	10	17
50-64	756	6.4	29	3	3	5	7	10	12	33
65+	283	7.8	33	3	3	6	8	15	19	31
GRAND TOTAL	**2857**	**5.9**	**17**	**3**	**3**	**5**	**7**	**9**	**11**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.3	3	1	1	3	5	6	7	9
20-34	248	3.5	6	<1	1	3	4	7	9	15
35-49	188	3.8	7	1	1	3	5	6	8	13
50-64	94	4.7	58	1	1	3	5	8	11	49
65+	33	4.9	15	1	1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	41	8.8	89	1	2	5	11	21	31	45
20-34	140	6.5	113	1	1	4	7	11	18	75
35-49	120	6.3	71	1	2	4	7	11	15	57
50-64	71	7.2	81	1	2	4	8	14	19	54
65+	64	11.4	197	1	2	7	17	25	51	97
TOT. SINGLE DX	614	3.8	15	1	1	3	5	7	9	16
" MULTIPLE DX	436	7.5	109	1	2	4	8	15	25	69
TOTAL 0-19 YRS	92	5.7	49	1	1	4	6	11	17	41
20-34	388	4.6	47	1	1	3	5	8	11	32
35-49	308	4.7	33	1	1	3	5	8	11	29
50-64	165	5.8	70	1	1	4	6	10	17	54
65+	97	9.2	144	1	2	5	10	23	32	91
GRAND TOTAL	**1050**	**5.3**	**57**	**1**	**1**	**3**	**6**	**10**	**14**	**51**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	15.0	72	9	9	15	21	21	21	21
50-64										
65+	5	13.2	108	1	1	18	21	23	23	23
2. MULTIPLE DX										
0-19 YRS										
20-34	4	25.8	64	18	18	24	31	37	37	37
35-49	2	11.5	221	1	1	11	22	22	22	22
50-64	7	46.4	718	17	19	44	56	90	98	98
65+	2	17.5	145	9	9	17	26	26	26	26
TOT. SINGLE DX	8	13.6	73	1	2	15	21	22	23	23
" MULTIPLE DX	15	32.4	553	3	9	26	42	59	88	98
TOTAL 0-19 YRS										
20-34	5	23.2	81	13	13	24	27	37	37	37
35-49	4	13.3	102	1	1	15	21	22	22	22
50-64	7	46.4	719	17	19	44	56	90	98	98
65+	7	14.4	101	1	1	18	22	25	26	26
GRAND TOTAL	**23**	**25.9**	**459**	**1**	**3**	**22**	**30**	**51**	**73**	**98**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.1	26	1	1	4	9	12	17	20
20-34	64	8.0	70	1	1	5	11	22	26	36
35-49	54	6.4	52	1	1	2	10	18	24	28
50-64	68	6.9	109	1	1	3	8	15	24	63
65+	50	8.7	66	1	1	5	14	22	23	33
2. MULTIPLE DX										
0-19 YRS	23	15.6	298	2	3	11	17	29	53	86
20-34	86	16.5	332	1	1	11	22	38	62	98
35-49	138	12.5	135	1	1	10	16	26	45	99+
50-64	216	13.7	136	1	2	11	19	31	37	66
65+	188	17.8	212	2	4	15	22	34	48	76
TOT. SINGLE DX	254	7.4	73	1	1	4	11	18	24	37
" MULTIPLE DX	651	15.0	193	1	2	12	20	31	45	86
TOTAL 0-19 YRS	41	11.4	198	1	2	9	14	21	31	86
20-34	150	12.9	237	1	1	9	18	27	47	95
35-49	192	10.8	119	1	1	8	15	24	37	83
50-64	284	12.0	138	1	1	9	17	28	36	64
65+	238	15.9	195	1	2	12	21	29	45	74
GRAND TOTAL	**905**	**12.9**	**171**	**1**	**1**	**10**	**18**	**27**	**38**	**78**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	7.1	5	4	5	7	8	10	12	15
20-34	1569	7.1	6	4	5	7	8	10	11	17
35-49	1270	7.5	8	5	5	7	8	10	12	18
50-64	1065	8.5	11	5	5	8	9	12	15	20
65+	569	10.6	27	6	6	9	12	17	22	29
2. MULTIPLE DX										
0-19 YRS	88	10.0	52	5	5	8	11	17	24	47
20-34	1054	9.0	20	5	5	8	10	14	18	29
35-49	1156	9.7	32	5	6	8	11	15	20	35
50-64	1538	11.4	50	6	6	9	13	19	24	40
65+	1413	16.7	143	6	7	13	20	31	42	79
TOT. SINGLE DX	4635	8.0	12	5	5	7	9	11	14	22
" MULTIPLE DX	5249	11.9	75	5	6	9	13	21	28	52
TOTAL 0-19 YRS	250	8.1	24	5	5	7	9	12	15	26
20-34	2623	7.9	13	5	5	7	9	11	14	23
35-49	2426	8.5	21	5	5	7	9	13	16	27
50-64	2603	10.2	37	5	6	8	11	16	21	33
65+	1982	14.9	118	6	7	11	18	27	36	59
GRAND TOTAL	**9884**	**10.1**	**45**	**5**	**5**	**8**	**11**	**17**	**23**	**42**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	14.6	128	3	4	11	18	23	42	52
35-49	22	11.3	122	2	2	10	13	19	35	54
50-64	34	15.0	101	7	3	14	21	26	36	46
65+	58	15.3	63	3	6	14	19	25	34	41
2. MULTIPLE DX										
0-19 YRS	3	45.0	148	31	31	51	52	53	53	53
20-34	21	14.4	47	4	7	12	19	22	27	31
35-49	29	18.9	269	5	6	13	23	32	66	74
50-64	95	22.4	165	8	10	19	29	44	51	81
65+	177	22.0	116	7	10	20	29	36	44	89
TOT. SINGLE DX	132	14.4	91	2	3	13	18	24	34	52
" MULTIPLE DX	325	21.6	147	7	9	19	28	37	50	80
TOTAL 0-19 YRS	4	35.0	499	5	5	41	52	53	53	53
20-34	38	14.5	81	3	7	12	18	23	28	52
35-49	51	15.6	217	2	3	11	20	31	53	74
50-64	129	20.5	158	4	8	18	27	40	50	67
65+	235	20.3	111	5	8	19	27	35	41	69
GRAND TOTAL	457	19.5	142	4	7	17	25	36	45	66

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.6	75	1	1	7	15	22	26	26
20-34	24	11.5	73	2	3	9	16	25	30	31
35-49	31	11.9	179	2	2	9	14	29	66	99+
50-64	32	12.6	79	2	2	11	15	25	30	42
65+	20	11.1	75	2	3	9	13	22	30	37
2. MULTIPLE DX										
0-19 YRS	6	23.5	366	8	8	18	27	57	60	60
20-34	50	15.5	194	2	3	11	19	37	53	99+
35-49	81	17.6	155	3	6	15	22	36	44	92
50-64	92	18.2	261	3	4	13	25	45	70	99+
65+	120	19.7	306	3	5	15	25	43	73	99+
TOT. SINGLE DX	116	11.7	101	2	2	9	15	23	31	79
" MULTIPLE DX	349	18.3	244	3	5	14	24	41	68	99+
TOTAL 0-19 YRS	15	15.1	224	1	2	13	19	27	52	60
20-34	74	14.2	157	2	3	10	17	30	47	92
35-49	112	16.0	167	2	4	14	20	36	46	99+
50-64	124	16.8	220	3	4	13	22	40	68	99+
65+	140	18.5	282	3	5	14	24	39	70	99+
GRAND TOTAL	465	16.6	216	2	4	13	22	37	58	99+

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.3	15	1	1	5	7	9	13	20
20-34	259	5.9	22	1	1	5	8	12	15	23
35-49	212	5.6	24	<1	1	4	7	11	15	22
50-64	225	6.3	26	1	1	5	9	12	16	31
65+	290	8.0	77	1	1	6	10	15	21	41
2. MULTIPLE DX										
0-19 YRS	71	8.4	114	2	2	5	9	16	27	69
20-34	274	9.0	86	2	2	6	10	19	30	55
35-49	272	8.9	53	2	3	7	10	18	23	34
50-64	478	10.5	105	2	2	8	13	20	27	75
65+	1069	12.4	129	2	4	9	15	25	36	83
TOT. SINGLE DX	1080	6.5	39	1	1	5	8	13	16	32
" MULTIPLE DX	2164	11.0	111	2	3	8	14	22	31	73
TOTAL 0-19 YRS	165	6.7	60	1	1	5	8	13	16	33
20-34	533	7.5	58	1	2	6	9	15	21	52
35-49	484	7.4	43	1	2	6	9	15	20	33
50-64	703	9.1	84	1	2	7	11	17	24	73
65+	1359	11.5	122	2	3	8	14	23	34	74
GRAND TOTAL	3244	9.5	92	1	2	7	12	19	27	63

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	888	2.5	2	<1	1	2	3	4	5	7
20-34	1000	3.7	2	1	2	3	4	6	6	8
35-49	982	4.0	2	2	2	4	5	6	7	8
50-64	1233	4.3	3	2	2	4	5	7	8	10
65+	928	5.2	8	2	2	5	7	8	10	15
2. MULTIPLE DX										
0-19 YRS	468	3.5	36	<1	1	2	4	5	8	48
20-34	268	4.2	4	2	2	4	5	7	8	10
35-49	408	4.7	5	2	3	4	6	7	9	13
50-64	854	5.8	12	2	3	5	7	10	13	21
65+	1056	8.1	43	3	3	6	9	15	20	36
TOT. SINGLE DX	5031	4.0	5	1	2	4	5	6	8	11
" MULTIPLE DX	3054	6.0	28	2	2	5	7	10	15	28
TOTAL 0-19 YRS	1356	2.9	14	<1	1	2	3	5	6	12
20-34	1268	3.8	3	1	2	4	5	6	7	9
35-49	1390	4.2	3	2	2	4	5	6	7	11
50-64	2087	4.9	8	2	2	4	6	8	10	16
65+	1984	6.7	29	2	3	5	8	12	16	31
GRAND TOTAL	8085	4.7	14	1	2	4	6	8	10	20

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	2.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	54	4.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	78	4.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	125	4.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	88	6.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	82	4.8	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	23	4.3	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	48	5.6	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	92	6.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	115	9.7	64	[illegible]	4	7	11	19	24	45
TOT. SINGLE DX	437	4.4	9	[illegible]	[illegible]	4	6	7	9	12
" MULTIPLE DX	360	6.8	46	[illegible]	[illegible]	5	8	13	18	36
TOTAL 0-19 YRS	174	3.3	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	77	4.2	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	126	5.2	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	217	5.4	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	203	8.1	44	[illegible]	4	6	9	14	19	35
GRAND TOTAL	797	5.5	26	1	2	5	7	9	13	26

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	36	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	45	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	62	4.8	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	57	7.7	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	4	2.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	12	4.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	25	6.6	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	48	7.6	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	64	8.9	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	211	5.1	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	154	7.5	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	15	2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	49	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	70	4.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	110	6.0	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	121	8.3	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	365	6.1	22	2	2	5	7	11	15	27

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	2.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	66	3.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	99	3.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	103	4.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	39	4.8	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	43	3.2	113	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	30	5.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	74	5.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	89	6.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	52	9.1	37	[illegible]	4	6	11	14	25	32
TOT. SINGLE DX	454	3.3	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	290	6.7	37	[illegible]	[illegible]	2	5	8	11	14	33
TOTAL 0-19 YRS	188	2.4	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	96	3.7	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	173	4.3	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	192	5.4	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	91	7.3	28	[illegible]	[illegible]	3	6	9	12	18	31
GRAND TOTAL	744	4.6	20	1	2	3	6	9	11	20

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	130	4.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	245	5.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	269	6.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	161	7.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	[illegible]	6.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	68	6.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	168	9.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	293	9.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	274	10.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	868	5.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	814	9.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	74	3.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	1682	7.6	44	2	3	6	9	13	17	27

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	7.5	4	3	4	8	9	10	10	10
35-49	11	7.7	9	2	3	7	10	11	11	11
50-64	11	8.8	12	1	3	10	11	13	14	14
65+	14	10.3	9	4	7	10	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	6	15.7	206	2	2	12	20	40	42	42
20-34	21	10.1	11	4	6	10	12	15	16	16
35-49	55	12.2	82	7	7	9	12	19	26	57
50-64	86	12.8	33	7	8	11	16	20	23	35
65+	50	16.2	126	4	7	11	21	35	42	99+
TOT. SINGLE DX	47	8.7	10	3	4	9	11	13	14	14
" MULTIPLE DX	218	13.2	72	6	7	11	15	22	30	57
TOTAL 0-19 YRS	6	15.7	207	2	2	12	20	40	42	42
20-34	32	9.2	10	3	5	9	11	13	16	16
35-49	66	11.5	73	6	7	9	11	16	23	56
50-64	97	12.3	33	6	7	11	15	20	22	34
65+	64	14.9	106	4	8	11	19	30	41	94
GRAND TOTAL	**265**	**12.4**	**64**	**5**	**7**	**10**	**13**	**20**	**28**	**56**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	4.7	20	1	1	4	5	10	15	25
20-34	82	7.4	101	1	1	5	8	14	22	64
35-49	77	7.6	47	1	2	6	9	18	22	34
50-64	66	10.5	90	2	3	8	13	22	34	43
65+	49	12.4	101	1	2	9	18	26	31	50
2. MULTIPLE DX										
0-19 YRS	39	9.6	111	1	1	7	11	22	38	48
20-34	92	9.8	78	2	3	7	12	20	23	54
35-49	138	13.8	224	2	3	9	16	29	45	78
50-64	186	14.6	166	2	4	11	18	27	35	75
65+	215	17.5	180	3	5	14	23	36	47	92
TOT. SINGLE DX	326	8.4	79	1	2	6	10	20	25	45
" MULTIPLE DX	670	14.4	175	2	3	11	19	29	41	77
TOTAL 0-19 YRS	91	6.8	64	1	1	4	9	14	22	44
20-34	174	8.7	90	1	2	6	10	18	23	56
35-49	215	11.6	170	1	2	8	13	24	33	77
50-64	252	13.5	150	2	3	10	18	27	34	57
65+	264	16.6	170	2	4	14	22	33	44	86
GRAND TOTAL	**996**	**12.5**	**151**	**1**	**2**	**9**	**17**	**26**	**36**	**71**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	6.7	26	2	3	5	8	11	14	33
20-34	185	7.0	26	2	3	6	8	14	19	25
35-49	80	8.9	68	3	4	7	10	15	17	56
50-64	45	11.0	27	4	5	9	14	16	22	28
65+	50	13.4	66	4	6	11	18	27	30	34
2. MULTIPLE DX										
0-19 YRS	79	9.8	141	3	4	6	10	16	24	75
20-34	267	10.4	117	3	3	7	11	21	28	52
35-49	127	13.8	143	5	5	10	17	29	49	99+
50-64	131	16.4	133	5	6	12	22	28	37	65
65+	149	21.2	238	6	8	17	27	47	69	99+
TOT. SINGLE DX	430	8.5	44	2	3	7	10	16	22	33
" MULTIPLE DX	753	14.1	168	4	4	10	18	29	39	80
TOTAL 0-19 YRS	149	8.3	89	3	3	6	9	14	23	64
20-34	452	9.0	83	2	3	7	10	18	24	34
35-49	207	11.9	120	4	5	8	14	23	32	86
50-64	176	15.1	112	5	6	12	20	27	34	62
65+	199	19.3	207	6	7	15	24	38	59	99+
GRAND TOTAL	**1183**	**12.1**	**130**	**3**	**4**	**8**	**15**	**25**	**33**	**70**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	261	3.5	7	<1	1	2	5	8	9	12
20-34	1113	2.5	5	<1	<1	2	3	5	7	11
35-49	192	2.5	5	<1	<1	2	3	5	8	14
50-64	24	4.3	16	1	1	3	6	10	14	15
65+	5	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	140	4.0	14	1	1	2	5	8	10	18
20-34	1043	2.8	12	<1	<1	2	3	6	9	14
35-49	154	3.1	15	<1	1	2	2	6	9	23
50-64	24	6.4	103	1	2	3	6	12	28	50
65+	9	17.1	127	4	5	16	21	34	42	42
TOT. SINGLE DX	1595	2.7	6	<1	<1	2	3	6	8	12
" MULTIPLE DX	1370	3.1	17	<1	<1	2	3	7	10	19
TOTAL 0-19 YRS	401	3.7	10	<1	1	2	5	8	9	14
20-34	2156	2.7	9	<1	<1	2	3	6	8	13
35-49	346	2.8	10	<1	<1	2	3	6	8	19
50-64	48	5.4	60	1	1	3	6	11	15	50
65+	14	11.9	132	2	2	8	17	25	38	42
GRAND TOTAL	**2965**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	7.5	13	3	3	7	9	11	12	21
20-34	96	6.7	17	1	2	6	8	12	16	23
35-49	89	8.7	23	2	4	8	11	16	17	26
50-64	59	11.4	82	4	5	9	13	20	27	60
65+	38	16.4	116	5	7	13	19	34	41	47
2. MULTIPLE DX										
0-19 YRS	49	14.9	235	2	2	11	18	33	51	99+
20-34	216	10.4	141	2	2	7	10	24	41	61
35-49	168	13.1	126	3	4	9	15	29	40	94
50-64	165	17.5	165	5	7	13	23	35	48	94
65+	130	22.7	197	7	9	20	33	54	87	99+
TOT. SINGLE DX	312	9.4	52	2	3	8	11	17	22	39
" MULTIPLE DX	728	15.1	178	2	4	11	20	36	51	99+
TOTAL 0-19 YRS	79	12.1	163	2	3	9	13	26	39	97
20-34	312	9.2	106	2	2	6	9	17	31	55
35-49	257	11.6	95	2	4	9	14	23	34	70
50-64	224	15.9	150	5	6	11	20	32	44	76
65+	168	21.3	186	7	8	18	31	50	58	99+
GRAND TOTAL	1040	13.4	147	2	4	9	16	31	45	99+

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.3	6	5	6	9	10	13	15	15
20-34	26	10.7	26	6	7	9	11	14	23	31
35-49	26	14.1	15	8	9	14	16	19	21	23
50-64	28	16.3	42	9	10	15	20	26	29	33
65+	36	17.3	47	9	10	16	20	27	29	42
2. MULTIPLE DX										
0-19 YRS	22	16.1	89	7	8	12	22	31	36	36
20-34	45	14.8	90	7	8	13	16	23	35	55
35-49	67	16.4	84	8	8	14	19	30	34	52
50-64	116	17.7	73	8	9	15	21	29	35	45
65+	122	22.5	150	10	11	19	28	37	47	74
TOT. SINGLE DX	126	14.4	39	8	8	13	17	23	27	35
" MULTIPLE DX	372	18.6	111	8	9	16	22	31	38	54
TOTAL 0-19 YRS	32	14.0	73	5	8	11	16	28	35	36
20-34	71	13.3	70	7	8	10	15	21	30	54
35-49	93	15.8	66	8	9	14	17	24	33	51
50-64	144	17.4	68	8	10	15	21	29	33	43
65+	158	21.3	131	10	11	18	26	35	43	69
GRAND TOTAL	498	17.5	96	8	9	15	21	29	36	53

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	9.1	45	1	2	8	13	18	24	28
20-34	90	9.9	31	2	3	10	12	15	23	27
35-49	86	11.2	23	4	6	10	13	19	21	26
50-64	78	11.6	54	2	3	10	14	18	26	45
65+	41	14.9	80	6	8	13	16	24	38	46
2. MULTIPLE DX										
0-19 YRS	62	16.5	175	3	5	12	18	33	50	69
20-34	206	16.7	181	2	4	13	21	33	44	86
35-49	187	15.8	146	2	3	13	20	30	36	65
50-64	143	15.5	109	3	4	13	20	31	39	56
65+	119	18.8	165	3	8	16	23	33	46	67
TOT. SINGLE DX	340	11.1	45	2	3	10	13	19	24	39
" MULTIPLE DX	717	16.5	155	2	4	13	21	32	44	71
TOTAL 0-19 YRS	107	13.4	134	2	2	11	17	27	35	60
20-34	296	14.6	145	2	3	12	18	28	39	75
35-49	273	14.3	112	3	4	12	18	27	32	52
50-64	221	14.1	94	2	4	12	17	27	36	51
65+	160	17.8	146	4	8	14	22	32	43	54
GRAND TOTAL	1057	14.8	126	2	4	12	18	28	37	57

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.4	10	7	7	10	12	15	18	18
20-34	79	10.1	17	3	4	10	13	15	17	23
35-49	131	10.9	17	5	6	10	13	16	20	23
50-64	95	11.6	34	3	6	10	14	19	22	33
65+	53	12.6	29	6	7	11	15	20	22	34
2. MULTIPLE DX										
0-19 YRS	4	29.5	1574	9	9	10	50	89	89	89
20-34	49	11.9	62	3	4	10	13	21	33	39
35-49	71	13.0	38	5	6	12	15	22	26	34
50-64	107	14.9	63	7	8	13	18	24	29	47
65+	83	18.7	195	6	7	14	22	36	47	80
TOT. SINGLE DX	368	11.1	24	4	6	10	13	17	20	28
" MULTIPLE DX	314	15.2	115	5	7	12	18	26	33	56
TOTAL 0-19 YRS	14	15.9	450	7	8	10	12	25	75	89
20-34	128	10.8	35	3	4	10	13	17	20	37
35-49	202	11.6	26	5	7	11	14	18	21	29
50-64	202	13.3	52	4	7	12	16	22	27	35
65+	136	16.3	139	6	7	13	19	28	43	59
GRAND TOTAL	**682**	**13.0**	**70**	**4**	**7**	**11**	**15**	**21**	**26**	**46**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	11.6	15	8	8	10	13	17	18	29
20-34	13	12.1	16	3	5	13	14	16	18	18
35-49	3	17.0	48	13	13	13	22	25	25	25
50-64	1	28.0		28	28	28	28	28	28	28
65+	3	28.3	386	16	16	18	43	51	51	51
2. MULTIPLE DX										
0-19 YRS	74	15.1	68	9	9	12	16	27	34	50
20-34	27	22.7	218	6	7	18	32	43	51	62
35-49	17	22.8	258	8	11	16	28	53	59	61
50-64	18	31.6	304	10	12	30	39	62	70	70
65+	29	30.6	197	13	15	29	40	57	65	99+
TOT. SINGLE DX	90	12.6	36	8	8	11	14	18	21	43
" MULTIPLE DX	165	21.7	201	9	9	16	30	41	55	70
TOTAL 0-19 YRS	144	13.4	46	8	9	11	15	19	30	42
20-34	40	19.3	176	4	7	14	25	39	46	62
35-49	20	22.0	227	8	11	15	26	48	58	61
50-64	19	31.4	288	10	12	29	39	59	70	70
65+	32	30.4	204	13	16	28	40	56	64	99+
GRAND TOTAL	**255**	**18.5**	**161**	**8**	**9**	**13**	**23**	**37**	**48**	**69**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.2	24	1	1	4	11	13	16	17
20-34	147	5.2	11	1	2	4	7	10	11	16
35-49	173	5.1	7	2	2	5	6	8	10	14
50-64	130	5.4	13	1	2	4	7	10	13	19
65+	39	6.3	17	2	2	5	8	11	15	23
2. MULTIPLE DX										
0-19 YRS	17	9.4	22	1	2	11	12	14	17	18
20-34	61	8.7	49	2	3	7	11	16	24	36
35-49	77	7.1	21	2	2	5	9	14	18	21
50-64	80	10.7	91	2	3	8	13	22	27	58
65+	55	10.8	71	2	3	9	13	24	31	37
TOT. SINGLE DX	507	5.3	11	2	2	5	7	10	12	17
" MULTIPLE DX	290	9.2	58	2	3	8	12	17	23	36
TOTAL 0-19 YRS	35	7.7	25	1	2	8	11	14	16	18
20-34	208	6.2	25	2	2	5	8	12	15	31
35-49	250	5.7	12	2	2	5	7	10	13	20
50-64	210	7.4	50	2	2	5	9	15	19	32
65+	94	8.9	54	2	2	6	11	19	25	37
GRAND TOTAL	**797**	**6.7**	**32**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	2.8	8	<1	<1	2	3	7	10	15
20-34	284	4.0	12	<1	<1	3	6	9	11	18
35-49	293	4.1	15	<1	<1	3	6	9	11	21
50-64	396	4.0	19	<1	<1	2	5	9	14	22
65+	482	4.4	26	<1	1	3	5	9	13	28
2. MULTIPLE DX										
0-19 YRS	243	4.5	26	<1	<1	3	6	9	14	23
20-34	333	8.6	107	<1	<1	6	11	20	32	99+
35-49	421	7.3	89	<1	<1	4	10	16	25	72
50-64	750	8.0	96	<1	<1	5	11	20	28	99
65+	1771	10.9	196	<1	1	6	14	29	44	99+
TOT. SINGLE DX	1660	4.0	18	<1	<1	2	5	9	12	21
" MULTIPLE DX	3518	9.2	146	<1	1	5	11	22	35	99+
TOTAL 0-19 YRS	448	3.7	19	<1	<1	2	5	9	12	20
20-34	617	6.5	69	<1	<1	4	9	14	21	99
35-49	714	6.0	61	<1	<1	4	8	13	18	57
50-64	1146	6.6	74	<1	<1	4	9	16	23	63
65+	2253	9.5	167	<1	1	5	12	24	39	98
GRAND TOTAL	**5178**	**7.5**	**111**	**<1**	**<1**	**4**	**9**	**18**	**29**	**84**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.9	22	1	1	3	7	13	15	15
20-34	13	6.2	21	1	1	5	8	11	18	19
35-49	50	4.8	37	<1	1	3	5	9	13	36
50-64	224	4.9	26	1	2	4	6	8	11	34
65+	450	5.2	32	1	2	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	4	6.5	25	3	3	4	9	14	14	14
20-34	26	10.6	345	2	2	6	9	15	40	98
35-49	59	8.0	102	1	2	5	10	17	36	96
50-64	320	7.3	83	1	2	5	8	14	21	53
65+	788	8.4	84	2	2	5	10	18	25	57
TOT. SINGLE DX	745	5.1	30	1	2	4	6	9	13	27
" MULTIPLE DX	1197	8.1	90	2	2	5	9	17	25	59
TOTAL 0-19 YRS	12	5.4	22	1	1	4	7	14	15	15
20-34	39	9.1	238	1	2	5	9	14	22	98
35-49	109	6.5	75	1	2	4	6	15	26	76
50-64	544	6.3	61	1	2	4	7	12	17	47
65+	1238	7.3	68	2	2	5	9	15	22	50
GRAND TOTAL	**1942**	**7.0**	**70**	**1**	**2**	**5**	**8**	**14**	**20**	**50**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.9	127	2	2	8	13	30	36	36
20-34	39	8.8	49	2	2	6	13	19	21	29
35-49	47	8.5	37	2	2	7	11	15	20	31
50-64	59	9.1	71	1	2	6	11	21	27	40
65+	95	10.7	122	2	2	7	12	28	38	46
2. MULTIPLE DX										
0-19 YRS	35	15.3	214	3	3	10	19	38	48	59
20-34	53	15.2	225	1	3	10	21	33	49	70
35-49	67	13.3	146	1	2	10	20	29	40	53
50-64	135	15.2	203	2	2	12	21	30	45	70
65+	284	17.0	269	2	3	12	23	40	53	99+
TOT. SINGLE DX	249	9.6	83	2	2	7	12	22	29	45
" MULTIPLE DX	574	15.9	232	2	3	11	22	36	48	97
TOTAL 0-19 YRS	44	14.4	196	2	3	9	19	38	44	59
20-34	92	12.5	160	1	3	8	18	25	42	65
35-49	114	11.3	106	1	2	9	16	23	31	50
50-64	194	13.3	171	2	2	9	18	28	41	63
65+	379	15.4	239	2	3	10	22	37	48	99+
GRAND TOTAL	**823**	**14.0**	**195**	**2**	**2**	**9**	**19**	**31**	**45**	**82**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	1.7	2	<1	1	1	2	3	5	10
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	4	5.3	14	<1	<1	5	8	10	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	14	2.4	5	<1	<1	2	3	5	8	9
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	3	9.0	52	1	1	11	14	15	15	15
50-64	5	7.6	14	3	3	7	10	13	13	13
65+	8	9.4	30	2	3	9	14	16	17	17
TOT. SINGLE DX	48	2.1	4	<1	<1	1	2	4	7	10
" MULTIPLE DX	33	5.5	25	<1	1	4	9	14	15	17
TOTAL 0-19 YRS	53	1.9	3	<1	<1	1	2	4	6	10
20-34	6	2.5	6	<1	<1	1	4	7	7	7
35-49	7	6.9	28	<1	<1	6	11	14	15	15
50-64	6	6.7	16	2	2	6	9	13	13	13
65+	9	8.7	31	2	2	6	14	16	17	17
GRAND TOTAL	**81**	**3.5**	**15**	**<1**	**1**	**2**	**4**	**10**	**13**	**16**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	9.1	24	2	3	9	13	16	18	22
20-34	38	8.4	55	1	2	7	10	17	24	36
35-49	28	8.1	39	2	2	5	14	17	19	22
50-64	34	8.8	44	1	1	8	14	18	21	23
65+	41	8.7	75	2	3	6	11	16	18	55
2. MULTIPLE DX										
0-19 YRS	61	11.8	57	1	3	11	15	20	28	41
20-34	29	12.0	209	2	2	7	15	29	34	72
35-49	33	11.1	122	2	3	8	15	28	50	99+
50-64	50	10.8	69	2	2	10	18	22	26	34
65+	69	12.1	201	1	2	7	15	29	36	75
TOT. SINGLE DX	252	8.8	41	2	2	8	13	17	19	27
" MULTIPLE DX	242	11.6	126	2	2	9	15	25	32	73
TOTAL 0-19 YRS	172	10.0	38	2	3	10	13	16	19	31
20-34	67	10.0	123	1	2	7	13	21	31	66
35-49	61	9.7	85	2	2	7	15	20	31	94
50-64	84	10.0	60	1	2	9	16	20	23	33
65+	110	10.8	156	2	2	6	13	24	32	66
GRAND TOTAL	**494**	**10.2**	**85**	**2**	**2**	**8**	**13**	**19**	**26**	**55**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.4	5	<1	<1	2	3	5	9	11
20-34	66	3.5	10	<1	<1	2	6	8	9	14
35-49	33	3.7	18	<1	<1	3	4	7	16	19
50-64	58	4.3	20	<1	<1	3	6	13	14	19
65+	94	4.1	12	<1	<1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	88	4.6	21	1	1	3	7	11	15	21
20-34	53	8.3	136	<1	<1	4	10	18	32	69
35-49	57	8.4	118	<1	<1	4	10	17	28	61
50-64	112	8.0	70	<1	1	6	10	18	26	45
65+	354	12.1	174	1	2	8	16	30	44	99+
TOT. SINGLE DX	338	3.5	12	<1	<1	2	5	8	11	18
" MULTIPLE DX	664	9.8	136	<1	1	6	12	24	36	79
TOTAL 0-19 YRS	175	3.5	14	<1	1	2	4	9	11	19
20-34	119	5.7	71	<1	<1	3	7	12	16	47
35-49	90	6.7	86	<1	<1	4	8	15	20	56
50-64	170	6.7	57	<1	<1	4	8	15	21	37
65+	448	10.4	151	1	2	6	14	25	40	99
GRAND TOTAL	**1002**	**7.7**	**103**	**<1**	**<1**	**4**	**9**	**18**	**28**	**65**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	2	2	2	2	4	6	6	6
20-34	35	4.6	7	1	2	4	6	9	9	12
35-49	23	6.9	37	1	2	5	10	13	21	28
50-64	21	7.4	21	2	3	5	11	15	15	16
65+	42	8.5	25	2	2	7	13	16	17	19
2. MULTIPLE DX										
0-19 YRS	6	8.8	58	2	2	6	16	20	20	20
20-34	17	9.1	47	1	2	8	14	20	24	26
35-49	16	11.8	92	2	3	9	13	31	35	36
50-64	31	9.4	133	2	2	6	12	16	22	66
65+	82	8.0	60	2	2	6	10	15	23	47
TOT. SINGLE DX	130	6.6	23	2	2	5	9	14	16	21
" MULTIPLE DX	152	8.9	77	2	2	6	11	16	24	56
TOTAL 0-19 YRS	15	5.3	31	2	2	3	6	16	19	20
20-34	52	6.1	24	1	2	5	8	13	15	26
35-49	39	8.9	64	2	2	7	11	16	31	36
50-64	52	8.6	88	2	3	6	11	15	16	65
65+	124	8.2	49	2	2	6	10	16	19	36
GRAND TOTAL	**282**	**7.8**	**53**	**2**	**2**	**6**	**10**	**15**	**19**	**35**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	28	8.7	8	5	6	8	10	12	14	18
35-49	129	9.1	7	6	6	9	10	13	14	17
50-64	86	8.7	8	6	6	8	10	13	15	19
65+	45	12.0	114	6	6	9	13	16	30	72
2. MULTIPLE DX										
0-19 YRS										
20-34	29	11.1	48	6	7	9	13	18	22	41
35-49	124	11.8	47	6	7	10	13	17	24	43
50-64	123	12.3	32	6	7	11	15	20	23	34
65+	59	20.2	189	7	7	16	27	35	41	74
TOT. SINGLE DX	288	9.4	25	6	6	8	10	14	16	26
" MULTIPLE DX	335	13.4	76	6	7	11	16	23	30	46
TOTAL 0-19 YRS										
20-34	57	9.9	30	6	6	8	11	14	19	40
35-49	253	10.4	29	6	6	9	12	16	17	29
50-64	209	10.8	25	6	6	9	12	17	21	32
65+	104	16.6	172	6	7	12	22	32	38	73
GRAND TOTAL	**623**	**11.6**	**57**	**6**	**6**	**9**	**13**	**18**	**25**	**40**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	9.1	6	6	6	9	10	14	15	15
35-49	38	9.6	15	5	6	8	12	16	16	19
50-64	41	10.5	28	6	6	8	12	21	22	23
65+	17	10.3	25	5	6	9	12	16	23	26
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	10.8	21	7	7	10	12	18	22	22
35-49	54	11.6	27	7	7	10	12	19	22	35
50-64	45	15.4	69	8	9	13	17	25	33	46
65+	27	18.1	54	8	9	16	25	29	31	34
TOT. SINGLE DX	113	10.0	20	5	6	9	11	16	21	24
" MULTIPLE DX	138	14.1	52	7	8	12	16	25	29	42
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	28	9.8	12	6	7	9	10	15	17	22
35-49	92	10.8	23	6	7	9	12	17	20	31
50-64	86	13.1	55	6	7	11	15	23	25	45
65+	44	15.1	57	6	7	13	19	27	29	34
GRAND TOTAL	**251**	**12.2**	**42**	**6**	**7**	**10**	**14**	**22**	**26**	**35**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	9.5	9	7	7	8	11	14	14	14
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	4.0	18	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	13	6.6	18	2	2	6	8	14	16	16
35-49	7	3.3	5	1	1	3	4	7	8	8
50-64	5	8.0	26	3	3	6	13	14	14	14
65+	8	8.8	24	2	3	8	11	16	18	18
TOT. SINGLE DX	8	7.4	13	<1	2	7	8	12	14	14
" MULTIPLE DX	36	6.6	21	2	2	5	9	13	15	18
TOTAL 0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	17	7.3	17	2	2	6	9	14	15	16
35-49	8	3.8	6	1	1	3	5	8	8	8
50-64	6	7.7	22	3	3	6	13	14	14	14
65+	10	7.8	25	<1	1	7	9	15	18	18
GRAND TOTAL	44	6.7	19	1	2	6	9	13	15	18

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.5	72	1	1	7	15	19	19	19
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	13.0	61	8	8	9	19	22	22	22
20-34	4	14.5	59	7	7	13	20	22	22	22
35-49	5	12.8	55	2	2	14	19	20	20	20
50-64	7	21.9	178	4	6	20	30	42	44	44
65+	8	24.4	854	2	2	18	29	74	91	91
TOT. SINGLE DX	7	8.3	49	1	1	11	12	16	19	19
" MULTIPLE DX	27	18.9	317	2	3	19	23	34	51	91
TOTAL 0-19 YRS	4	10.0	77	1	1	8	15	22	22	22
20-34	8	11.5	67	1	1	11	17	23	25	25
35-49	5	12.8	55	2	2	14	19	20	20	20
50-64	8	20.5	168	4	6	17	29	40	44	44
65+	9	23.0	765	2	2	17	26	68	91	91
GRAND TOTAL	34	16.7	278	1	2	13	20	32	42	91

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34										
35-49	19	6.0	2	4	4	6	6	9	10	10
50-64	520	7.8	10	4	4	7	9	12	14	19
65+	1108	9.3	21	4	4	8	11	14	18	28
2. MULTIPLE DX										
0-19 YRS	4	115	998	10	10	23	56	78	78	78
20-34	6	14.7	153	4	4	10	18	36	38	38
35-49	29	13.0	126	4	5	8	15	31	40	45
50-64	740	10.8	54	5	6	9	12	18	25	40
65+	2532	13.6	108	5	6	10	16	25	35	55
TOT. SINGLE DX	1649	8.8	19	4	5	8	10	14	16	24
" MULTIPLE DX	3308	13.0	99	5	6	10	15	24	32	65
TOTAL 0-19 YRS	6	24.8	779	7	7	11	34	74	78	78
20-34	6	14.7	153	4	4	10	18	36	38	38
35-49	45	10.1	85	4	4	6	10	21	34	45
50-64	1260	9.6	29	4	5	8	11	17	21	28
65+	3640	12.3	86	5	6	10	14	22	30	58
GRAND TOTAL	4957	11.6	76	5	5	9	13	20	28	52

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	35	13.9	49	6	8	12	17	26	27	30
65+	95	12.7	25	7	7	12	15	20	22	30
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	75	18.1	80	9	9	15	23	32	36	41
65+	263	19.6	143	8	10	16	24	36	42	67
TOT. SINGLE DX	131	12.9	32	6	7	12	16	22	26	30
" MULTIPLE DX	341	19.1	131	8	9	16	24	35	41	64
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	110	16.7	74	8	8	14	22	31	35	41
65+	358	17.8	121	7	9	14	21	31	39	63
GRAND TOTAL	**472**	**17.4**	**111**	**7**	**8**	**14**	**21**	**31**	**37**	**55**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	12	3.1	3	1	1	3	4	6	7	7
50-64	89	3.9	13	<1	1	3	5	7	11	21
65+	175	3.9	9	1	2	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	13	8.5	55	<1	1	6	14	18	23	24
50-64	114	7.4	59	2	2	5	9	19	23	38
65+	364	8.4	91	1	2	5	10	20	24	54
TOT. SINGLE DX	277	3.8	11	1	1	3	5	8	11	17
" MULTIPLE DX	493	8.1	83	1	2	5	10	19	24	51
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	25	5.9	37	<1	1	4	7	16	19	24
50-64	203	5.8	42	1	2	4	6	13	20	37
65+	539	6.9	70	1	2	4	8	16	22	49
GRAND TOTAL	**770**	**6.6**	**61**	**1**	**2**	**4**	**8**	**15**	**22**	**41**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.9	4	1	1	2	3	6	9	10
20-34	45	3.4	4	<1	1	3	5	6	8	9
35-49	26	4.0	5	<1	<1	4	5	7	9	10
50-64	31	4.0	2	1	2	4	5	6	7	7
65+	18	4.4	3	2	2	4	6	6	7	8
2. MULTIPLE DX										
0-19 YRS	26	4.7	26	1	1	3	5	12	15	24
20-34	22	5.5	12	2	3	4	7	10	13	16
35-49	25	4.4	5	1	2	4	6	7	9	10
50-64	33	6.9	30	2	2	5	10	15	18	24
65+	41	10.1	229	3	3	6	9	18	26	98
TOT. SINGLE DX	172	3.5	4	1	1	3	5	6	8	10
" MULTIPLE DX	147	6.8	82	1	2	5	8	13	18	28
TOTAL 0-19 YRS	78	3.5	12	1	1	3	4	8	10	21
20-34	67	4.1	8	1	1	3	5	6	9	15
35-49	51	4.2	5	<1	1	4	6	7	9	10
50-64	64	5.5	19	1	2	4	6	12	15	23
65+	59	8.4	166	2	3	6	8	13	24	91
GRAND TOTAL	**319**	**5.0**	**42**	**1**	**1**	**4**	**6**	**9**	**12**	**25**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.0	12	1	1	3	4	8	10	22
20-34	79	5.9	24	2	2	4	7	12	17	25
35-49	38	5.1	25	1	2	4	5	10	19	23
50-64	23	7.0	57	2	2	5	8	13	22	38
65+	47	8.5	48	2	3	7	12	16	17	42
2. MULTIPLE DX										
0-19 YRS	42	5.3	16	1	2	4	6	10	14	20
20-34	62	9.1	126	2	2	5	9	24	29	66
35-49	27	7.6	73	2	3	5	8	15	26	44
50-64	32	11.0	123	2	2	6	12	25	40	47
65+	162	12.2	141	2	3	9	16	24	35	68
TOT. SINGLE DX	236	6.0	32	1	2	4	7	12	16	27
" MULTIPLE DX	325	10.2	120	2	2	7	12	22	30	64
TOTAL 0-19 YRS	91	4.6	14	1	2	3	6	9	10	21
20-34	141	7.3	71	2	2	4	8	16	24	41
35-49	65	6.1	46	1	2	4	6	10	20	41
50-64	55	9.3	98	2	2	5	11	22	35	47
65+	209	11.4	123	2	3	8	14	22	32	65
GRAND TOTAL	**561**	**8.4**	**87**	**2**	**2**	**5**	**10**	**18**	**24**	**47**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	479	3.1	3	<1	1	3	4	5	8	10
20-34	57	3.1	4	<1	1	2	4	7	8	11
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	226	3.6	4	1	2	3	4	6	8	11
20-34	16	5.6	19	2	2	5	7	14	16	17
35-49	7	5.6	12	3	3	5	6	12	13	13
50-64	4	6.5	9	5	5	5	8	11	11	11
65+										
TOT. SINGLE DX	543	3.1	4	<1	1	3	4	6	8	10
" MULTIPLE DX	253	3.8	6	1	2	3	5	7	9	15
TOTAL 0-19 YRS	705	3.3	4	<1	1	3	4	6	8	10
20-34	73	3.6	9	<1	1	3	5	7	8	17
35-49	13	4.0	10	1	1	3	5	7	12	13
50-64	4	6.5	9	5	5	5	8	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**796**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**11**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	2.6	1	1	1	2	3	5	5	7
20-34	60	3.4	3	1	1	3	4	6	8	9
35-49	21	3.3	8	<1	1	3	3	5	10	15
50-64	6	4.5	6	2	2	4	6	9	9	9
65+	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	20	4.6	29	<1	1	3	5	7	17	26
20-34	36	3.8	11	<1	1	3	4	8	10	18
35-49	10	3.9	8	1	1	3	6	8	8	8
50-64	8	4.0	9	<1	1	3	4	9	11	11
65+	2	4.5	1	4	4	4	5	5	5	5
TOT. SINGLE DX	151	3.1	4	1	1	3	4	5	7	9
" MULTIPLE DX	76	4.1	15	<1	1	3	5	8	10	24
TOTAL 0-19 YRS	80	3.1	9	1	1	2	4	5	7	20
20-34	96	3.5	6	<1	1	3	4	6	9	15
35-49	31	3.5	8	<1	1	3	3	6	8	15
50-64	14	4.2	8	<1	2	3	5	9	11	11
65+	6	4.2	1	3	3	4	5	6	6	6
GRAND TOTAL	**227**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	260	1.1		<1	<1	<1	1	1	2	3
35-49	92	1.2		<1	<1	<1	1	2	3	5
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS										
20-34	48	2.0	2	<1	<1	1	3	4	5	8
35-49	19	4.1	68	<1	<1	1	2	15	27	32
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	21.0	18	18	18	21	24	24	24	24
TOT. SINGLE DX	358	1.2	1	<1	<1	<1	1	1	2	3
" MULTIPLE DX	71	3.1	30	<1	<1	1	3	5	17	30
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	308	1.2	1	<1	<1	<1	1	2	3	5
35-49	111	1.7	13	<1	<1	<1	1	2	3	26
50-64	5	1.2		<1	<1	<1	1	2	2	2
65+	4	13.8	96	1	1	15	21	24	24	24
GRAND TOTAL	**429**	**1.5**	**6**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**13**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	2.6	1	<1	1	2	3	4	5	7
20-34	217	3.2	6	<1	1	3	4	5	6	10
35-49	174	3.0	2	<1	1	3	4	5	6	8
50-64	119	3.3	4	<1	2	3	4	5	6	12
65+	62	4.6	9	2	2	3	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	125	2.8	3	<1	1	2	4	5	7	9
20-34	92	3.3	6	1	1	3	4	6	7	15
35-49	103	3.7	9	1	2	3	4	6	9	19
50-64	114	5.1	13	1	2	4	6	11	13	18
65+	80	6.3	27	2	2	5	8	12	14	32
TOT. SINGLE DX	803	3.1	4	<1	1	3	4	5	6	10
" MULTIPLE DX	514	4.1	13	1	1	3	5	8	11	17
TOTAL 0-19 YRS	356	2.7	2	<1	1	2	3	5	6	8
20-34	309	3.3	7	<1	1	3	4	5	7	12
35-49	277	3.2	5	<1	1	3	4	5	7	12
50-64	233	4.1	9	1	2	3	5	8	11	18
65+	142	5.5	20	2	2	4	7	11	13	30
GRAND TOTAL	**1317**	**3.5**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	1.8	2	<1	<1	1	2	3	3	7
20-34	61	1.8		<1	<1	1	2	3	4	5
35-49	35	2.2	2	<1	<1	2	2	3	4	11
50-64	25	2.8	4	<1	1	2	3	4	7	11
65+	22	4.0	20	1	1	3	4	10	17	18
2. MULTIPLE DX										
0-19 YRS	86	2.3	2	<1	<1	2	3	5	6	8
20-34	35	3.1	7	<1	<1	2	4	6	11	13
35-49	30	4.1	20	1	1	3	4	9	14	23
50-64	28	6.0	51	1	1	3	7	13	21	34
65+	37	7.4	140	1	2	3	5	18	30	64
TOT. SINGLE DX	798	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	331	4.4	53	<1	1	2	4	8	15	39
TOTAL 0-19 YRS	694	1.9	2	<1	<1	2	2	3	4	7
20-34	160	2.4	6	<1	<1	2	3	4	5	13
35-49	92	3.1	13	<1	1	2	3	5	10	22
50-64	85	4.1	27	<1	1	2	4	9	13	30
65+	98	6.8	129	1	1	3	5	16	30	61
GRAND TOTAL	1129	2.7	18	<1	<1	2	3	4	6	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.1	33	<1	<1	1	2	6	14	35
20-34	31	2.2	3	<1	<1	1	3	5	7	7
35-49	17	4.3	9	1	2	4	5	9	11	12
50-64	31	5.9	10	2	2	5	8	10	11	17
65+	14	8.3	64	2	2	6	12	16	28	32
2. MULTIPLE DX										
0-19 YRS	18	4.0	5	<1	<1	4	5	8	8	8
20-34	17	6.5	33	<1	<1	4	13	14	15	16
35-49	24	12.3	224	3	3	7	11	27	57	60
50-64	48	9.7	77	2	3	7	12	16	21	59
65+	32	12.8	92	3	3	9	17	30	35	37
TOT. SINGLE DX	139	4.2	25	<1	<1	2	6	9	13	32
" MULTIPLE DX	139	9.7	98	1	2	7	12	19	27	59
TOTAL 0-19 YRS	64	3.3	26	<1	<1	1	4	7	10	32
20-34	48	3.7	18	<1	<1	2	4	12	14	16
35-49	41	9.0	149	2	2	5	9	17	38	60
50-64	79	8.2	54	2	3	7	10	15	18	48
65+	46	11.4	87	2	3	8	15	29	33	37
GRAND TOTAL	278	7.0	69	<1	<1	5	9	15	20	51

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.6	3	3	4	5	7	8	9	11
20-34	340	5.6	3	3	3	5	6	8	9	12
35-49	66	6.3	4	3	4	6	8	9	10	12
50-64	9	7.2	4	3	4	7	8	10	10	10
65+	8	13.4	18	8	8	13	15	20	22	22
2. MULTIPLE DX										
0-19 YRS	48	6.8	12	3	4	6	7	10	17	17
20-34	400	6.3	8	3	4	6	7	9	11	19
35-49	105	7.0	12	3	4	6	8	12	14	21
50-64	22	14.1	81	5	6	11	18	30	34	36
65+	15	16.0	64	5	7	16	23	26	30	32
TOT. SINGLE DX	522	5.8	5	3	4	5	7	9	10	13
" MULTIPLE DX	590	7.0	18	3	4	6	7	11	15	26
TOTAL 0-19 YRS	147	6.0	7	3	4	5	7	9	11	17
20-34	740	6.0	7	3	4	6	7	8	10	14
35-49	171	6.7	10	3	4	6	8	10	13	20
50-64	31	12.1	68	5	6	8	15	25	33	36
65+	23	15.1	49	6	8	14	19	25	28	32
GRAND TOTAL	1112	6.5	12	3	4	6	7	9	13	22

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.9	5	3	3	6	7	8	11	14
20-34	279	6.4	4	3	4	6	7	9	11	13
35-49	145	7.0	13	4	5	7	7	9	11	19
50-64	23	7.1	3	5	6	6	8	10	12	12
65+	9	10.7	19	5	5	11	14	17	18	18
2. MULTIPLE DX										
0-19 YRS	39	7.6	7	4	5	7	8	10	12	20
20-34	457	7.3	13	4	4	7	8	11	13	22
35-49	231	7.8	13	4	5	7	9	11	15	20
50-64	36	11.5	103	5	5	8	10	25	39	49
65+	22	28.1	340	9	10	22	41	54	65	72
TOT. SINGLE DX	497	6.7	8	4	4	6	7	9	11	15
" MULTIPLE DX	785	8.3	38	4	5	7	9	12	18	40
TOTAL 0-19 YRS	80	6.7	7	3	4	6	8	9	12	18
20-34	736	7.0	10	4	4	6	8	10	12	19
35-49	376	7.5	13	4	5	7	8	10	13	20
50-64	59	9.8	68	5	5	7	9	15	30	48
65+	31	23.1	309	6	8	18	31	51	60	72
GRAND TOTAL	**1282**	**7.6**	**27**	**4**	**5**	**7**	**8**	**11**	**13**	**33**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	6.6	8	5	5	6	7	9	14	16
35-49	34	7.1	4	4	5	7	8	10	11	14
50-64	17	9.1	14	4	5	7	12	14	17	18
65+	3	11.3	26	7	7	10	15	17	17	17
2. MULTIPLE DX										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	73	6.8	4	4	4	7	8	10	11	13
35-49	150	8.2	13	4	5	7	9	13	17	23
50-64	58	14.2	100	6	6	11	16	25	36	61
65+	38	13.7	28	6	7	13	17	23	26	99+
TOT. SINGLE DX	68	7.7	9	4	5	7	8	13	15	18
" MULTIPLE DX	321	9.7	37	4	5	8	11	17	22	38
TOTAL 0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	87	6.8	5	4	4	7	8	10	11	15
35-49	184	8.0	12	4	5	7	9	13	15	22
50-64	75	13.0	85	5	6	10	15	24	32	57
65+	41	13.5	28	6	7	13	17	23	26	99+
GRAND TOTAL	**389**	**9.3**	**33**	**4**	**5**	**7**	**10**	**16**	**20**	**36**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.1	7	1	1	3	6	7	10	12
20-34	93	4.0	7	1	1	3	6	8	10	12
35-49	19	3.8	6	1	1	3	6	8	8	8
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	15	4.2	6	1	1	4	6	8	9	10
20-34	215	5.3	6	1	2	5	6	8	9	15
35-49	34	5.4	15	1	2	5	7	8	11	23
50-64	3	7.0	7	4	4	8	9	9	9	9
65+										
TOT. SINGLE DX	139	4.1	8	1	1	3	6	8	10	12
" MULTIPLE DX	267	5.2	8	1	2	5	6	8	9	16
TOTAL 0-19 YRS	41	4.1	7	1	1	4	6	7	10	12
20-34	308	4.9	7	1	2	5	6	8	9	14
35-49	53	4.8	13	1	1	5	7	8	8	23
50-64	3	7.0	7	4	4	8	9	9	9	9
65+	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**406**	**4.8**	**8**	**1**	**2**	**5**	**6**	**8**	**9**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1074	1.3		<1	<1	1	2	2	2	3
35-49	429	1.3		<1	<1	1	2	2	2	3
50-64	3	3.3	5	2	2	2	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	422	2.0	5	<1	<1	1	2	3	6	10
35-49	194	1.8	5	<1	<1	1	2	3	4	16
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1507	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	622	1.9	5	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	1496	1.5	2	<1	<1	1	2	2	3	7
35-49	623	1.5	2	<1	<1	1	2	2	3	5
50-64	4	2.8	5	1	1	2	4	6	6	6
65+										
GRAND TOTAL	**2129**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.9	4	1	1	3	6	7	7	7
20-34	1818	2.9	2	1	2	3	4	4	5	7
35-49	585	2.9	1	1	2	3	3	4	5	7
50-64	3	3.7	2	2	2	4	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	10	3.8	4	2	2	4	4	7	8	8
20-34	1068	4.1	11	2	2	4	5	7	8	12
35-49	386	4.0	9	2	2	3	4	7	8	14
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
TOT. SINGLE DX	2416	2.9	2	1	2	3	4	4	5	7
" MULTIPLE DX	1466	4.1	11	2	2	4	5	7	8	13
TOTAL 0-19 YRS	20	3.9	4	1	2	4	5	7	8	8
20-34	2886	3.4	6	1	2	3	4	5	6	9
35-49	971	3.4	5	1	2	3	4	5	6	11
50-64	5	4.4	3	2	2	4	5	7	7	7
65+										
GRAND TOTAL	**3882**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.2	5	2	2	5	7	8	8	12
20-34	687	5.1	4	2	3	5	6	7	8	11
35-49	113	5.2	3	2	3	5	7	8	8	10
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	35	6.1	6	3	3	6	7	9	11	13
20-34	716	5.5	4	3	3	5	7	8	9	12
35-49	121	5.8	7	2	3	5	7	8	10	17
50-64										
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	834	5.1	5	2	3	5	6	7	8	11
" MULTIPLE DX	873	5.6	5	3	3	5	7	8	9	12
TOTAL 0-19 YRS	66	5.7	6	2	3	5	7	9	10	13
20-34	1403	5.3	4	2	3	5	6	8	8	12
35-49	234	5.5	6	2	3	5	7	8	9	13
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	9.0	18	6	6	9	12	12	12	12
GRAND TOTAL	**1707**	**5.4**	**5**	**2**	**3**	**5**	**6**	**8**	**9**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.4	1	<1	<1	2	3	4	5	5
20-34	532	2.6	2	<1	1	2	3	4	5	9
35-49	171	2.5	2	1	1	2	3	4	4	11
50-64	54	2.6	3	1	1	2	3	4	5	13
65+	15	3.9	29	1	1	2	3	6	19	23
2. MULTIPLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	238	3.3	37	<1	1	3	4	5	7	13
35-49	123	3.0	5	<1	<1	3	4	5	7	13
50-64	38	3.9	9	1	2	3	4	6	12	16
65+	11	6.4	21	2	2	4	10	13	16	16
TOT. SINGLE DX	788	2.6	3	<1	1	2	3	4	5	9
" MULTIPLE DX	414	3.3	25	<1	1	3	4	5	8	16
TOTAL 0-19 YRS	20	2.4	2	<1	<1	2	3	4	5	5
20-34	770	2.8	13	<1	1	2	3	4	5	10
35-49	294	2.7	4	<1	1	2	3	4	5	11
50-64	92	3.2	6	1	1	3	4	5	6	15
65+	26	4.9	27	1	1	3	6	10	17	23
GRAND TOTAL	**1202**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.9	4	<1	<1	1	2	4	7	8
20-34	99	1.8	2	<1	<1	1	2	3	5	10
35-49	73	2.5	5	<1	<1	2	3	5	9	11
50-64	39	3.3	37	<1	<1	2	3	5	10	38
65+	23	5.0	30	<1	1	3	7	11	17	25
2. MULTIPLE DX										
0-19 YRS	5	1.8	1	<1	<1	1	2	4	4	4
20-34	45	5.5	147	<1	<1	2	4	13	27	69
35-49	82	4.2	36	<1	<1	2	4	10	18	33
50-64	65	4.0	45	<1	<1	2	3	9	14	43
65+	40	8.5	74	1	2	6	12	22	35	99+
TOT. SINGLE DX	246	2.6	12	<1	<1	2	2	5	8	14
" MULTIPLE DX	237	5.1	68	<1	<1	2	5	13	21	49
TOTAL 0-19 YRS	17	1.9	3	<1	<1	1	2	4	7	8
20-34	144	3.0	50	<1	<1	1	2	4	7	45
35-49	155	3.4	23	<1	<1	2	4	8	11	29
50-64	104	3.8	42	<1	<1	2	3	7	13	42
65+	63	7.2	60	1	1	5	9	18	25	92
GRAND TOTAL	**483**	**3.8**	**41**	**<1**	**<1**	**2**	**4**	**8**	**13**	**41**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.8	7	2	2	3	5	8	10	10
20-34	218	3.4	9	1	1	3	4	6	8	19
35-49	37	3.2	3	1	1	3	4	5	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	63	4.4	11	1	2	3	5	10	13	88
35-49	12	7.1	67	2	2	3	7	21	28	29
50-64										
65+										
TOT. SINGLE DX	264	3.4	9	1	1	3	4	6	8	16
" MULTIPLE DX	76	4.9	21	1	2	3	6	10	17	81
TOTAL 0-19 YRS	10	4.4	10	2	2	3	5	10	10	10
20-34	281	3.6	10	1	2	3	4	6	10	22
35-49	49	4.2	21	1	2	3	4	7	11	29
50-64										
65+										
GRAND TOTAL	340	3.7	12	1	2	3	4	7	10	24

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	11	1	1	4	7	8	8	8
20-34	55	5.7	3	2	3	6	7	8	9	10
35-49	22	4.5	7	<1	1	5	6	8	9	10
50-64	7	2.6	4	1	1	2	4	6	6	6
65+	2	2.0		2	2	2	75	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	79	5.7	9	1	1	6	7	8	10	18
35-49	37	4.9	7	<1	1	6	7	8	9	10
50-64	18	3.9	15	1	1	2	7	13	62	99+
65+	11	11.2	102	2	2	8	23	50	93	99+
TOT. SINGLE DX	90	5.1	6	1	1	6	7	8	9	63
" MULTIPLE DX	147	5.7	19	1	1	6	7	9	16	99+
TOTAL 0-19 YRS	6	5.3	9	1	1	6	8	8	8	8
20-34	134	5.7	7	1	2	6	7	8	9	15
35-49	59	4.8	7	<1	1	5	7	8	9	10
50-64	25	3.6	12	1	1	2	5	9	33	99+
65+	13	9.8	97	2	2	8	25	99+	99+	99+
GRAND TOTAL	237	5.5	14	1	1	6	7	9	10	99+

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.3	2	5	5	8	8	8	8	8
20-34	507	7.3	3	5	6	7	8	9	10	14
35-49	820	7.5	3	5	6	7	8	9	10	15
50-64	184	8.2	4	6	6	8	9	11	13	16
65+	63	9.8	14	6	7	9	11	14	17	27
2. MULTIPLE DX										
0-19 YRS	26	8.8	52	5	5	7	8	12	20	43
20-34	1977	8.0	11	5	6	7	8	10	13	21
35-49	3858	8.1	8	6	6	7	9	11	13	20
50-64	852	9.4	21	6	6	8	10	14	17	29
65+	255	13.8	71	7	7	11	16	23	29	55
TOT. SINGLE DX	1578	7.6	4	5	6	7	8	10	11	15
" MULTIPLE DX	6968	8.4	15	5	6	8	9	12	15	24
TOTAL 0-19 YRS	30	8.6	46	5	5	7	8	11	14	43
20-34	2484	7.8	10	5	6	7	8	10	12	20
35-49	4678	8.0	7	6	6	7	9	10	13	19
50-64	1036	9.2	19	6	6	8	10	14	16	28
65+	318	13.0	63	7	7	10	15	22	28	50
GRAND TOTAL	8546	8.3	13	5	6	7	9	11	14	22

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	205	7.0	3	5	5	7	8	9	10	13
35-49	233	7.2	5	5	5	7	8	9	12	16
50-64	113	8.6	6	6	6	8	9	12	14	17
65+	92	9.4	10	6	6	8	10	14	17	21
2. MULTIPLE DX										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	688	7.4	12	5	5	7	8	10	13	23
35-49	1118	8.0	11	5	5	7	8	12	14	23
50-64	368	9.5	16	6	6	8	11	14	17	26
65+	278	11.7	37	7	7	10	14	17	22	42
TOT. SINGLE DX	643	7.7	6	5	5	7	8	10	13	18
" MULTIPLE DX	2455	8.5	17	5	5	7	9	13	16	25
TOTAL 0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	893	7.3	10	5	5	7	8	10	12	22
35-49	1351	7.8	11	5	5	7	8	11	14	22
50-64	481	9.3	14	6	6	8	10	14	16	24
65+	370	11.1	32	7	7	9	13	16	21	41
GRAND TOTAL	3098	8.3	15	5	5	7	9	12	15	24

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	12.7	40	9	9	9	17	20	20	20
35-49	7	17.9	89	7	7	15	25	32	33	33
50-64	1	25.0		25	25	25	25	25	25	25
65+										
2. MULTIPLE DX										
0-19 YRS	2	30.5	481	15	15	30	46	46	46	46
20-34	15	21.0	164	8	8	15	27	39	56	59
35-49	15	24.1	179	10	11	23	26	43	57	62
50-64	18	25.6	188	10	11	22	30	48	53	56
65+	6	55.2	542	17	19	66	69	75	76	76
TOT. SINGLE DX	11	17.1	74	7	8	15	24	29	33	33
* MULTIPLE DX	56	27.3	311	9	10	22	34	59	67	76
TOTAL 0-19 YRS	2	30.5	481	15	15	30	46	46	46	46
20-34	18	19.6	175	8	8	15	25	37	51	59
35-49	22	22.1	154	8	9	22	26	39	51	62
50-64	19	25.6	178	10	11	22	30	48	52	56
65+	6	55.2	542	17	19	66	69	75	76	76
GRAND TOTAL	67	25.6	285	8	9	21	30	54	65	75

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	1.2		<1	<1	<1	1	2	2	2
20-34	105	1.5		<1	<1	1	2	3	3	5
35-49	9	1.4		<1		1	1	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	2.1	1	<1	<1	2	3	4	4	4
20-34	62	3.9	25	<1	1	3	4	7	14	31
35-49	20	3.5	9	<1	1	3	4	6	8	10
50-64										
65+										
TOT. SINGLE DX	155	1.4	1	<1	<1	<1	2	2	3	5
* MULTIPLE DX	88	3.6	18	<1	1	3	4	6	10	27
TOTAL 0-19 YRS	52	1.4	1	<1	<1	<1	2	2	3	4
20-34	167	2.4	11	<1	<1	1	3	4	6	20
35-49	29	2.8	4	<1	<1	3	3	6	7	10
50-64										
65+										
GRAND TOTAL	243	2.2	8	<1	<1	1	3	4	5	16

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	614	1.9	1	<1	<1	1	2	3	4	7
20-34	5701	1.8	1	<1	<1	1	2	3	4	6
35-49	1681	1.5	1	<1	<1	1	2	3	3	6
50-64	603	1.8	1	<1	<1	1	2	3	4	9
65+	140	2.7	2	<1	1	1	2	4	6	16
2. MULTIPLE DX										
0-19 YRS	187	3.0	6	<1	<1	2	4	6	7	13
20-34	1855	2.4	3	<1	<1	2	3	5	7	11
35-49	1356	2.5	6	<1	<1	2	3	6	7	11
50-64	685	3.4	7	<1	1	2	4	6	10	15
65+	296	5.6	73	<1	1	2	4	10	20	42
TOT. SINGLE DX	6739	1.8	2	<1	<1	1	2	3	4	6
* MULTIPLE DX	4379	2.8	19	<1	<1	2	3	5	8	21
TOTAL 0-19 YRS	801	2.2	4	<1	<1	1	2	4	6	9
20-34	7556	1.9	2	<1	<1	1	2	4	5	10
35-49	3037	2.0	6	<1	<1	1	2	3	5	14
50-64	1288	2.5	22	<1	1	2	3	5	7	14
65+	436	4.6	56	<1	1	2	4	10	18	42
GRAND TOTAL	13118	2.1	8	<1	<1	1	2	4	5	13

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	527	1.1		<1	<1	<1	1	2	2	2
20-34	1281	1.1		<1	<1	<1	1	2	2	2
35-49	53	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	222	1.4	1	<1	<1	1	1	2	3	6
20-34	887	1.9	10	<1	<1	1	2	3	4	14
35-49	174	2.2	9	<1	<1	1	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	1861	1.1		<1	<1	<1	1	1	2	2
* MULTIPLE DX	1283	1.8	10	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	749	1.2	1	<1	<1	<1	1	2	3	5
20-34	2168	1.4	6	<1	<1	1	2	3	4	6
35-49	227	1.9	9	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	3144	1.4	4	<1	<1	<1	1	2	3	6

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	1.8	2	<1	<1	1	2	4	5	6
20-34	239	1.7	2	<1	<1	1	2	3	4	8
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	1.7		<1	<1	1	2	3	3	3
20-34	86	3.1	19	<1	<1	2	3	6	10	29
35-49	18	2.4	2	<1	<1	2	3	5	6	6
50-64	1	17.0		17	17	17	17	17	17	17
65+										
TOT. SINGLE DX	298	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	117	2.9	17	<1	<1	2	3	6	9	24
TOTAL 0-19 YRS	50	1.8	2	<1	<1	1	2	4	5	6
20-34	325	2.1	7	<1	<1	1	2	4	6	13
35-49	39	1.8	2	<1	<1	1	2	4	5	6
50-64	1	17.0		17	17	17	17	17	17	17
65+										
GRAND TOTAL	**415**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	35	5.9	5	3	4	6	6	8	10	15
35-49	3	4.0	7	1	1	5	6	6	6	6
50-64	3	7.0	9	4	4	7	9	10	10	10
65+	8	8.8	16	6	6	7	10	16	17	17
2. MULTIPLE DX										
0-19 YRS	7	6.7	6	4	4	6	7	11	12	12
20-34	57	5.5	2	3	4	6	6	7	8	8
35-49	8	6.8	6	2	3	7	8	10	10	10
50-64	4	17.5	344	5	5	10	28	45	45	45
65+	8	13.0	34	9	9	11	13	23	27	27
TOT. SINGLE DX	50	6.3	8	3	4	6	7	9	13	17
" MULTIPLE DX	84	7.0	28	3	4	6	7	10	12	39
TOTAL 0-19 YRS	8	6.5	6	4	4	6	7	11	12	12
20-34	92	5.7	3	3	4	6	6	7	8	13
35-49	11	6.0	7	1	2	6	8	9	10	10
50-64	7	13.0	207	4	4	8	11	38	45	45
65+	16	10.9	28	6	6	10	13	17	24	27
GRAND TOTAL	**134**	**6.7**	**21**	**3**	**4**	**6**	**7**	**10**	**13**	**30**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.4	18	1	1	3	7	11	11	11
20-34	66	3.6	27	<1	<1	2	4	6	7	35
35-49	13	5.5	31	<1	<1	5	7	14	19	20
50-64	10	11.6	151	3	3	7	12	32	43	43
65+	7	8.3	29	1	2	7	9	17	19	19
2. MULTIPLE DX										
0-19 YRS	5	3.4	5	<1	<1	4	5	6	6	6
20-34	100	5.2	71	<1	<1	2	6	10	18	45
35-49	20	5.0	14	<1	1	4	7	9	13	17
50-64	21	9.5	114	2	3	6	9	27	36	45
65+	13	9.5	171	3	3	5	7	25	46	51
TOT. SINGLE DX	101	5.0	44	<1	<1	3	6	10	19	40
" MULTIPLE DX	159	6.1	77	<1	<1	4	6	11	25	47
TOTAL 0-19 YRS	10	3.9	11	<1	<1	3	6	9	11	11
20-34	166	4.6	54	<1	<1	2	5	8	14	43
35-49	33	5.2	21	<1	<1	4	7	10	16	20
50-64	31	10.2	123	3	3	6	10	27	42	45
65+	20	9.1	118	2	3	6	8	18	35	51
GRAND TOTAL	**260**	**5.6**	**64**	**<1**	**<1**	**3**	**6**	**10**	**20**	**45**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	55	7.4	11	3	4	7	9	13	14	16
35-49	161	8.2	13	4	5	7	9	12	14	24
50-64	208	7.9	12	4	5	7	9	12	15	24
65+	114	8.2	8	5	5	8	10	12	13	20
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	111	10.2	41	4	5	8	13	17	22	37
35-49	344	9.8	20	5	6	9	11	16	20	27
50-64	378	9.9	23	5	6	8	12	16	19	30
65+	264	10.7	39	5	6	9	12	17	23	38
TOT. SINGLE DX	538	8.0	12	4	5	7	9	12	14	22
" MULTIPLE DX	1098	10.1	29	5	6	9	12	16	21	30
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	166	9.2	33	4	5	7	12	15	18	25
35-49	505	9.3	19	5	5	8	10	14	18	27
50-64	586	9.2	21	5	5	8	10	15	18	28
65+	378	10.0	32	5	6	8	11	15	19	36
GRAND TOTAL	**1636**	**9.4**	**24**	**5**	**5**	**8**	**11**	**15**	**18**	**28**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.6	61	<1	<1	5	8	19	26	27
20-34	50	5.1	12	1	1	4	7	8	13	17
35-49	21	6.6	30	1	2	4	10	15	19	21
50-64	12	7.1	16	<1	2	6	10	12	15	15
65+	6	7.3	18	1	1	7	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	36	6.1	23	1	2	5	8	11	13	26
35-49	22	7.0	18	2	2	6	8	13	17	19
50-64	14	8.9	20	2	3	8	9	16	18	19
65+	10	15.9	432	1	4	8	16	47	73	73
TOT. SINGLE DX	100	6.0	22	1	1	5	8	12	15	24
" MULTIPLE DX	84	7.9	75	1	2	7	9	14	19	57
TOTAL 0-19 YRS	13	6.1	54	<1	1	5	7	17	25	27
20-34	86	5.5	17	1	1	4	8	11	13	23
35-49	43	6.8	24	2	2	5	9	13	18	21
50-64	26	8.0	19	2	3	8	9	15	17	19
65+	16	12.7	284	1	2	8	12	20	57	73
GRAND TOTAL	184	6.8	47	1	2	5	8	13	16	27

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.5	8	<1	<1	1	2	5	11	13
20-34	90	3.1	6	<1	1	2	4	7	8	11
35-49	48	3.6	9	<1	1	3	5	8	9	17
50-64	35	4.8	10	1	2	5	6	9	11	14
65+	26	6.3	16	1	2	6	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	23	7.1	52	<1	1	4	10	16	24	30
20-34	85	6.1	64	1	1	3	8	13	18	50
35-49	46	8.3	86	1	2	6	10	17	21	56
50-64	58	8.4	38	2	2	7	10	17	21	30
65+	67	10.3	124	2	3	8	10	17	30	68
TOT. SINGLE DX	229	3.7	10	<1	1	2	6	8	10	15
" MULTIPLE DX	279	8.1	78	1	2	6	10	16	21	53
TOTAL 0-19 YRS	53	4.5	32	<1	<1	2	5	12	15	30
20-34	175	4.6	37	<1	1	2	6	11	13	24
35-49	94	5.9	52	1	2	4	8	13	17	45
50-64	93	7.0	31	1	2	6	9	14	19	29
65+	93	9.2	97	2	2	8	10	15	24	61
GRAND TOTAL	508	6.1	52	1	1	4	8	12	17	36

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.1	1	<1	<1	2	3	4	5	7
20-34	333	2.0	4	<1	<1	2	2	3	5	7
35-49	139	2.3	2	<1	1	2	3	4	5	8
50-64	62	3.1	9	<1	1	2	3	8	10	15
65+	17	2.5	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	29	2.9	4	<1	<1	2	3	6	7	9
20-34	114	3.3	14	<1	1	2	4	7	13	21
35-49	47	4.3	23	<1	1	3	5	9	10	30
50-64	29	4.7	17	<1	<1	3	7	12	15	15
65+	31	7.1	53	2	2	4	9	19	21	34
TOT. SINGLE DX	627	2.2	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	250	4.1	21	<1	<1	3	5	9	14	23
TOTAL 0-19 YRS	105	2.3	2	<1	<1	2	3	4	6	8
20-34	447	2.3	7	<1	<1	2	3	4	5	14
35-49	186	2.8	8	<1	1	2	3	5	7	14
50-64	91	3.6	12	<1	1	2	5	9	11	15
65+	48	5.4	40	<1	1	3	6	11	20	34
GRAND TOTAL	877	2.7	10	<1	<1	2	3	5	8	18

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.8	1	2	2	2	3	5	5	5
20-34	3	6.0	21	2	2	5	9	11	11	11
35-49	4	8.3	47	3	3	6	13	18	18	18
50-64	6	7.2	31	3	3	5	8	17	18	18
65+	12	17.3	174	1	2	16	29	34	37	38
2. MULTIPLE DX										
0-19 YRS										
20-34	2	11.0	8	9	9	11	13	13	13	13
35-49	9	13.3	185	5	5	7	15	37	47	47
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	15	23.9	264	8	9	19	33	41	61	68
TOT. SINGLE DX	30	10.5	112	2	2	5	18	29	32	38
" MULTIPLE DX	28	18.3	233	5	6	13	24	39	49	68
TOTAL 0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	5	8.0	20	2	2	9	11	13	13	13
35-49	13	11.8	141	3	4	7	14	26	43	47
50-64	8	6.9	23	3	3	5	7	15	18	18
65+	27	21.0	228	2	5	19	31	38	45	68
GRAND TOTAL	58	14.3	183	2	2	9	21	33	40	66

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.3		1	1	1	2	2	2	2
20-34	31	3.8	8	<1	1	3	6	8	11	11
35-49	7	2.9	2	2	2	2	4	6	6	6
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	20	4.8	15	1	2	4	5	9	14	18
35-49	6	2.2		1	1	2	3	3	3	3
50-64	8	4.5	12	<1	<1	3	7	10	11	11
65+	6	21.7	842	1	1	11	26	73	78	78
TOT. SINGLE DX	50	3.2	6	<1	1	2	4	6	10	11
" MULTIPLE DX	45	6.4	142	1	1	3	6	11	20	78
TOTAL 0-19 YRS	12	1.8	2	1	1	1	2	4	5	5
20-34	51	4.2	11	<1	1	3	5	9	11	18
35-49	13	2.5	2	1	1	2	3	4	6	6
50-64	12	4.0	9	<1	1	3	5	9	11	11
65+	7	19.0	752	1	1	8	23	68	78	78
GRAND TOTAL	**95**	**4.7**	**72**	**<1**	**1**	**3**	**5**	**8**	**11**	**55**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	17	<1	<1	2	2	10	14	14
20-34	23	2.1	5	<1	<1	1	2	5	9	9
35-49	3	6.0	49	1	1	3	11	14	14	14
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	19.0	648	1	1	19	37	37	37	37
2. MULTIPLE DX										
0-19 YRS	3	4.7	22	<1	<1	3	8	10	10	10
20-34	16	6.3	42	<1	<1	4	10	18	19	20
35-49	14	7.1	128	<1	1	4	8	14	38	45
50-64	6	11.3	25	4	4	12	16	17	17	17
65+	2	7.5	85	1	1	7	14	14	14	14
TOT. SINGLE DX	39	3.5	41	<1	<1	1	3	9	14	37
" MULTIPLE DX	41	7.2	67	<1	<1	4	11	16	19	45
TOTAL 0-19 YRS	12	3.4	17	<1	<1	2	3	11	14	14
20-34	39	3.8	24	<1	<1	1	5	11	16	20
35-49	17	6.9	110	<1	1	4	8	13	34	45
50-64	8	9.1	36	1	2	9	14	17	17	17
65+	4	13.3	288	1	1	8	25	37	37	37
GRAND TOTAL	**80**	**5.4**	**57**	**<1**	**<1**	**2**	**7**	**14**	**17**	**43**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	4.8	7	3	3	4	5	7	8	13
20-34	2215	4.6	2	3	3	4	5	6	7	9
35-49	73	4.4	1	3	3	4	5	6	6	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	353	5.4	11	3	3	5	6	8	10	15
20-34	3152	5.4	9	3	3	5	6	7	9	17
35-49	141	6.2	22	3	3	5	7	9	14	24
50-64										
65+										
TOT. SINGLE DX	2596	4.6	3	3	3	4	5	6	7	9
" MULTIPLE DX	3646	5.4	10	3	3	5	6	7	9	17
TOTAL 0-19 YRS	661	5.2	9	3	3	5	6	7	9	14
20-34	5367	5.0	7	3	3	5	6	7	8	14
35-49	214	5.6	16	3	3	5	6	8	10	21
50-64										
65+										
GRAND TOTAL	**6242**	**5.1**	**8**	**3**	**3**	**5**	**6**	**7**	**8**	**15**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.9	1	1	2	4	5	6	6	6
20-34	117	4.7	8	3	3	4	5	6	7	17
35-49	5	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	25	4.6	4	1	2	4	6	8	8	8
20-34	348	6.0	39	2	3	5	6	9	13	39
35-49	17	5.9	19	2	3	5	6	8	17	22
50-64										
65+										
TOT. SINGLE DX	138	4.6	8	3	3	4	5	6	7	13
" MULTIPLE DX	390	5.9	36	2	3	5	6	9	13	34
TOTAL 0-19 YRS	41	4.3	3	1	2	4	6	7	8	9
20-34	465	5.7	32	2	3	5	6	8	11	31
35-49	22	5.4	16	2	3	5	6	7	14	22
50-64										
65+										
GRAND TOTAL	**528**	**5.6**	**29**	**2**	**3**	**5**	**6**	**8**	**11**	**28**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	4.7	2	3	3	4	5	6	7	13
20-34	702	4.8	3	3	3	4	5	7	7	11
35-49	34	4.4	1	3	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	152	5.5	7	3	3	5	6	8	10	20
20-34	1884	5.4	8	3	3	5	6	8	9	16
35-49	94	6.6	69	3	3	5	7	9	12	55
50-64										
65+										
TOT. SINGLE DX	814	4.8	4	3	3	4	5	7	7	11
" MULTIPLE DX	2130	5.5	11	3	3	5	6	8	9	16
TOTAL 0-19 YRS	230	5.2	6	3	3	5	6	8	9	19
20-34	2586	5.3	7	3	3	5	6	7	8	15
35-49	128	6.0	52	3	3	5	6	8	11	36
50-64										
65+										
GRAND TOTAL	**2944**	**5.3**	**9**	**3**	**3**	**5**	**6**	**7**	**9**	**16**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2718	4.5	3	2	3	4	5	6	7	11
20-34	22260	4.3	3	2	3	4	5	6	7	10
35-49	838	4.3	3	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	900	5.3	11	2	3	5	6	8	10	20
20-34	9705	5.1	12	2	3	5	6	7	9	18
35-49	679	5.2	6	2	3	5	6	8	9	16
50-64										
65+										
TOT. SINGLE DX	25816	4.3	3	2	3	4	5	6	7	10
" MULTIPLE DX	11284	5.1	12	2	3	5	6	7	9	18
TOTAL 0-19 YRS	3618	4.7	6	2	3	4	5	7	8	13
20-34	31965	4.5	6	2	3	4	5	6	7	12
35-49	1517	4.7	5	2	3	4	5	7	8	13
50-64										
65+										
GRAND TOTAL	**37100**	**4.5**	**6**	**2**	**3**	**4**	**5**	**6**	**8**	**12**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	6.9	5	5	5	6	7	9	11	18
20-34	3224	6.7	5	5	5	6	7	8	9	13
35-49	134	7.4	5	5	5	7	8	9	11	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	528	8.3	26	5	5	7	9	12	16	30
20-34	7053	8.0	28	5	5	7	8	11	15	33
35-49	611	8.5	31	5	5	7	9	12	17	35
50-64										
65+										
TOT. SINGLE DX	3603	6.8	6	5	5	6	7	8	9	14
" MULTIPLE DX	8192	8.1	29	5	5	7	8	11	15	33
TOTAL 0-19 YRS	773	7.8	20	5	5	7	8	11	13	27
20-34	10277	7.6	22	5	5	7	8	10	13	29
35-49	745	8.3	27	5	5	7	8	11	16	32
50-64										
65+										
GRAND TOTAL	**11795**	**7.7**	**22**	**5**	**5**	**7**	**8**	**10**	**13**	**29**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.9	18	6	6	7	9	16	18	18
20-34	73	7.3	3	4	5	7	8	9	11	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	7.6	10	5	5	6	9	13	13	13
20-34	103	10.7	95	5	5	8	10	21	32	59
35-49	14	13.1	137	5	5	8	13	29	43	47
50-64										
65+										
TOT. SINGLE DX	81	7.4	5	4	5	7	8	10	11	17
" MULTIPLE DX	122	10.9	96	5	5	8	10	22	32	56
TOTAL 0-19 YRS	12	8.3	14	5	5	7	9	14	17	18
20-34	176	9.3	60	5	5	8	9	13	23	49
35-49	15	12.7	129	5	5	8	13	27	42	47
50-64										
65+										
GRAND TOTAL	**203**	**9.5**	**63**	**5**	**5**	**8**	**9**	**13**	**25**	**49**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	4.9	4	2	2	5	6	7	9	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	8.0	9	5	5	8	10	11	11	11
20-34	38	5.2	4	3	3	5	6	7	9	13
35-49	8	5.9	6	3	3	5	7	10	11	11
50-64										
65+										
TOT. SINGLE DX	25	4.8	4	2	2	5	6	7	8	10
" MULTIPLE DX	49	5.4	5	3	3	5	6	8	11	13
TOTAL 0-19 YRS	4	6.8	12	3	3	6	9	11	11	11
20-34	61	5.1	4	2	3	5	6	7	9	13
35-49	9	5.8	6	3	3	5	7	9	11	11
50-64										
65+										
GRAND TOTAL	74	5.2	5	2	3	5	6	8	10	13

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.8	1	1	1	1	2	3	4	6
20-34	98	1.8	1	1	1	2	2	3	4	6
35-49	11	1.9	2	1	1	1	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	112	1.6		1	1	1	2	2	3	5
20-34	178	2.1	7	1	1	2	2	3	4	17
35-49	24	2.1	1	1	1	2	3	4	5	5
50-64										
65+										
TOT. SINGLE DX	188	1.8	1	1	1	1	2	3	4	6
" MULTIPLE DX	314	1.9	5	1	1	1	2	3	4	8
TOTAL 0-19 YRS	191	1.6	1	1	1	1	2	3	4	5
20-34	276	2.0	5	1	1	2	2	3	4	9
35-49	35	2.1	2	1	1	2	2	4	5	6
50-64										
65+										
GRAND TOTAL	502	1.9	3	1	1	1	2	3	4	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.0	54	<1	<1	3	7	18	23	28
20-34	170	4.3	61	<1	<1	1	4	10	15	47
35-49	12	2.2	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	4.8	26	2	2	3	5	14	15	15
20-34	44	7.6	101	<1	<1	4	8	20	29	50
35-49	10	5.0	56	<1	<1	1	7	16	25	25
50-64										
65+										
TOT. SINGLE DX	202	4.3	58	<1	<1	1	5	11	16	40
" MULTIPLE DX	60	6.9	86	<1	<1	4	8	19	25	49
TOTAL 0-19 YRS	26	5.7	47	<1	<1	3	6	17	21	28
20-34	214	5.0	71	<1	<1	2	5	13	19	51
35-49	22	3.5	27	<1	<1	2	3	7	15	25
50-64										
65+										
GRAND TOTAL	262	4.9	65	<1	<1	2	5	13	19	49

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	404	3.2	8	<1	<1	3	4	5	7	18
20-34	2712	3.3	10	<1	<1	3	4	6	7	16
35-49	135	4.0	35	<1	<1	3	4	6	10	38
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	341	3.8	9	<1	1	4	5	6	8	15
20-34	2548	4.6	19	<1	1	4	5	7	9	23
35-49	153	5.5	23	2	2	5	6	8	13	28
50-64										
65+										
TOT. SINGLE DX	3251	3.3	12	<1	<1	3	4	6	7	17
" MULTIPLE DX	3042	4.6	19	<1	1	4	5	7	9	22
TOTAL 0-19 YRS	745	3.5	9	<1	<1	3	4	6	7	17
20-34	5260	3.9	16	<1	<1	4	5	6	8	19
35-49	288	4.8	29	<1	<1	4	5	8	10	36
50-64										
65+										
GRAND TOTAL	6293	3.9	15	<1	<1	4	5	6	8	19

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	4.4	4	2	3	4	5	6	8	13
20-34	4251	4.0	2	2	3	4	5	6	6	8
35-49	227	4.2	2	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	246	4.8	7	2	3	4	5	7	8	19
20-34	3902	4.8	7	2	3	4	5	7	9	15
35-49	313	5.6	31	3	3	4	6	8	11	26
50-64										
65+										
TOT. SINGLE DX	4795	4.1	2	2	3	4	5	6	6	9
" MULTIPLE DX	4461	4.9	9	2	3	4	5	7	9	16
TOTAL 0-19 YRS	563	4.6	6	2	3	4	5	6	8	15
20-34	8153	4.4	5	2	3	4	5	6	7	11
35-49	540	5.0	20	2	3	4	5	7	9	19
50-64										
65+										
GRAND TOTAL	**9256**	**4.4**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.2	5	2	2	3	6	8	8	8
20-34	12	3.3	1	1	2	3	4	5	5	5
35-49	6	7.2	25	3	3	5	12	15	15	15
50-64	7	12.0	215	2	2	6	12	38	44	44
65+	5	4.6	6	1	1	5	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	4.3	2	3	3	4	6	6	6	6
20-34	5	3.8		3	3	4	4	5	5	5
35-49	7	9.1	18	4	4	9	11	16	17	17
50-64	15	17.7	180	3	3	17	27	40	41	41
65+	10	22.5	188	2	5	20	37	39	40	40
TOT. SINGLE DX	36	5.9	53	1	2	4	6	12	14	44
" MULTIPLE DX	43	14.0	155	3	3	9	20	37	40	41
TOTAL 0-19 YRS	12	4.3	4	2	2	4	6	7	8	8
20-34	17	3.4	1	1	2	3	4	5	5	5
35-49	13	8.2	21	3	4	7	12	15	17	17
50-64	22	15.9	190	2	3	12	23	40	42	44
65+	15	16.5	199	1	2	13	29	39	40	40
GRAND TOTAL	**79**	**10.3**	**124**	**2**	**3**	**5**	**13**	**30**	**39**	**43**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	4.0	2	2	2	4	5	6	7	8
20-34	329	3.8	2	2	2	4	5	6	6	9
35-49	79	3.6	2	1	2	4	5	6	6	7
50-64	16	4.1	4	2	2	4	5	7	8	9
65+	4	6.0	36	3	3	3	9	15	15	15
2. MULTIPLE DX										
0-19 YRS	193	4.1	2	2	2	4	5	6	6	10
20-34	222	4.5	3	2	3	4	5	6	7	11
35-49	44	4.2	2	2	2	4	5	7	7	8
50-64	16	7.4	91	1	1	4	9	16	32	39
65+										
TOT. SINGLE DX	605	3.9	2	2	2	4	5	6	7	9
" MULTIPLE DX	475	4.4	6	2	2	4	5	6	7	12
TOTAL 0-19 YRS	374	4.0	2	2	2	4	5	6	7	8
20-34	551	4.1	3	2	2	4	5	6	7	9
35-49	119	3.8	2	2	2	4	5	6	7	8
50-64	32	5.8	49	1	2	4	6	12	16	39
65+	4	6.0	36	3	3	3	9	15	15	15
GRAND TOTAL	**1080**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.8	2	1	1	2	4	5	6	8
20-34	164	2.8	2	1	1	2	4	5	6	9
35-49	34	3.1	3	1	1	3	4	6	8	9
50-64	9	3.2	3	2	2	2	4	6	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	68	5.4	30	1	2	4	6	11	14	32
20-34	99	5.0	16	1	2	4	6	10	14	22
35-49	34	6.8	104	1	2	4	7	13	50	99+
50-64	7	3.6	5	1	1	3	5	7	8	8
65+	7	15.7	292	3	3	11	19	45	51	51
TOT. SINGLE DX	276	2.8	3	1	1	2	4	5	6	9
" MULTIPLE DX	215	5.7	45	1	2	4	6	11	16	54
TOTAL 0-19 YRS	137	4.1	18	1	1	3	5	8	11	26
20-34	263	3.6	9	1	1	3	4	6	9	16
35-49	68	4.9	57	1	1	3	5	9	13	92
50-64	16	3.4	4	1	2	3	4	7	8	8
65+	7	15.7	292	3	3	11	19	45	51	51
GRAND TOTAL	**491**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	3.5	9	1	1	3	4	6	12	15
20-34	150	2.7	3	1	1	2	3	5	6	10
35-49	52	3.7	10	1	1	2	4	6	13	14
50-64	19	4.1	18	1	1	3	5	9	15	17
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	54	6.7	74	2	2	4	7	18	33	97
20-34	163	7.2	78	1	2	5	8	14	26	48
35-49	66	7.5	39	1	2	6	9	17	19	40
50-64	28	8.5	79	1	2	7	9	20	30	36
65+	7	10.1	32	2	3	9	14	18	19	19
TOT. SINGLE DX	256	3.1	7	1	1	2	4	5	8	15
" MULTIPLE DX	316	7.3	68	1	2	5	9	15	25	48
TOTAL 0-19 YRS	91	5.4	50	1	2	3	5	13	22	78
20-34	313	5.1	48	1	1	3	6	9	15	41
35-49	118	5.7	30	1	1	4	7	12	14	29
50-64	41	6.9	58	1	1	5	9	14	27	36
65+	9	8.2	39	<1	1	9	11	18	19	19
GRAND TOTAL	572	5.4	45	1	1	3	6	10	17	42

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	17	3.7	9	<1	1	3	4	8	12	13
35-49	5	3.6	4	1	1	4	5	6	6	6
50-64	5	2.6	1	1	1	3	3	4	4	4
65+	4	5.5	25	2	2	3	8	13	13	13
2. MULTIPLE DX										
0-19 YRS	5	11.8	255	1	1	6	16	40	40	40
20-34	16	7.3	29	1	2	6	9	12	20	23
35-49	8	10.3	76	2	2	7	16	24	27	27
50-64	7	7.0	42	1	1	8	10	17	19	19
65+	7	14.7	219	<1	<1	12	27	37	38	38
TOT. SINGLE DX	35	3.7	8	1	1	3	4	6	12	13
" MULTIPLE DX	43	9.5	92	1	1	7	11	24	34	40
TOTAL 0-19 YRS	9	8.0	149	1	1	4	6	27	40	40
20-34	33	5.5	20	1	1	4	7	10	13	23
35-49	13	7.7	58	1	1	5	10	18	25	27
50-64	12	5.2	19	1	1	3	8	13	18	19
65+	11	11.4	161	<1	1	4	14	34	38	38
GRAND TOTAL	78	6.9	62	1	1	4	8	15	25	39

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	5.6	33	2	2	4	7	10	12	36
20-34	129	5.9	45	1	2	4	6	11	22	36
35-49	96	7.9	115	1	2	6	9	16	19	68
50-64	134	8.8	61	2	2	7	11	15	24	51
65+	87	10.3	42	3	6	9	13	19	25	34
2. MULTIPLE DX										
0-19 YRS	76	11.1	231	2	3	6	11	32	42	96
20-34	68	12.1	297	2	3	6	10	37	50	92
35-49	74	14.2	226	2	3	8	20	34	45	98
50-64	128	12.4	198	2	3	8	17	29	49	74
65+	110	16.3	278	3	4	11	18	39	59	84
TOT. SINGLE DX	576	7.6	60	1	2	6	9	15	20	37
" MULTIPLE DX	476	13.6	246	2	3	8	16	35	49	85
TOTAL 0-19 YRS	206	7.8	112	2	2	5	8	15	21	84
20-34	217	8.4	156	1	2	4	8	18	36	66
35-49	170	10.6	173	1	2	7	12	24	34	97
50-64	262	11.1	133	2	3	7	13	24	32	58
65+	197	13.6	182	3	4	9	15	28	39	78
GRAND TOTAL	1052	10.3	153	2	2	7	11	22	36	76

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	3.9	4	1	2	4	5	6	7	13
20-34	174	4.0	2	2	2	4	5	6	7	9
35-49	151	4.5	6	2	2	4	5	6	10	12
50-64	223	5.0	8	2	2	5	6	6	10	13
65+	70	4.9	16	1	1	4	6	6	11	27
2. MULTIPLE DX										
0-19 YRS	67	4.2	3	2	2	4	5	6	7	9
20-34	149	4.6	7	2	2	4	5	7	7	19
35-49	165	5.6	35	2	3	4	6	8	10	41
50-64	312	5.9	37	2	2	5	7	9	11	29
65+	201	6.3	22	1	2	5	8	12	16	31
TOT. SINGLE DX	708	4.5	7	1	2	4	6	7	9	12
" MULTIPLE DX	914	5.6	26	2	2	5	6	8	11	28
TOTAL 0-19 YRS	177	4.1	3	2	2	4	5	6	7	10
20-34	323	4.3	5	2	2	4	5	6	7	10
35-49	316	5.1	22	2	2	4	6	8	10	26
50-64	535	5.5	26	2	2	5	6	8	11	26
65+	271	5.9	22	1	2	5	7	11	15	29
GRAND TOTAL	1622	5.1	18	2	2	4	6	8	10	22

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	374	4.3	18	1	2	3	5	8	12	24
20-34	515	4.9	31	1	2	4	5	8	13	33
35-49	232	6.5	81	1	2	4	6	11	20	50
50-64	171	6.8	56	1	2	5	7	15	22	42
65+	112	9.6	148	1	1	5	12	23	31	85
2. MULTIPLE DX										
0-19 YRS	128	8.1	102	2	2	5	10	18	23	72
20-34	276	11.6	306	1	2	5	10	37	68	99
35-49	190	10.1	193	2	2	5	12	21	44	69
50-64	204	14.4	349	2	2	8	16	36	61	95
65+	138	21.1	405	2	2	15	29	54	76	99+
TOT. SINGLE DX	1404	5.6	51	1	2	4	6	10	17	42
" MULTIPLE DX	936	12.8	294	2	2	6	15	36	56	97
TOTAL 0-19 YRS	502	5.3	43	1	2	3	5	11	16	42
20-34	791	7.2	138	1	2	4	6	13	28	75
35-49	422	8.1	135	1	2	4	7	17	33	66
50-64	375	11.0	229	2	2	5	12	26	42	91
65+	250	15.9	322	1	2	9	23	42	59	99
GRAND TOTAL	**2340**	**8.5**	**161**	**1**	**2**	**4**	**8**	**20**	**36**	**77**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	6.6	72	2	2	4	7	12	18	53
20-34	175	6.0	30	2	2	4	8	11	15	31
35-49	53	7.2	54	1	2	6	8	14	17	48
50-64	49	9.3	105	1	1	8	11	17	22	69
65+	96	16.6	110	5	6	14	20	31	39	53
2. MULTIPLE DX										
0-19 YRS	50	14.0	261	3	3	7	17	46	56	58
20-34	68	12.0	194	1	2	7	15	37	61	99+
35-49	35	16.5	271	3	3	10	21	51	62	99+
50-64	54	20.2	286	4	5	14	29	40	46	93
65+	116	27.1	394	5	8	21	42	68	99+	99+
TOT. SINGLE DX	479	8.7	82	2	2	6	11	18	24	48
" MULTIPLE DX	323	19.6	335	3	3	14	30	54	66	99+
TOTAL 0-19 YRS	156	9.0	143	2	2	5	9	20	42	58
20-34	243	7.7	83	2	2	5	8	17	27	63
35-49	88	10.9	159	2	2	7	11	23	49	86
50-64	103	15.0	228	2	2	9	20	34	42	81
65+	212	22.3	292	5	6	17	31	53	76	99+
GRAND TOTAL	**802**	**13.1**	**212**	**2**	**3**	**8**	**17**	**36**	**51**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	3.1	6	1	1	2	4	5	8	12
20-34	347	3.2	8	<1	1	2	4	6	8	15
35-49	146	4.4	41	<1	1	3	5	7	12	46
50-64	115	4.4	32	1	2	3	4	9	11	38
65+	90	6.8	65	1	1	4	8	14	21	83
2. MULTIPLE DX										
0-19 YRS	75	6.9	71	1	2	4	8	17	21	48
20-34	116	9.1	178	1	2	5	8	22	37	73
35-49	72	7.1	59	1	2	4	9	19	25	87
50-64	59	8.5	76	2	2	5	12	19	27	45
65+	106	15.2	356	2	2	8	19	39	65	99+
TOT. SINGLE DX	907	3.9	23	<1	1	3	4	7	11	25
" MULTIPLE DX	428	9.8	178	1	2	5	11	23	40	96
TOTAL 0-19 YRS	284	4.1	26	1	1	3	4	8	12	25
20-34	463	4.7	57	<1	1	3	4	8	14	42
35-49	218	5.3	49	1	1	3	6	12	19	48
50-64	174	5.8	51	1	2	3	6	12	18	43
65+	196	11.3	239	1	2	6	14	34	51	99+
GRAND TOTAL	**1335**	**5.8**	**80**	**1**	**1**	**3**	**5**	**12**	**20**	**58**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	29.2	342	3	4	28	46	54	58	59
20-34	6	25.3	1250	3	4	13	15	89	97	97
35-49	3	22.7	408	11	11	11	37	46	46	46
50-64	18	11.7	21	5	6	13	16	60	99+	99+
65+	35	19.7	124	5	6	18	31	38	41	99+
2. MULTIPLE DX										
0-19 YRS	16	33.0	416	7	9	29	47	63	70	72
20-34	13	29.4	543	6	8	18	51	67	69	70
35-49	11	39.5	790	8	11	37	68	96	99+	99+
50-64	25	23.0	368	5	6	15	38	52	63	74
65+	173	32.5	476	8	10	30	47	72	91	99+
TOT. SINGLE DX	81	20.7	261	4	6	16	32	47	70	99+
" MULTIPLE DX	238	31.7	482	7	9	28	47	71	85	99+
TOTAL 0-19 YRS	35	30.9	369	4	6	28	46	58	63	72
20-34	19	28.1	713	4	7	15	45	68	85	97
35-49	14	35.9	722	9	11	36	56	95	99	99+
50-64	43	18.3	252	5	6	14	20	52	80	99+
65+	208	30.3	439	6	9	28	44	69	86	99+
GRAND TOTAL	**319**	**28.9**	**448**	**6**	**8**	**23**	**43**	**68**	**85**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	11.8	148	2	3	8	13	24	47	55
20-34	36	10.9	24	2	5	10	14	19	20	22
35-49	29	12.8	51	6	6	10	16	25	27	31
50-64	62	15.2	98	5	6	13	16	33	40	48
65+	179	21.2	237	4	7	17	27	38	54	77
2. MULTIPLE DX										
0-19 YRS	55	19.2	185	4	6	16	24	35	53	64
20-34	86	24.2	316	5	8	17	33	56	69	99+
35-49	52	18.3	107	6	8	17	23	28	51	99
50-64	111	24.8	321	7	9	21	32	64	87	99+
65+	495	28.2	408	7	9	24	44	86	99+	99+
TOT. SINGLE DX	340	17.3	181	4	6	14	21	34	44	72
" MULTIPLE DX	799	26.0	361	7	8	21	37	69	99+	99+
TOTAL 0-19 YRS	89	16.4	182	3	4	13	20	34	51	61
20-34	122	20.3	267	5	7	14	27	48	64	99+
35-49	81	16.3	94	6	7	15	22	27	31	87
50-64	173	21.3	261	6	7	16	27	49	72	99+
65+	674	26.3	372	7	8	22	37	71	99+	99+
GRAND TOTAL	1139	23.4	323	6	7	18	32	60	89	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	20.8	334	1	2	17	29	48	69	96
20-34	12	11.1	216	1	2	4	14	36	47	49
35-49	2	7.0	32	3	3	11	78	99+	99+	99+
50-64	3	18.3	160	7	7	16	28	32	32	32
65+	12	17.8	433	1	2	13	28	80	96	99+
2. MULTIPLE DX										
0-19 YRS	41	35.9	472	3	5	33	55	70	85	99+
20-34	11	17.6	176	4	4	20	34	57	94	99+
35-49	7	21.3	248	5	6	23	40	85	99+	99+
50-64	13	31.7	353	7	12	32	40	77	95	99+
65+	29	32.1	640	3	6	34	67	99+	99+	99+
TOT. SINGLE DX	95	18.8	325	1	2	14	29	49	74	99+
" MULTIPLE DX	101	31.3	481	4	5	31	54	76	99+	99+
TOTAL 0-19 YRS	107	26.6	437	1	4	23	43	63	76	99+
20-34	23	14.2	200	2	3	7	25	39	64	99+
35-49	9	18.1	230	3	4	18	44	99+	99+	99+
50-64	16	29.2	342	6	8	32	35	72	91	99+
65+	41	27.9	611	2	3	23	59	98	99+	99+
GRAND TOTAL	196	25.2	442	2	3	21	42	71	99+	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	4.5	45	<1	1	2	4	11	19	38
20-34	62	2.9	4	<1	<1	2	4	6	8	12
35-49	24	3.2	3	1	1	3	4	6	7	7
50-64	31	4.8	10	1	1	4	6	10	12	14
65+	15	10.5	190	1	1	7	12	30	46	52
2. MULTIPLE DX										
0-19 YRS	21	12.2	365	1	2	5	19	24	53	88
20-34	33	9.1	285	<1	1	4	7	17	46	84
35-49	8	12.5	342	1	1	3	18	44	54	54
50-64	18	13.4	172	2	3	8	19	34	46	50
65+	11	14.4	255	<1	1	8	31	62	95	99+
TOT. SINGLE DX	196	4.4	36	<1	1	3	5	9	13	35
" MULTIPLE DX	91	11.6	274	1	1	5	14	40	50	95
TOTAL 0-19 YRS	85	6.4	132	1	1	2	5	19	24	71
20-34	95	5.0	109	<1	1	3	5	8	10	67
35-49	32	5.5	97	1	1	3	5	10	21	54
50-64	49	8.0	85	1	2	5	8	18	25	50
65+	26	12.2	212	1	1	8	17	45	59	99+
GRAND TOTAL	297	6.6	122	1	1	3	6	16	25	73

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	503	3.7	9	1	1	3	4	7	10	18
20-34	831	4.2	13	1	1	3	5	8	10	15
35-49	399	5.0	26	1	2	4	6	9	12	21
50-64	271	6.0	22	2	2	5	7	11	15	27
65+	137	8.4	53	2	2	6	12	18	21	39
2. MULTIPLE DX										
0-19 YRS	208	9.8	188	1	2	5	10	22	43	73
20-34	433	8.5	86	2	2	5	10	17	27	55
35-49	232	9.2	124	2	3	5	10	21	37	71
50-64	232	11.9	147	2	3	8	14	26	39	87
65+	158	17.2	305	2	3	12	21	44	62	99
TOT. SINGLE DX	2141	4.7	20	1	1	4	5	9	12	21
" MULTIPLE DX	1263	10.6	156	2	2	6	12	24	38	83
TOTAL 0-19 YRS	711	5.5	69	1	1	3	5	10	17	51
20-34	1264	5.7	43	1	2	4	6	11	16	36
35-49	631	6.5	66	1	2	4	7	12	19	57
50-64	503	8.7	89	2	2	6	10	19	27	56
65+	295	13.1	207	2	3	8	17	27	48	88
GRAND TOTAL	3404	6.9	78	1	2	4	7	14	21	55

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2083	2.2	9	<1	1	1	2	4	6	17
20-34	563	3.5	10	<1	1	2	5	8	10	15
35-49	347	3.5	11	1	1	2	5	8	11	17
50-64	343	3.3	23	1	1	2	4	7	10	30
65+	294	4.5	55	1	1	2	4	9	15	45
2. MULTIPLE DX										
0-19 YRS	359	4.7	39	1	1	2	6	10	15	37
20-34	309	8.7	175	1	1	4	8	21	36	70
35-49	194	8.1	144	1	1	4	9	18	28	68
50-64	198	10.8	218	1	1	5	14	29	40	98
65+	262	12.0	205	1	1	7	16	30	49	97
TOT. SINGLE DX	3630	2.8	16	1	1	2	3	6	9	19
" MULTIPLE DX	1322	8.5	153	1	1	4	9	22	34	69
TOTAL 0-19 YRS	2442	2.6	15	1	1	1	2	5	8	20
20-34	872	5.3	75	1	1	3	5	11	17	51
35-49	541	5.2	64	1	1	3	6	11	15	46
50-64	541	6.1	107	1	1	3	6	16	27	69
65+	556	8.0	140	1	1	3	10	21	35	65
GRAND TOTAL	**4952**	**4.3**	**59**	**1**	**1**	**2**	**4**	**9**	**16**	**47**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	3.2	26	<1	<1	1	3	8	16	27
20-34	170	1.7	3	<1	<1	1	2	3	4	13
35-49	69	2.7	12	<1	1	1	2	7	11	19
50-64	66	2.5	11	<1	1	1	2	6	11	18
65+	62	8.8	253	<1	1	2	6	28	45	79
2. MULTIPLE DX										
0-19 YRS	50	5.3	34	1	1	2	8	18	20	99
20-34	77	7.4	124	<1	1	3	9	16	33	58
35-49	35	7.9	263	<1	1	2	5	22	42	83
50-64	41	6.5	104	1	1	4	7	13	16	65
65+	65	11.2	257	1	1	5	12	27	46	81
TOT. SINGLE DX	503	3.2	47	<1	<1	1	2	6	13	33
" MULTIPLE DX	268	7.8	157	1	1	4	9	19	37	80
TOTAL 0-19 YRS	186	3.7	29	<1	1	1	3	10	19	30
20-34	247	3.5	48	<1	<1	1	3	9	13	45
35-49	104	4.5	101	<1	1	2	3	9	16	61
50-64	107	4.0	50	1	1	2	4	8	14	39
65+	127	10.0	255	1	1	4	10	27	45	81
GRAND TOTAL	**771**	**4.8**	**90**	**<1**	**<1**	**2**	**4**	**11**	**20**	**59**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	3.0	3	1	1	3	3	4	6	11
20-34	265	2.9	2	1	1	3	3	4	6	10
35-49	70	2.9	2	1	1	3	3	5	6	8
50-64	19	8.3	143	1	1	4	8	28	40	45
65+	10	9.9	91	2	2	6	18	25	29	29
2. MULTIPLE DX										
0-19 YRS	24	7.8	145	1	2	4	8	16	71	99+
20-34	53	4.9	58	1	2	3	4	7	16	53
35-49	21	3.6	3	1	2	3	4	6	8	10
50-64	15	6.3	25	2	3	4	9	11	18	21
65+	12	22.7	463	3	4	23	45	76	95	99+
TOT. SINGLE DX	430	3.3	13	1	1	3	3	5	7	19
" MULTIPLE DX	125	7.1	124	2	2	4	7	17	44	99+
TOTAL 0-19 YRS	90	4.3	45	1	1	3	4	8	11	84
20-34	318	3.2	12	1	1	3	3	5	7	14
35-49	91	3.0	3	1	1	3	3	5	7	9
50-64	34	7.4	90	1	1	4	8	18	32	45
65+	22	16.9	324	2	3	8	25	54	80	99+
GRAND TOTAL	**555**	**4.1**	**40**	**1**	**1**	**3**	**4**	**7**	**10**	**50**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	4.3	16	1	2	3	5	7	10	20
20-34	246	4.1	10	1	2	3	4	7	8	15
35-49	97	4.0	9	1	2	3	5	7	9	19
50-64	65	6.3	37	1	2	4	8	15	16	34
65+	27	12.3	145	2	3	7	15	32	43	46
2. MULTIPLE DX										
0-19 YRS	105	7.0	55	1	2	4	8	18	27	33
20-34	161	5.3	50	2	2	4	5	9	11	48
35-49	78	7.9	104	1	2	4	6	22	31	48
50-64	75	11.8	256	2	3	6	11	46	58	99+
65+	44	21.1	417	3	3	17	36	75	99+	99+
TOT. SINGLE DX	622	4.7	23	1	2	3	5	8	13	29
" MULTIPLE DX	463	8.7	148	2	2	4	8	24	39	97
TOTAL 0-19 YRS	292	5.3	32	1	2	3	5	10	16	30
20-34	407	4.5	27	1	2	3	5	8	10	25
35-49	175	5.8	55	1	2	4	5	10	22	46
50-64	140	9.2	161	1	2	5	9	23	48	99+
65+	71	17.7	329	3	3	13	25	48	77	99+
GRAND TOTAL	**1085**	**6.4**	**80**	**1**	**2**	**4**	**6**	**13**	**24**	**63**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	10.2	53	2	3	9	12	17	23	40
20-34	569	10.1	38	3	4	9	12	17	22	35
35-49	806	10.6	31	3	5	10	13	17	21	30
50-64	348	11.7	43	4	5	10	15	19	23	39
65+	54	13.0	43	3	6	12	15	20	25	40
2. MULTIPLE DX										
0-19 YRS	9	10.4	20	3	5	9	13	17	18	18
20-34	212	12.3	52	4	6	11	15	21	27	49
35-49	442	14.5	81	5	6	12	17	25	32	46
50-64	359	16.6	103	6	8	14	20	29	35	59
65+	104	20.4	157	7	9	17	24	34	47	68
TOT. SINGLE DX	1810	10.7	37	3	5	9	13	18	21	33
" MULTIPLE DX	1126	15.3	94	5	7	13	19	27	33	54
TOTAL 0-19 YRS	42	10.2	46	2	3	9	13	17	21	40
20-34	781	10.7	43	3	4	9	13	18	22	38
35-49	1248	12.0	52	4	5	11	14	20	26	39
50-64	707	14.2	80	4	6	12	17	25	31	50
65+	158	17.9	130	6	8	15	22	32	41	65
GRAND TOTAL	**2936**	**12.4**	**64**	**4**	**5**	**11**	**15**	**21**	**27**	**42**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	3.8	3	1	2	4	5	6	7	11
20-34	899	3.7	3	2	2	4	4	6	6	9
35-49	449	3.9	4	1	2	4	5	6	7	9
50-64	218	4.4	5	2	2	4	5	7	8	12
65+	45	5.2	26	1	1	5	6	8	11	34
2. MULTIPLE DX										
0-19 YRS	92	4.1	5	<1	1	4	5	7	8	12
20-34	420	3.9	5	1	1	4	5	7	8	11
35-49	198	4.2	6	1	2	4	5	7	9	12
50-64	186	4.6	10	1	1	4	6	8	10	17
65+	52	8.4	153	1	2	5	7	18	25	65
TOT. SINGLE DX	1856	3.9	4	1	2	4	5	6	7	10
" MULTIPLE DX	948	4.4	16	1	1	4	5	7	9	17
TOTAL 0-19 YRS	337	3.9	4	1	2	4	5	6	8	11
20-34	1319	3.8	4	1	2	4	5	6	7	10
35-49	647	4.0	5	1	2	4	5	6	8	11
50-64	404	4.5	8	1	2	4	5	8	9	16
65+	97	6.9	95	1	1	5	7	12	23	64
GRAND TOTAL	**2804**	**4.1**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	2.9	4	1	1	2	4	5	7	13
20-34	409	2.9	8	1	1	2	3	5	7	16
35-49	191	3.1	6	1	1	2	4	6	8	16
50-64	119	3.6	12	<1	1	2	4	7	9	23
65+	50	4.7	28	1	1	3	5	13	16	24
2. MULTIPLE DX										
0-19 YRS	59	4.4	19	<1	1	3	5	11	14	20
20-34	190	3.9	28	<1	1	3	4	7	12	34
35-49	109	5.6	72	<1	1	3	6	10	18	58
50-64	115	8.7	119	1	1	4	11	22	34	54
65+	83	11.6	219	1	2	5	16	36	44	92
TOT. SINGLE DX	991	3.1	9	1	1	2	4	6	8	17
" MULTIPLE DX	556	6.4	90	1	1	3	6	16	24	54
TOTAL 0-19 YRS	281	3.2	8	1	1	2	4	6	9	17
20-34	599	3.3	15	1	1	2	4	6	8	21
35-49	300	4.0	32	1	1	3	4	7	10	22
50-64	234	6.1	71	1	1	3	6	13	23	50
65+	133	9.0	158	1	1	4	11	24	40	80
GRAND TOTAL	**1547**	**4.3**	**41**	**1**	**1**	**2**	**4**	**8**	**14**	**37**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	14.4	25	7	8	13	18	20	25	26
20-34	72	12.8	73	6	7	11	13	20	29	58
35-49	58	12.4	75	5	6	11	13	19	24	65
50-64	20	13.5	16	8	8	14	15	18	21	23
65+	2	10.0	32	6	6	10	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	45	19.6	266	6	7	16	25	65	99+	99+
20-34	71	17.7	129	8	9	14	22	33	46	62
35-49	77	20.0	225	8	9	16	24	44	53	99+
50-64	54	19.0	123	9	10	15	28	45	83	99+
65+	12	23.5	157	10	13	20	28	45	50	51
TOT. SINGLE DX	189	13.0	58	6	7	12	15	20	25	53
" MULTIPLE DX	259	19.2	181	8	9	15	24	42	52	99+
TOTAL 0-19 YRS	82	17.2	163	7	8	15	20	30	77	99+
20-34	143	15.2	106	7	8	12	17	27	39	64
35-49	135	16.7	174	7	8	12	19	28	47	99
50-64	74	17.5	100	8	9	15	23	36	50	99+
65+	14	21.6	159	7	10	19	22	43	49	51
GRAND TOTAL	**448**	**16.6**	**138**	**7**	**8**	**13**	**20**	**30**	**46**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	4.0	4	<1	1	4	5	7	9	9
20-34	89	5.4	17	1	2	4	7	9	11	26
35-49	89	6.0	23	1	2	5	7	10	14	30
50-64	93	6.1	24	2	2	5	7	12	16	26
65+	57	5.1	30	1	2	4	6	8	11	33
2. MULTIPLE DX										
0-19 YRS	28	7.3	32	2	2	6	9	14	17	30
20-34	57	7.6	50	2	2	6	9	17	30	95
35-49	48	11.4	244	2	2	6	13	21	35	87
50-64	83	7.2	47	2	2	5	8	15	24	81
65+	69	12.9	309	2	2	6	14	41	55	98
TOT. SINGLE DX	361	5.5	22	1	2	4	7	10	13	29
" MULTIPLE DX	285	9.4	148	2	2	6	10	21	36	96
TOTAL 0-19 YRS	61	5.5	20	1	2	5	6	10	14	28
20-34	146	6.2	31	2	2	5	8	10	15	40
35-49	137	7.9	106	1	2	5	8	15	21	69
50-64	176	6.6	35	2	2	5	7	14	20	41
65+	126	9.4	197	1	2	4	9	25	45	92
GRAND TOTAL	**646**	**7.2**	**81**	**2**	**2**	**5**	**8**	**14**	**22**	**66**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	16.3	65	8	9	15	19	27	36	37
35-49	44	13.4	20	6	7	13	16	20	21	27
50-64	223	14.4	53	7	7	13	17	21	24	45
65+	369	16.2	63	7	7	15	19	25	30	39
2. MULTIPLE DX										
0-19 YRS										
20-34	21	24.9	287	9	11	21	29	33	62	88
35-49	42	19.8	84	8	12	18	21	29	41	53
50-64	275	20.5	151	8	10	17	24	34	41	85
65+	557	22.6	184	7	11	19	27	42	58	99
TOT. SINGLE DX	647	15.4	58	7	7	15	18	23	27	39
" MULTIPLE DX	895	21.9	173	8	10	18	26	38	53	91
TOTAL 0-19 YRS										
20-34	32	21.9	224	9	9	18	24	37	40	88
35-49	86	16.5	62	7	8	15	19	24	29	53
50-64	498	17.8	116	7	8	15	20	30	36	75
65+	926	20.1	146	7	9	17	24	34	49	82
GRAND TOTAL	**1542**	**19.2**	**135**	**7**	**8**	**17**	**22**	**32**	**42**	**75**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	7	16.6	156	6	6	13	20	38	42	42
50-64	39	18.7	97	7	8	18	23	25	35	61
65+	180	19.5	131	7	8	17	23	35	47	94
2. MULTIPLE DX										
0-19 YRS	2	24.0	578	7	7	24	41	41	41	41
20-34	4	39.0	944	7	7	35	62	78	78	78
35-49	11	13.2	26	7	8	11	18	21	22	22
50-64	53	24.8	282	8	10	21	30	47	69	81
65+	452	27.1	376	7	10	21	36	67	94	99+
TOT. SINGLE DX	227	19.3	125	7	8	17	23	32	46	86
" MULTIPLE DX	522	26.6	367	7	10	21	35	63	90	99+
TOTAL 0-19 YRS	2	24.0	578	7	7	24	41	41	41	41
20-34	5	37.2	725	7	7	30	55	78	78	78
35-49	18	14.5	73	6	7	12	19	21	34	42
50-64	92	22.2	211	7	9	19	24	43	55	78
65+	632	24.9	318	7	10	20	32	55	87	99+
GRAND TOTAL	**749**	**24.4**	**305**	**7**	**9**	**19**	**31**	**52**	**81**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	4.5	2	2	3	4	5	7	8	9
20-34	320	5.3	11	2	3	5	6	8	11	19
35-49	69	6.6	49	2	2	5	7	11	21	45
50-64	68	14.3	113	3	4	13	18	26	32	61
65+	113	17.7	147	3	6	16	23	40	42	90
2. MULTIPLE DX										
0-19 YRS	126	5.6	13	3	3	5	6	8	11	22
20-34	245	6.3	23	3	3	5	7	10	16	27
35-49	71	11.2	155	3	3	6	11	31	38	61
50-64	81	19.6	385	3	4	15	25	57	97	99+
65+	127	25.2	301	6	7	21	31	52	75	99+
TOT. SINGLE DX	770	7.8	65	2	3	5	8	17	23	42
" MULTIPLE DX	650	12.0	196	3	3	6	16	29	45	97
TOTAL 0-19 YRS	326	4.9	7	2	3	5	6	7	8	13
20-34	565	5.7	17	2	3	5	6	9	12	23
35-49	140	8.9	108	2	3	5	9	21	32	57
50-64	149	17.2	267	3	4	14	22	38	62	99+
65+	240	21.7	242	5	7	19	26	43	57	99+
GRAND TOTAL	**1420**	**9.8**	**130**	**2**	**3**	**5**	**11**	**22**	**32**	**73**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	256	3.5	5	1	2	3	4	6	7	8
20-34	681	3.4	2	1	2	3	4	5	6	9
35-49	171	3.7	4	1	2	3	4	6	7	13
50-64	160	5.1	19	1	2	4	6	9	11	29
65+	60	7.2	36	1	2	5	9	16	19	32
2. MULTIPLE DX										
0-19 YRS	55	4.9	21	1	2	4	5	9	15	24
20-34	165	4.4	11	1	2	4	5	7	11	18
35-49	106	5.4	34	1	1	4	6	10	15	36
50-64	145	6.8	30	1	2	5	8	14	18	28
65+	96	9.4	67	2	3	6	11	23	28	36
TOT. SINGLE DX	1328	3.8	8	1	2	3	4	6	8	14
" MULTIPLE DX	567	6.1	34	1	2	4	7	13	18	31
TOTAL 0-19 YRS	311	3.8	8	1	2	3	4	6	7	19
20-34	846	3.6	4	1	2	3	4	5	7	12
35-49	277	4.3	17	1	2	3	5	7	10	23
50-64	305	5.9	25	1	2	4	7	12	15	29
65+	156	8.5	56	2	2	6	10	20	24	34
GRAND TOTAL	**1895**	**4.5**	**17**	**1**	**2**	**3**	**5**	**7**	**11**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	5.5	69	<1	1	4	6	10	17	85
20-34	103	5.2	39	<1	1	3	6	10	15	39
35-49	72	4.4	9	<1	1	4	6	8	10	16
50-64	68	3.0	18	<1	<1	2	4	6	7	29
65+	31	3.0	24	<1	<1	1	2	6	16	24
2. MULTIPLE DX										
0-19 YRS	86	7.8	60	2	2	5	9	18	26	39
20-34	63	7.5	72	1	1	4	8	15	23	49
35-49	46	7.6	44	1	1	6	11	17	22	31
50-64	43	6.6	75	1	2	4	7	12	24	48
65+	31	13.0	95	2	2	11	20	31	36	99+
TOT. SINGLE DX	390	4.6	39	<1	<1	3	5	9	14	38
" MULTIPLE DX	269	8.1	69	1	2	5	10	19	27	47
TOTAL 0-19 YRS	202	6.5	67	1	1	4	8	14	21	59
20-34	166	6.1	53	1	1	4	7	14	19	40
35-49	118	5.6	25	<1	1	4	7	12	15	26
50-64	111	4.4	43	<1	<1	2	4	9	11	39
65+	62	8.0	84	<1	<1	3	13	24	31	92
GRAND TOTAL	**659**	**6.0**	**54**	**<1**	**1**	**4**	**7**	**14**	**20**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	2.6	14	<1	<1	2	3	4	7	24
20-34	266	2.2	7	<1	<1	1	2	4	5	16
35-49	146	3.1	14	<1	<1	2	3	7	10	25
50-64	114	4.2	34	<1	<1	3	5	8	16	31
65+	49	3.9	12	<1	1	2	4	10	13	15
2. MULTIPLE DX										
0-19 YRS	43	7.0	124	<1	<1	3	5	29	40	99+
20-34	72	4.5	47	<1	<1	2	3	10	20	40
35-49	64	8.1	217	<1	<1	3	9	16	26	86
50-64	96	8.8	155	1	1	4	11	23	52	99+
65+	67	13.7	264	2	2	7	18	38	61	95
TOT. SINGLE DX	771	2.9	15	<1	<1	2	3	5	9	22
" MULTIPLE DX	342	8.5	169	<1	<1	3	10	23	40	99+
TOTAL 0-19 YRS	239	3.4	37	<1	<1	2	3	5	13	39
20-34	338	2.7	17	<1	<1	2	3	4	8	22
35-49	210	4.6	81	<1	<1	2	4	10	15	49
50-64	210	6.3	94	<1	<1	3	7	16	23	84
65+	116	9.5	180	1	2	4	11	25	43	83
GRAND TOTAL	**1113**	**4.6**	**69**	**<1**	**<1**	**2**	**4**	**11**	**17**	**55**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.5	7	<1	<1	1	2	7	8	8
20-34	17	2.5		<1	1	2	3	3	4	5
35-49	40	2.5	2	<1	<1	2	3	4	5	9
50-64	126	2.9	6	<1	<1	2	3	4	6	14
65+	92	2.6	1	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	2.9	1	1	1	3	4	4	4	4
35-49	32	4.0	19	<1	1	3	4	7	13	24
50-64	86	4.3	21	1	2	3	4	9	17	23
65+	84	5.3	58	1	2	3	4	11	22	44
TOT. SINGLE DX	281	2.7	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	211	4.6	35	1	2	3	4	9	19	31
TOTAL 0-19 YRS	7	2.7	7	<1	<1	2	4	7	8	8
20-34	25	2.6	1	1	1	3	3	4	4	5
35-49	72	3.2	10	<1	<1	2	3	5	8	22
50-64	212	3.4	13	<1	1	2	4	6	10	22
65+	176	3.9	30	<1	1	3	3	7	10	31
GRAND TOTAL	**492**	**3.5**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.0	2	<1	1	2	2	3	5	9
20-34	193	2.2	3	<1	1	2	2	4	6	11
35-49	69	2.4	2	<1	1	2	3	4	5	8
50-64	45	2.4	4	<1	1	2	3	4	5	13
65+	16	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	74	3.4	21	<1	1	2	3	6	11	28
20-34	185	3.1	12	<1	1	2	3	5	7	35
35-49	62	3.0	6	<1	<1	2	4	5	8	15
50-64	43	4.8	27	<1	1	2	4	11	18	99+
65+	19	4.7	16	<1	1	3	7	12	14	14
TOT. SINGLE DX	430	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	383	3.4	15	<1	1	2	4	6	10	25
TOTAL 0-19 YRS	181	2.6	10	<1	1	2	3	4	6	23
20-34	378	2.6	8	<1	1	2	3	5	7	16
35-49	131	2.7	4	<1	1	2	3	5	6	12
50-64	88	3.5	17	<1	1	2	4	6	12	24
65+	35	3.5	11	<1	1	2	4	8	12	14
GRAND TOTAL	813	2.8	9	<1	1	2	3	5	7	16

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	3.0	5	<1	1	2	4	6	7	13
20-34	161	3.2	7	<1	1	2	4	6	9	13
35-49	138	4.1	42	1	1	3	4	6	9	44
50-64	92	5.1	45	1	1	4	6	8	14	45
65+	23	4.5	19	<1	<1	3	6	10	14	20
2. MULTIPLE DX										
0-19 YRS	36	4.3	21	1	1	3	5	8	16	22
20-34	89	5.7	119	1	1	3	5	9	18	72
35-49	62	6.5	160	1	1	3	5	10	20	84
50-64	68	5.8	41	1	1	4	6	12	24	31
65+	40	8.8	92	1	2	7	12	16	36	99+
TOT. SINGLE DX	510	3.8	24	<1	1	3	4	7	9	21
" MULTIPLE DX	295	6.1	94	1	1	3	6	13	19	71
TOTAL 0-19 YRS	132	3.4	10	<1	1	2	4	6	8	20
20-34	250	4.1	47	1	1	3	4	7	9	27
35-49	200	4.8	79	1	1	3	5	8	10	55
50-64	160	5.4	44	1	1	4	6	9	16	33
65+	63	7.3	70	1	1	5	10	16	18	94
GRAND TOTAL	805	4.7	51	1	1	3	5	8	13	44

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	4.1	10	1	1	3	5	7	9	16
20-34	165	4.2	10	1	1	3	5	7	9	16
35-49	78	3.9	7	1	1	3	4	6	8	14
50-64	41	4.7	22	1	1	3	5	8	15	25
65+	19	6.3	50	1	2	3	7	9	23	34
2. MULTIPLE DX										
0-19 YRS	113	5.3	23	1	2	4	6	9	15	29
20-34	77	6.1	115	1	2	4	7	12	37	90
35-49	39	6.1	31	1	2	3	6	10	15	99+
50-64	38	9.3	199	1	2	5	9	35	68	99+
65+	20	19.0	501	1	3	10	27	53	71	81
TOT. SINGLE DX	515	4.2	12	1	2	3	5	7	9	19
" MULTIPLE DX	267	7.5	113	1	2	4	7	16	30	96
TOTAL 0-19 YRS	305	4.6	15	1	2	3	5	8	11	25
20-34	242	5.2	43	1	2	4	5	8	16	43
35-49	107	4.2	9	1	2	3	5	8	11	31
50-64	69	6.5	98	1	2	4	7	14	28	93
65+	39	12.8	316	1	3	6	12	40	54	81
GRAND TOTAL	782	5.3	49	1	2	4	6	9	15	65

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.1	3	<1	<1	2	3	3	6	10
20-34	43	2.7	6	<1	1	2	4	6	8	12
35-49	26	3.3	7	1	1	3	4	6	6	7
50-64	31	3.4	7	1	1	3	4	6	6	12
65+	17	4.3	44	1	1	3	4	10	22	28
2. MULTIPLE DX										
0-19 YRS	18	7.2	66	1	2	4	10	12	27	37
20-34	43	5.7	70	1	2	3	5	9	29	35
35-49	28	5.0	28	1	2	3	5	10	14	28
50-64	16	10.8	191	1	2	4	10	35	39	40
65+	11	9.9	214	1	2	4	17	64	95	99+
TOT. SINGLE DX	140	3.1	10	<1	1	2	4	7	8	14
" MULTIPLE DX	116	5.9	90	1	1	3	6	24	34	66
TOTAL 0-19 YRS	41	4.4	37	<1	1	3	4	10	12	37
20-34	86	4.2	40	<1	1	3	4	8	19	34
35-49	54	4.1	17	1	1	3	5	6	11	27
50-64	47	5.9	80	1	1	3	6	12	30	40
65+	28	6.5	113	1	1	3	6	27	51	99+
GRAND TOTAL	256	4.8	50	1	1	2	5	10	24	40

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	4.8	7	1	1	5	6	9	9	9
35-49	1	22.0		22	22	22	22	22	22	22
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	12.0	18	9	9	12	15	15	15	15
20-34	9	22.1	947	<1	1	8	30	77	81	81
35-49	3	24.7	1108	3	3	8	49	63	63	63
50-64	3	56.0	163	45	45	70	99+	99+	99+	99+
65+	8	12.5	51	4	5	11	15	24	27	27
TOT. SINGLE DX	10	6.2	40	1	1	5	9	16	22	22
" MULTIPLE DX	25	22.6	621	2	3	12	51	79	99+	99+
TOTAL 0-19 YRS	3	11.0	12	9	9	9	14	15	15	15
20-34	15	15.2	621	<1	1	5	10	70	78	81
35-49	4	24.0	741	3	3	15	42	63	63	63
50-64	4	42.3	865	1	5	61	99+	99+	99+	99+
65+	9	11.2	59	1	2	11	15	23	27	27
GRAND TOTAL	**35**	**17.9**	**505**	**1**	**1**	**9**	**23**	**70**	**93**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.8	8	1	1	4	5	6	10	13
20-34	20	9.6	298	<1	1	3	6	27	55	73
35-49	11	9.1	123	2	2	6	11	24	39	40
50-64	16	9.3	133	1	1	6	8	33	38	40
65+	22	11.7	404	1	2	5	7	35	71	77
2. MULTIPLE DX										
0-19 YRS	8	8.3	50	3	3	6	10	21	24	24
20-34	15	11.3	265	1	2	5	17	61	89	99+
35-49	23	18.9	353	1	3	10	34	45	59	65
50-64	47	26.4	566	4	4	21	42	75	97	99+
65+	79	25.4	525	2	3	19	38	64	87	99+
TOT. SINGLE DX	87	8.8	212	1	1	4	7	18	40	76
" MULTIPLE DX	172	22.8	491	2	3	15	36	63	86	99+
TOTAL 0-19 YRS	26	5.2	24	1	1	4	6	12	15	24
20-34	35	10.3	277	1	1	4	12	36	71	99+
35-49	34	15.7	295	1	2	7	26	40	53	65
50-64	63	22.0	509	2	2	13	37	64	86	99+
65+	101	22.4	527	2	3	15	33	59	86	99+
GRAND TOTAL	**259**	**18.1**	**440**	**1**	**2**	**8**	**29**	**50**	**78**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	4	22.8	226	2	2	25	32	38	38	38
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	40.0	882	19	19	40	61	61	61	61
65+	7	24.9	103	15	15	27	55	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	7	30.0	880	6	6	19	72	93	99+	99+
35-49	8	43.1	317	17	19	51	69	99+	99+	99+
50-64	32	45.1	375	19	21	51	68	99+	99+	99+
65+	109	38.9	526	12	15	38	69	99+	99+	99+
TOT. SINGLE DX	15	25.8	212	4	10	26	38	92	99+	99+
" MULTIPLE DX	157	39.9	500	12	15	41	68	99+	99+	99+
TOTAL 0-19 YRS	2	29.5	25	26	26	29	33	33	33	33
20-34	11	27.4	609	2	5	23	53	84	98	99+
35-49	9	39.3	407	9	14	51	66	99+	99+	99+
50-64	34	44.8	381	19	20	51	67	99+	99+	99+
65+	116	38.0	511	12	15	38	68	99+	99+	99+
GRAND TOTAL	**172**	**38.7**	**489**	**12**	**15**	**39**	**68**	**99+**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	22.0	50	17	17	22	27	27	27	27
20-34										
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	7	25.3	92	12	13	21	34	38	38	38
65+	13	25.8	507	4	6	20	37	67	67	67
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	20.0		20	20	20	20	20	20	20
35-49	12	32.3	653	11	12	19	45	72	89	92
50-64	21	38.8	347	12	15	41	55	89	99+	99+
65+	117	32.6	440	9	12	28	51	81	99+	99+
TOT. SINGLE DX	24	23.8	317	5	6	20	31	54	67	67
" MULTIPLE DX	152	33.2	442	9	12	29	49	81	99+	99+
TOTAL 0-19 YRS	3	18.0	73	10	10	17	24	27	27	27
20-34	1	20.0		20	20	20	20	20	20	20
35-49	14	28.8	635	7	9	16	41	67	86	92
50-64	28	35.4	314	12	14	38	46	76	99+	99+
65+	130	31.9	448	8	9	27	50	79	99+	99+
GRAND TOTAL	**176**	**31.9**	**433**	**8**	**11**	**28**	**46**	**78**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	18.0	91	8	8	19	25	27	27	27
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64	3	29.7	604	4	4	32	48	53	53	53
65+	3	22.3	261	5	5	25	34	37	37	37
2. MULTIPLE DX										
0-19 YRS	5	13.4	164	5	5	8	17	36	36	36
20-34	4	19.5	193	7	7	26	52	99+	99+	99+
35-49	3	40.7	44	33	33	44	45	45	45	45
50-64	7	38.3	663	15	15	35	46	82	90	90
65+	21	39.0	594	2	3	37	60	81	92	99+
TOT. SINGLE DX	10	23.2	236	4	4	23	32	45	53	53
" MULTIPLE DX	40	33.9	537	3	6	36	48	81	94	99+
TOTAL 0-19 YRS	8	15.1	126	5	6	10	23	33	36	36
20-34	5	20.0	147	7	7	24	36	94	99+	99+
35-49	3	40.7	44	33	33	44	45	45	45	45
50-64	10	35.7	594	4	9	33	48	71	90	90
65+	24	36.9	571	2	3	37	52	79	89	99+
GRAND TOTAL	50	31.7	489	3	5	32	44	73	90	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	10	5.8	21	1	1	5	7	13	17	17
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	15.6	239	6	6	9	20	43	43	43
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	40.5	925	19	19	40	62	62	62	62
65+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	16	5.1	17	1	1	5	7	9	15	17
" MULTIPLE DX	11	17.6	331	5	5	12	17	51	61	62
TOTAL 0-19 YRS	9	9.9	169	1	1	7	10	31	43	43
20-34	12	6.3	21	1	1	5	8	13	16	17
35-49	3	8.0	12	6	6	6	11	12	12	12
50-64	2	40.5	925	19	19	40	62	62	62	62
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	27	10.2	176	1	1	6	11	19	46	62

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.1	80	<1	1	3	5	21	28	28
20-34	20	4.9	69	<1	1	3	4	9	24	39
35-49	12	4.2	8	<1	1	4	5	8	11	12
50-64	18	6.3	32	1	1	4	9	14	19	22
65+	6	8.2	86	1	1	3	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	4	5.0	8	1	1	6	7	7	7	7
20-34	5	11.8	277	1	1	3	20	40	40	40
35-49	11	19.5	509	2	2	15	25	52	78	80
50-64	21	19.7	467	1	2	14	43	76	99+	99+
65+	27	21.5	440	5	7	14	29	80	99+	99+
TOT. SINGLE DX	64	5.6	48	<1	1	3	6	13	22	37
" MULTIPLE DX	68	18.9	422	1	2	12	28	68	99	99+
TOTAL 0-19 YRS	12	5.8	54	<1	1	4	6	13	26	28
20-34	25	6.3	109	<1	1	3	4	14	39	40
35-49	23	11.5	297	1	1	5	14	28	50	80
50-64	39	13.5	306	1	1	7	21	56	83	99+
65+	33	19.1	399	2	3	12	25	60	98	99+
GRAND TOTAL	132	12.5	284	1	1	6	16	40	69	99+

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	3	33.7	200	25	25	26	44	50	50	50
65+	2	18.5	25	15	15	18	22	22	22	22
TOT. SINGLE DX	2	7.5	41	3	3	7	12	12	12	12
" MULTIPLE DX	7	21.3	235	3	4	22	26	45	50	50
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	4	26.0	369	3	3	25	38	50	50	50
65+	3	16.3	26	12	12	15	20	22	22	22
GRAND TOTAL	9	18.2	218	3	3	15	25	40	50	50

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	2.0	1	<1	<1	2	2	3	4	8
20-34	365	2.1	1	<1	<1	2	2	3	5	8
35-49	640	2.4	2	<1	<1	2	3	4	6	10
50-64	340	3.1	6	<1	<1	2	3	6	9	13
65+	173	4.4	15	1	2	3	5	10	14	19
2. MULTIPLE DX										
0-19 YRS	12	8.5	413	1	1	2	4	25	66	73
20-34	157	3.0	11	<1	<1	2	3	6	10	18
35-49	383	3.6	21	<1	<1	2	4	7	10	23
50-64	289	5.1	40	<1	1	3	6	10	15	37
65+	248	8.9	105	2	2	5	11	22	30	48
TOT. SINGLE DX	1596	2.7	5	<1	<1	2	3	5	7	12
" MULTIPLE DX	1089	5.2	53	<1	<1	3	5	11	17	41
TOTAL 0-19 YRS	90	2.8	57	<1	<1	2	2	4	4	47
20-34	522	2.4	5	<1	<1	2	3	4	6	12
35-49	1023	2.9	10	<1	<1	2	3	5	7	14
50-64	629	4.0	23	<1	<1	2	5	8	11	23
65+	421	7.1	73	1	2	4	8	16	23	42
GRAND TOTAL	2685	3.7	26	<1	<1	2	4	7	11	25

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.7	3	<1	<1	3	4	5	6	8
20-34	27	3.1	4	<1	<1	3	4	5	9	9
35-49	40	6.1	19	<1	1	6	7	9	17	21
50-64	29	7.0	16	2	2	8	9	11	13	20
65+	53	8.2	15	2	3	8	11	14	15	16
2. MULTIPLE DX										
0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	13	4.6	7	2	2	4	6	8	10	11
35-49	23	8.4	22	3	4	7	10	17	18	19
50-64	56	7.3	16	2	3	7	9	12	16	24
65+	80	12.9	88	3	4	11	18	27	38	99+
TOT. SINGLE DX	176	5.9	17	<1	1	5	8	11	14	19
" MULTIPLE DX	177	9.7	58	2	3	7	12	20	25	87
TOTAL 0-19 YRS	32	2.9	3	<1	1	3	4	5	6	8
20-34	40	3.6	6	<1	<1	3	5	7	9	11
35-49	63	6.9	21	1	2	6	8	15	18	21
50-64	85	7.2	16	2	3	7	9	11	16	23
65+	133	11.0	64	3	3	9	14	21	29	99+
GRAND TOTAL	353	7.8	41	1	2	7	9	16	21	40

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	19	7.7	15	3	4	7	9	14	17	18
35-49	128	8.6	5	5	6	8	10	12	14	15
50-64	175	8.7	8	5	5	8	10	12	14	17
65+	156	10.9	26	6	6	10	12	16	19	37
2. MULTIPLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	28	8.3	8	4	5	8	10	13	14	15
35-49	143	9.8	24	5	6	9	11	14	18	31
50-64	276	11.5	44	5	6	10	13	19	26	35
65+	282	12.6	45	6	7	11	15	21	27	36
TOT. SINGLE DX	480	9.4	15	5	6	9	11	14	15	23
" MULTIPLE DX	731	11.5	41	5	6	10	13	18	24	35
TOTAL 0-19 YRS	4	6.3	14	1	1	7	9	9	9	9
20-34	47	8.1	11	4	4	8	10	13	15	18
35-49	271	9.2	16	5	6	9	10	13	15	23
50-64	451	10.4	32	5	6	9	12	16	20	34
65+	438	12.0	39	6	7	10	14	19	23	36
GRAND TOTAL	1211	10.6	32	5	6	9	12	16	21	33

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.3	2	1	1	3	4	5	7	8
20-34	491	3.6	6	<1	1	3	4	6	8	12
35-49	224	4.1	6	1	2	4	5	7	10	13
50-64	84	4.2	5	1	2	4	5	7	8	13
65+	26	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	44	4.5	52	1	1	3	4	6	9	50
20-34	335	4.1	14	1	1	4	4	7	9	15
35-49	247	4.9	15	1	2	4	6	10	11	23
50-64	111	5.3	31	1	2	4	6	9	13	36
65+	23	8.9	69	2	3	7	10	20	33	33
TOT. SINGLE DX	948	3.7	6	1	1	3	4	6	8	12
" MULTIPLE DX	760	4.7	21	1	1	4	5	8	11	27
TOTAL 0-19 YRS	167	3.6	16	1	1	3	4	5	7	10
20-34	826	3.8	10	1	1	3	4	6	8	14
35-49	471	4.6	11	1	2	4	5	8	11	18
50-64	195	4.8	20	1	2	4	6	8	10	31
65+	49	6.0	42	1	1	4	7	10	18	33
GRAND TOTAL	**1708**	**4.2**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	352	4.2	7	1	2	4	5	7	8	15
20-34	724	4.3	9	1	2	4	5	7	9	16
35-49	89	4.0	5	1	1	4	5	7	9	12
50-64	19	6.6	38	2	2	4	8	15	21	26
65+	3	4.7		4	4	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	47	4.6	9	1	2	4	5	9	12	15
20-34	122	6.1	24	1	2	5	7	12	17	24
35-49	24	7.3	63	1	2	4	8	15	30	33
50-64	14	8.6	69	2	2	4	11	20	27	29
65+	5	15.2	106	3	3	16	23	28	28	28
TOT. SINGLE DX	1187	4.3	9	1	2	4	5	7	9	16
" MULTIPLE DX	212	6.2	32	1	2	4	7	13	19	29
TOTAL 0-19 YRS	399	4.2	8	1	2	4	5	7	9	15
20-34	846	4.5	12	1	2	4	5	8	10	20
35-49	113	4.7	19	1	2	4	5	9	10	30
50-64	33	7.4	51	2	2	4	10	19	25	29
65+	8	11.3	91	3	3	6	19	26	28	28
GRAND TOTAL	**1399**	**4.6**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**21**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	2.4	6	<1	<1	1	3	5	8	13
20-34	370	3.3	18	<1	<1	2	4	7	13	22
35-49	302	3.6	25	<1	<1	2	4	7	12	26
50-64	216	4.7	33	<1	<1	3	5	11	16	31
65+	159	7.2	96	<1	1	3	10	18	24	62
2. MULTIPLE DX										
0-19 YRS	152	6.3	98	<1	<1	3	8	15	22	74
20-34	234	9.7	235	<1	1	4	10	22	47	90
35-49	218	11.6	192	<1	2	7	14	27	40	73
50-64	319	11.5	132	1	2	8	16	25	38	62
65+	454	14.6	195	2	3	10	20	36	51	99+
TOT. SINGLE DX	1435	3.8	30	<1	<1	2	4	9	14	27
" MULTIPLE DX	1377	11.7	183	1	2	7	15	29	44	91
TOTAL 0-19 YRS	540	3.5	36	<1	<1	2	3	8	12	24
20-34	604	5.8	112	<1	<1	2	6	13	21	66
35-49	520	7.0	111	<1	<1	3	8	17	25	56
50-64	535	8.8	104	<1	1	5	11	21	31	54
65+	613	12.7	181	1	2	8	17	32	47	99+
GRAND TOTAL	**2812**	**7.6**	**120**	**<1**	**<1**	**3**	**9**	**19**	**30**	**66**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	505	3.9	17	<1	1	2	5	8	11	21
20-34	446	5.0	33	<1	1	3	6	12	16	30
35-49	217	6.7	108	<1	1	4	7	12	25	54
50-64	179	8.0	104	1	1	5	10	18	24	52
65+	120	9.7	119	1	1	5	14	23	37	76
2. MULTIPLE DX										
0-19 YRS	727	5.7	63	1	1	3	7	14	20	48
20-34	918	6.7	92	<1	1	3	7	16	28	63
35-49	463	9.6	160	1	1	5	11	25	38	73
50-64	453	12.6	222	1	1	7	17	32	46	84
65+	547	18.6	407	1	2	12	27	62	86	99+
TOT. SINGLE DX	1467	5.6	58	<1	1	3	7	12	19	43
" MULTIPLE DX	3108	9.8	192	1	1	5	12	27	44	99+
TOTAL 0-19 YRS	1232	4.9	45	<1	1	3	6	11	17	40
20-34	1364	6.1	74	<1	1	3	7	14	23	52
35-49	680	8.7	145	1	1	4	10	23	35	68
50-64	632	11.3	193	1	1	6	14	28	40	81
65+	667	17.0	367	1	2	11	24	56	82	99+
GRAND TOTAL	**4575**	**8.5**	**153**	**1**	**1**	**4**	**10**	**22**	**37**	**86**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	9.9	99	1	1	7	14	24	33	44
20-34	92	10.9	180	1	1	7	13	25	34	76
35-49	31	10.9	54	1	2	11	16	19	26	29
50-64	39	15.9	253	1	1	11	17	25	48	85
65+	44	22.0	208	2	5	21	28	45	48	53
2. MULTIPLE DX										
0-19 YRS	70	20.0	314	2	3	16	26	39	65	87
20-34	87	23.0	302	2	5	19	33	54	89	99+
35-49	54	26.4	274	4	10	23	33	48	59	88
50-64	67	24.4	263	8	10	19	30	50	64	98
65+	99	37.7	593	9	14	31	55	87	98	99+
TOT. SINGLE DX	301	12.6	170	1	2	9	17	27	42	53
" MULTIPLE DX	377	27.0	411	3	7	22	36	60	86	99+
TOTAL 0-19 YRS	165	14.2	214	1	2	10	20	30	40	71
20-34	179	16.8	275	1	2	12	23	42	56	99+
35-49	85	20.7	249	2	3	18	29	38	52	81
50-64	106	20.5	283	2	4	17	26	41	61	93
65+	143	32.9	526	5	8	28	45	76	95	99+
GRAND TOTAL	**678**	**20.6**	**355**	**2**	**2**	**17**	**28**	**48**	**65**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.8	6	<1	1	2	4	6	8	12
20-34	30	6.6	124	1	1	3	6	14	25	59
35-49	17	3.4	14	1	1	2	3	7	13	17
50-64	8	18.6	421	3	3	13	21	54	66	66
65+	9	9.3	101	1	1	4	13	27	29	29
2. MULTIPLE DX										
0-19 YRS	13	8.5	76	1	1	6	12	22	28	30
20-34	28	17.3	314	2	2	11	31	52	58	99+
35-49	14	20.1	285	1	3	16	32	42	53	56
50-64	28	18.2	302	2	3	12	23	40	54	78
65+	7	24.9	452	5	6	27	71	99+	99+	99+
TOT. SINGLE DX	86	6.4	111	1	1	3	6	14	25	63
" MULTIPLE DX	90	17.3	287	2	2	11	28	50	61	99+
TOTAL 0-19 YRS	35	4.9	39	1	1	2	6	12	19	30
20-34	58	11.8	241	1	1	5	17	44	55	96
35-49	31	11.0	203	1	1	3	16	34	40	56
50-64	36	18.3	318	2	3	12	23	41	61	78
65+	16	16.1	298	1	2	10	29	88	99+	99+
GRAND TOTAL	**176**	**12.0**	**230**	**1**	**1**	**5**	**18**	**37**	**55**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	2.9	19	<1	<1	2	3	5	10	18
20-34	285	3.6	8	<1	<1	3	5	7	8	15
35-49	190	3.9	6	<1	<1	3	5	7	8	13
50-64	128	4.2	8	<1	2	4	5	7	9	16
65+	53	4.6	23	<1	1	3	6	9	9	26
2. MULTIPLE DX										
0-19 YRS	75	7.8	164	1	1	4	7	16	39	72
20-34	219	4.9	16	<1	1	4	6	8	11	17
35-49	206	6.5	54	1	2	5	7	11	16	43
50-64	198	5.7	31	1	2	4	7	10	16	30
65+	133	13.1	168	1	2	9	17	31	40	75
TOT. SINGLE DX	858	3.6	12	<1	<1	3	4	7	9	17
" MULTIPLE DX	831	7.1	74	<1	2	5	8	14	22	50
TOTAL 0-19 YRS	277	4.2	63	<1	<1	2	4	8	13	49
20-34	504	4.2	13	<1	<1	4	5	7	9	17
35-49	396	5.2	33	<1	1	4	6	9	12	27
50-64	326	5.1	23	<1	2	4	6	9	13	26
65+	186	10.7	141	1	2	6	13	27	36	69
GRAND TOTAL	**1689**	**5.3**	**45**	**<1**	**<1**	**4**	**6**	**10**	**15**	**39**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	8.4	64	1	2	5	12	24	32	99+
20-34	174	5.9	37	<1	1	4	7	14	18	31
35-49	239	5.6	29	<1	1	4	8	12	15	28
50-64	357	5.1	29	<1	1	3	8	11	15	23
65+	305	6.3	45	1	1	4	9	15	19	33
2. MULTIPLE DX										
0-19 YRS	31	9.8	95	1	2	8	13	24	48	99+
20-34	146	9.7	78	1	2	7	13	21	27	40
35-49	282	9.0	86	1	1	6	12	17	24	51
50-64	753	8.5	89	1	1	5	12	19	27	59
65+	1023	10.1	119	1	1	7	14	21	29	67
TOT. SINGLE DX	1109	5.8	36	1	1	4	8	13	18	31
" MULTIPLE DX	2233	9.4	103	1	1	7	13	20	28	61
TOTAL 0-19 YRS	65	9.1	79	1	2	7	13	24	35	99+
20-34	318	7.6	60	1	1	5	11	18	24	39
35-49	521	7.5	63	1	1	5	10	16	21	34
50-64	1110	7.4	73	1	1	4	10	17	24	47
65+	1328	9.2	105	1	1	6	13	20	27	62
GRAND TOTAL	3342	8.2	84	1	1	5	12	18	25	51

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7593	4.2	23	1	1	3	5	8	11	22
20-34	7145	4.4	26	1	1	3	5	9	12	24
35-49	3961	5.2	30	1	1	4	7	10	14	27
50-64	3463	6.7	49	2	2	5	8	13	18	37
65+	4256	9.2	89	2	2	7	11	18	26	60
2. MULTIPLE DX										
0-19 YRS	6419	6.1	54	1	1	4	7	12	17	39
20-34	5603	6.2	53	1	1	4	7	12	19	46
35-49	4884	7.8	66	1	1	5	10	16	21	43
50-64	7889	9.9	92	2	2	7	12	20	28	58
65+	17396	13.0	155	2	3	9	16	28	41	99+
TOT. SINGLE DX	26418	5.5	43	1	1	4	7	11	16	34
" MULTIPLE DX	42191	9.9	115	1	2	7	12	21	31	72
TOTAL 0-19 YRS	14012	5.1	39	1	1	3	6	10	14	31
20-34	12748	5.2	43	1	1	3	6	10	15	35
35-49	8845	6.6	52	1	1	5	8	14	18	38
50-64	11352	8.9	81	2	2	7	11	18	25	52
65+	21652	12.2	145	2	3	9	15	26	38	98
GRAND TOTAL	68609	8.2	91	1	1	5	10	17	26	60

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2910	5.5	42	1	1	4	6	11	17	35
20-34	1232	7.6	100	1	1	4	8	16	27	61
35-49	991	7.8	60	1	2	6	9	15	23	42
50-64	992	9.3	90	2	2	6	11	19	30	48
65+	1123	11.9	130	2	3	8	14	26	36	61
2. MULTIPLE DX										
0-19 YRS	2275	7.3	83	1	2	5	8	15	23	66
20-34	1158	8.9	124	1	2	6	10	19	29	84
35-49	1120	10.2	119	2	2	7	12	21	31	58
50-64	1916	12.1	158	2	3	8	14	25	36	79
65+	4372	15.5	218	3	4	11	19	35	54	99+
TOT. SINGLE DX	7248	7.7	80	1	2	5	9	16	25	47
" MULTIPLE DX	10841	11.9	170	2	3	8	14	27	41	89
TOTAL 0-19 YRS	5185	6.3	61	1	2	4	7	12	20	45
20-34	2390	8.2	113	1	2	5	9	18	28	67
35-49	2111	9.0	93	2	2	6	11	19	28	52
50-64	2908	11.1	137	2	3	8	13	23	34	70
65+	5495	14.8	203	3	4	10	18	33	50	99+
GRAND TOTAL	18089	10.2	138	1	2	7	12	23	34	76

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49										
50-64	5	4.6	23	1	1	3	6	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	6	33.8	559	7	7	34	55	61	62	62
20-34	3	5.0	37	1	1	2	9	12	12	12
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	4	12.8	65	5	5	12	19	22	22	22
65+	2	39.5	1513	12	12	39	67	67	67	67
TOT. SINGLE DX	7	5.0	24	1	1	3	9	13	13	13
" MULTIPLE DX	17	21.1	488	1	1	12	29	61	65	67
TOTAL 0-19 YRS	6	33.8	559	7	7	34	55	61	62	62
20-34	5	5.4	31	1	1	2	11	12	12	12
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	9	8.2	55	1	1	5	14	20	22	22
65+	2	39.5	1513	12	12	39	67	67	67	67
GRAND TOTAL	**24**	**16.4**	**402**	**1**	**1**	**10**	**19**	**56**	**63**	**67**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	5.4	24	1	1	3	8	12	15	22
20-34	622	4.6	20	1	1	3	6	10	13	22
35-49	750	4.8	24	1	1	3	6	11	15	26
50-64	468	4.7	25	1	1	3	6	11	15	25
65+	121	5.9	46	1	1	3	8	15	20	35
2. MULTIPLE DX										
0-19 YRS	37	8.0	63	1	2	6	11	18	22	41
20-34	367	6.6	40	1	1	4	9	14	17	27
35-49	522	7.1	67	1	1	5	9	14	21	40
50-64	475	8.4	94	1	1	5	10	19	25	53
65+	208	12.5	141	1	1	10	17	28	42	59
TOT. SINGLE DX	2024	4.8	25	1	1	3	6	11	15	25
" MULTIPLE DX	1609	8.1	82	1	1	5	10	18	23	47
TOTAL 0-19 YRS	100	6.4	40	1	1	4	9	14	18	32
20-34	989	5.3	29	1	1	3	7	13	15	25
35-49	1272	5.7	44	1	1	3	7	12	17	29
50-64	943	6.5	64	1	1	4	8	15	21	38
65+	329	10.1	117	1	1	7	14	23	32	57
GRAND TOTAL	**3633**	**6.2**	**53**	**1**	**1**	**4**	**8**	**14**	**20**	**35**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	5.6	24	1	2	4	6	13	18	21
20-34	71	6.8	47	2	2	4	9	15	17	42
35-49	110	6.7	48	1	1	5	8	12	20	42
50-64	134	5.6	14	1	1	5	8	12	13	15
65+	109	6.9	160	1	1	3	8	13	19	84
2. MULTIPLE DX										
0-19 YRS	10	16.5	222	2	2	10	29	40	43	43
20-34	71	7.6	38	2	2	6	9	15	21	31
35-49	121	10.1	107	1	2	7	12	22	33	74
50-64	340	9.7	85	1	2	7	13	19	27	45
65+	343	10.0	130	1	1	8	12	21	29	91
TOT. SINGLE DX	445	6.4	64	1	1	4	8	12	16	48
" MULTIPLE DX	885	9.8	104	1	2	7	12	20	29	65
TOTAL 0-19 YRS	31	9.1	110	2	2	4	11	24	37	43
20-34	142	7.2	43	2	2	5	9	15	17	32
35-49	231	8.5	82	1	2	6	10	18	26	55
50-64	474	8.5	69	1	2	6	11	16	24	43
65+	452	9.3	140	1	1	7	12	19	28	91
GRAND TOTAL	**1330**	**8.6**	**94**	**1**	**1**	**6**	**11**	**17**	**24**	**59**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	10	7.0	28	1	1	5	10	15	18	18
50-64	23	6.3	39	1	1	2	11	16	18	20
65+	7	4.0	18	1	1	1	6	11	12	12
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	15	14.3	327	1	2	10	15	26	63	75
50-64	50	9.6	61	1	1	9	15	19	22	34
65+	16	10.6	72	1	1	13	18	21	22	23
TOT. SINGLE DX	40	6.1	33	1	1	4	10	15	17	20
" MULTIPLE DX	84	10.8	110	1	1	9	15	21	24	61
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	25	11.4	215	1	2	8	13	19	38	75
50-64	73	8.5	56	1	1	8	13	19	21	34
65+	23	8.6	64	1	1	5	16	20	22	23
GRAND TOTAL	**124**	**9.3**	**89**	**1**	**1**	**8**	**14**	**19**	**22**	**45**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10297	4.5	18	1	1	4	6	8	11	20
20-34	3666	4.3	27	1	1	3	5	8	11	27
35-49	1670	5.6	30	1	1	4	7	12	16	29
50-64	1812	6.9	40	1	1	5	9	14	19	32
65+	2548	8.7	79	1	2	6	11	18	25	68
2. MULTIPLE DX										
0-19 YRS	11622	6.2	40	1	2	5	7	12	16	34
20-34	3367	6.2	63	1	1	4	7	13	21	48
35-49	2591	7.2	63	1	2	5	9	14	21	40
50-64	4493	9.1	84	2	2	6	11	18	25	52
65+	10176	11.9	154	2	3	8	15	26	40	99+
TOT. SINGLE DX	19993	5.3	33	1	1	4	6	11	14	30
" MULTIPLE DX	32249	8.5	93	1	2	6	10	18	26	63
TOTAL 0-19 YRS	21919	5.4	31	1	1	4	6	10	14	29
20-34	7033	5.2	45	1	1	3	6	10	16	38
35-49	4261	6.6	51	1	1	5	8	13	19	37
50-64	6305	8.4	73	1	2	6	11	17	23	47
65+	12724	11.3	141	2	3	8	14	24	37	99+
GRAND TOTAL	**52242**	**7.3**	**72**	**1**	**2**	**5**	**9**	**15**	**22**	**52**

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
609	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyelioscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin